PB81-196677

Historical Visibility Over the Eastern U.S. Daily Extinction Coefficient Contour Maps 1963-1967. Appendix D

Washington Univ.
St. Louis, MO

Prepared for

Environmental Sciences Research Lab.
Research Triangle Park, NC

May 80

U.S. Department of Commerce
National Technical Information Service
NTIS

PB81-156677

EPA-600/3-80-043e
May 1980

HISTORICAL VISIBILITY OVER THE EASTERN U.S.
Appendix D
Daily Extinction Coefficient Contour Maps
1963-1967

by

David E. Patterson, Janet M. Holloway and Rudolf B. Husar
Center for Air Pollution Impact and Trend Analysis (CAPITA)
Washington University
St. Louis, MO 63130

Grant No. R803896

Project Officer

William E. Wilson, Jr.
Atmospheric Chemistry and Physics Division
Environmental Sciences Research Laboratory
Research Triangle Park, NC 27711

PRODUCT OF:
NATIONAL TECHNICAL
INFORMATION SERVICE
U.S. DEPARTMENT OF COMMERCE
SPRINGFIELD, VA. 22161

ENVIRONMENTAL SCIENCES RESEARCH LABORATORY
OFFICE OF RESEARCH AND DEVELOPMENT
U.S. ENVIRONMENTAL PROTECTION AGENCY
RESEARCH TRIANGLE PARK, NC 27711

TECHNICAL REPORT DATA
(Please read Instructions on the reverse before completing)

1. REPORT NO.	2.	3. RECIPIENT'S ACCESSION NO.
EPA-600/3-80-043e		PB81 196677

4. TITLE AND SUBTITLE	5. REPORT DATE
HISTORICAL VISIBILITY OVER THE EASTERN U.S. Appendix D. Daily Extinction Coefficient Contour Maps 1963-1967	May 1980 6. PERFORMING ORGANIZATION CODE
7. AUTHOR(S) David E. Patterson, Janet M. Holloway and Rudolf Husar	8. PERFORMING ORGANIZATION REPORT NO.
9. PERFORMING ORGANIZATION NAME AND ADDRESS Washington Unversity CAPITA, Box 1185 Lindell and Skinker Blvds. St. Louis, Missouri 63130	10. PROGRAM ELEMENT NO. 1AA603A AA-149 (FY-79) 11. CONTRACT/GRANT NO. Grant No. R803896
12. SPONSORING AGENCY NAME AND ADDRESS Environmental Sciences Research Laboratory--RTP, NC Office of Research and Development U.S. Environmental Protection Agency Research Triangle Park, N.C. 27711	13. TYPE OF REPORT AND PERIOD COVERED Final 1/78-1/79 14. SPONSORING AGENCY CODE EPA/600/09

15. SUPPLEMENTARY NOTES

Reference: EPA-600/3-80-043a

16. ABSTRACT

The changes and causes of reduced visibility in the Eastern U.S. during the past three decades were examined. Contour maps of local midday extinction coefficients (inversely related to visibility) are presented for the years 1963-1967. Daily mean extinction coefficient maps illustrate the formation and movement of air masses with reduced visibility; they are supplemtented by tables and stripcharts of regional meteorological parameters.

17. KEY WORDS AND DOCUMENT ANALYSIS

a. DESCRIPTORS	b. IDENTIFIERS/OPEN ENDED TERMS	c. COSATI Field/Group
Air pollution *Visibility *Haze *Absorptivity *Trends *Nomographs *Meteorological data *Seasonal variations *Air masses	Regional haziness Long range transport Eastern U.S.	13B 04B 12A

18. DISTRIBUTION STATEMENT	19. SECURITY CLASS (This Report)	21. NO. OF PAGES
RELEASE TO PUBLIC	UNCLASSIFIED	352
	20. SECURITY CLASS (This page) UNCLASSIFIED	22. PRICE

EPA Form 2220-1 (9-73)

DISCLAIMER

This report has been reviewed by the Environmental Sciences Research Laboratory, U.S. Environmental Protection Agency, and approved for publication. Approval does not signify that the contents necessarily reflect the views and policies of the U.S. Environmental Protection Agency, nor does mention of trade names or commercial products constitute endorsement of recommendation for use.

ABSTRACT

The changes and causes of reduced visibility in the Eastern U.S. during the past three decades were examined. Contour maps of local midday extinction coefficients (inversely related to visibility) are presented for the years 1963-1967. Daily mean extinction coefficient maps illustrate the formation and movement of air masses with reduced visibility; they are supplemented by tables and stripcharts of regional meteorological parameters.

This report was submitted in partial fulfillment of EPA Grant No. R803896 by the Center for Air Pollution Impact and Trend Analysis (CAPITA) under the sponsorship of the U.S. Environmental Protection Agency. This report covers a period from January 1, 1978 to June 30, 1979, and work was completed as of July 31, 1979.

Appendix D
Daily and Quarterly Extinction Coefficient Contour Maps
1963-1967

NOTE:

Appendices A-F are continuations of a published report entitled HISTORICAL VISIBILITY OVER THE EASTERN U.S. Daily and Quarterly Extinction Coefficient Contour Maps, EPA-600/3-80-043 a. This report contains background information and documentation of the data volume for the study and presents daily contour maps of light extinction coefficients for the Eastern U.S. in 1978; these are supplemented by tables and stripcharts of regional meteorological parameters. Plots of quarterly average extinction coefficients from 1948-1978 are also included.

This report is available from the

National Technical Information Service
U.S. Department of Commerce
5285 Port Royal Road
Springfield, VA 22161



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	60	-8.55	-14.02
2	12	2.14	61	-6.84	-12.41
3	20	2.75	62	-5.41	-11.88
4	14	8.71	62	-2.89	-5.94
5	29	1.67	38	6.12	-7.38
6	11	1.84	38	4.84	-8.33
7	18	4.00	64	12.52	5.94



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	61	1.88	-6.41
2	12	3.98	68	-2.77	-7.60
3	20	4.41	64	-2.30	-8.24
4	14	7.88	61	-0.99	-4.00
5	29	1.98	38	7.82	-6.00
6	11	2.54	38	5.14	-8.12
7	18	9.06	60	11.87	3.71



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.06	68	0.88	-4.44
2	12	5.04	66	0.04	-6.55
3	20	8.79	71	-0.88	-3.71
4	14	8.52	83	-0.81	-3.72
5	29	2.90	45	8.34	-3.67
6	11	2.44	37	8.98	-4.74
7	18	3.88	60	11.80	3.85



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.46	69	0.99	-4.21
2	12	4.60	68	0.89	-4.53
3	20	8.25	79	-0.88	-3.32
4	14	9.64	69	-1.06	-2.69
5	29	2.61	45	10.24	-1.45
6	11	3.59	53	10.19	0.95
7	18	6.47	73	14.02	8.60



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.09	64	0.99	-5.10
2	12	5.70	68	1.06	-4.15
3	20	9.70	78	-0.19	-3.57
4	14	3.22	79	-2.69	-5.08
5	29	3.04	55	9.57	0.82
6	11	5.62	71	8.82	2.97
7	18	3.51	74	10.93	6.21



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.19	61	0.22	-6.99
2	12	7.51	66	1.75	-3.97
3	20	8.77	83	-1.19	-3.66
4	14	2.90	75	0.11	-3.88
5	29	4.62	65	10.70	4.07
6	11	9.72	87	6.48	4.43
7	18	2.59	60	9.12	1.45

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.82	90	1.66	-6.30
2	11	12.06	71	2.27	-2.62
3	20	8.59	85	-0.84	-5.07
4	14	2.46	82	0.25	-2.02
5	29	6.32	85	0.10	2.85
6	11	8.58	88	4.84	2.52
7	16	1.81	90	10.62	0.66



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.61	77	2.81	-1.89
2	12	8.06	76	2.26	-1.76
3	20	7.48	84	1.48	-0.85
4	14	1.69	86	7.48	-1.80
5	29	4.73	63	0.02	1.41
6	11	9.06	88	0.15	-0.15
7	16	1.61	89	10.48	-0.84



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.98	86	3.88	-0.84
2	12	8.31	63	3.83	-2.48
3	20	2.98	72	5.55	0.74
4	14	2.74	86	1.48	-0.28
5	29	3.32	67	12.18	1.08
6	11	1.08	48	15.88	3.52
7	16	1.84	86	17.81	2.28



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.12	51	7.55	-1.68
2	12	7.08	66	7.08	1.06
3	20	5.77	61	3.83	0.61
4	14	0.61	78	-10.05	-0.67
5	29	2.12	56	15.89	6.47
6	11	3.54	77	15.14	11.35
7	16	1.78	49	10.82	5.17



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.95	66	2.22	-3.55
2	12	11.59	88	2.72	1.06
3	20	9.45	87	-2.22	-4.03
4	14	11.48	72	-12.15	-12.95
5	29	4.13	68	10.10	11.08
6	11	6.77	88	16.25	12.87
7	16	3.06	87	4.51	0.36



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.43	67	-4.10	-5.88
2	12	8.84	68	1.28	-0.51
3	20	8.56	60	-4.95	-8.72
4	14	8.05	62	-14.44	-15.56
5	29	8.49	79	16.75	13.06
6	11	8.78	81	8.58	5.55
7	16	9.40	53	-6.59	-7.06

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	11.26	81	-1.21	-2.66
2	12	6.16	80	-1.88	-4.86
3	20	2.88	62	-13.11	-18.47
4	14	3.56	51	-11.84	-15.62
5	20	2.88	76	11.35	7.20
6	11	2.03	67	-0.25	-10.71
7	16	1.56	54	-4.88	-12.65



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.81	64	-4.88	-12.88
2	12	3.61	56	-4.88	-12.81
3	20	2.81	55	-9.80	-13.88
4	14	1.54	53	-12.21	-19.38
5	20	1.77	61	4.28	-6.11
6	11	1.84	54	-5.65	-11.88
7	15	1.88	56	1.58	-12.35



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.70	67	-9.88	-11.10
2	12	2.37	52	-4.34	-10.67
3	20	4.19	50	-12.77	-17.21
4	14	1.89	61	-11.84	-19.33
5	20	2.66	50	6.37	-3.50
6	11	2.52	46	0.90	-8.84
7	15	2.17	51	6.88	-10.91



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.89	50	-8.77	-14.62
2	12	3.29	54	-4.62	-12.01
3	20	3.36	58	-8.88	-13.82
4	14	1.63	59	-10.63	-12.69
5	29	2.49	46	8.05	-3.75
6	11	2.30	38	5.34	-7.92
7	16	1.63	35	9.02	-5.79



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.51	55	-1.88	-8.88
2	12	4.52	56	1.34	-6.52
3	20	5.16	55	-3.47	-10.61
4	14	3.01	70	-6.86	-11.38
5	29	2.53	47	12.36	0.92
6	11	3.39	44	7.16	-4.39
7	16	5.21	58	9.75	0.97



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	11.53	63	-2.10	-4.66
2	12	7.16	74	2.35	-1.69
3	20	4.14	63	-0.94	-8.51
4	14	4.17	58	-9.72	-7.49
5	29	8.98	82	12.17	8.88
6	11	8.09	79	8.78	5.19
7	16	3.77	68	11.00	2.78

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.01	60	1.33	-8.66
2	12	0.62	80	0.66	-2.35
3	20	12.85	76	-7.19	-7.88
4	14	2.54	56	-19.66	-14.44
5	29	0.79	87	12.60	10.11
6	11	11.45	92	0.38	7.82
7	16	6.98	78	-0.87	-0.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.00	80	0.10	4.85
2	12	0.82	86	2.36	0.06
3	20	7.97	88	-11.42	-12.08
4	14	5.36	56	-13.94	-15.82
5	29	3.82	81	17.06	13.58
6	11	8.53	83	2.87	0.48
7	16	1.98	84	-0.06	-7.77

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	48	-8.88	-18.84
2	12	1.66	43	-8.32	-15.87
3	20	2.39	51	-15.58	-100.00
4	14	4.88	83	-8.10	-8.88
5	29	1.62	42	9.10	-6.61
6	11	1.48	48	-4.84	-13.88
7	16	1.55	58	7.84	-8.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	42	-7.77	-16.10
2	12	3.76	51	-3.37	-12.48
3	20	5.24	65	-6.40	-9.48
4	14	7.66	67	-3.33	-8.68
5	29	1.66	39	8.59	-4.57
6	11	1.72	48	7.62	-2.67
7	16	2.13	49	13.85	2.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.06	64	1.68	-0.33
2	12	8.78	67	-2.69	-8.18
3	20	7.93	63	-14.93	-16.58
4	14	5.21	58	-16.66	-100.00
5	29	3.75	63	12.04	8.69
6	11	10.66	85	-2.82	-3.53
7	16	2.22	48	-9.71	-7.33



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.59	48	-12.88	-100.00
2	12	3.37	52	-13.05	-20.55
3	20	3.08	53	-16.50	-15.00
4	14	1.80	48	-14.21	-17.21
5	29	1.61	37	-1.48	-5.33
6	11	1.59	43	-12.92	-100.00
7	16	1.58	52	-9.71	-14.62

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	41	-8.94	-100.00
2	12	2.98	48	-9.80	-16.65
3	20	3.93	54	-12.45	-18.21
4	14	3.45	64	-15.55	-15.27
5	29	1.06	37	3.73	-5.38
6	11	2.00	41	-3.60	-13.95
7	10	2.78	66	5.92	-0.45



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.23	55	-7.77	-15.43
2	12	3.13	56	-9.89	-10.10
3	20	5.23	67	-10.02	-13.21
4	14	7.43	86	-14.71	-19.80
5	29	4.47	70	7.02	1.68
6	11	6.46	80	2.06	-1.21
7	10	5.14	86	5.79	-0.90



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.97	87	-2.85	-6.44
2	12	6.80	71	-3.60	-8.26
3	20	4.85	63	-13.87	-15.27
4	14	1.54	58	-14.16	-100.00
5	29	2.36	58	6.47	-1.56
6	11	1.79	55	-0.70	-12.95
7	10	1.96	48	-2.81	-12.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	43	-7.99	-16.29
2	12	3.39	54	-9.39	-16.03
3	20	2.76	55	-14.44	-15.55
4	14	1.69	55	-13.18	-15.27
5	29	1.75	41	2.80	-5.50
6	11	1.68	43	-5.29	-15.12
7	10	2.69	46	1.39	-9.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	43	-7.10	-16.29
2	12	5.02	47	-6.66	-13.88
3	20	4.34	55	-8.85	-15.03
4	14	4.35	61	-11.86	-13.79
5	29	3.26	46	5.72	-5.19
6	11	3.16	48	3.58	-6.61
7	10	7.13	73	7.14	1.63



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.31	61	-2.44	-9.10
2	12	8.64	70	-3.78	-8.46
3	20	5.40	67	-9.63	-10.33
4	14	2.54	59	-13.74	-15.72
5	29	9.50	63	8.75	5.60
6	11	13.51	58	5.04	4.49
7	10	5.56	72	9.51	3.50

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.06	62	-6.55	-14.21
2	12	2.57	67	-5.00	-12.26
3	20	3.40	62	-10.69	-14.90
4	14	2.40	68	-8.07	-13.27
5	29	2.50	62	10.76	3.76
6	11	4.15	74	2.32	-1.78
7	16	6.67	73	10.66	4.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.90	48	-6.68	-11.10
2	12	4.06	63	-3.28	-9.38
3	20	8.51	78	-2.55	-5.82
4	14	5.81	78	0.56	-2.93
5	29	8.30	88	7.85	4.23
6	11	11.24	92	8.75	7.57
7	16	9.88	88	10.90	10.93



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.24	82	-9.39	-8.10
2	12	11.34	88	1.88	0.08
3	20	8.78	77	-2.08	-4.93
4	14	1.68	52	-10.21	-14.25
5	29	11.20	83	10.48	7.21
6	11	9.06	91	10.85	9.13
7	16	9.07	81	10.41	6.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	68	-8.88	-12.91
2	12	4.38	63	-8.23	-16.71
3	20	1.67	58	-12.39	-16.39
4	14	1.71	58	-6.86	-9.81
5	29	2.63	58	7.60	-1.51
6	11	1.55	49	-0.10	-9.78
7	16	1.58	52	0.31	-9.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	42	-9.99	-100.06
2	12	3.97	56	-6.01	-13.12
3	20	2.55	57	0.50	-7.76
4	14	1.90	58	4.08	-4.08
5	29	2.48	51	5.65	-4.51
6	11	1.63	37	7.21	-6.61
7	16	1.61	28	15.43	-5.23



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.25	61	-1.33	-5.27
2	12	3.49	63	2.26	-4.31
3	20	4.98	61	3.27	-3.68
4	14	2.75	68	6.83	0.35
5	29	3.67	68	8.98	2.67
6	11	1.77	56	12.57	-2.97
7	16	1.64	48	17.70	-2.39

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	4.88	80	1.88	-0.88
2	12	8.62	65	6.27	-8.18
3	20	4.58	58	7.42	-0.08
4	14	2.81	70	6.25	-0.81
5	29	4.67	61	18.06	4.00
6	11	1.38	28	15.75	-2.47
7	18	1.08	27	18.81	0.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	4.07	87	-0.77	-0.10
2	12	6.18	62	0.68	-5.02
3	20	8.28	76	-0.77	-6.80
4	14	6.81	76	0.38	-9.41
5	29	9.00	48	15.38	6.17
6	11	8.42	66	8.88	2.82
7	18	2.06	88	18.62	1.52

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.48	41	-15.18	-100.00
2	12	1.98	58	-12.96	-16.98
3	20	1.71	55	-8.02	-16.48
4	14	8.78	78	-0.81	-6.08
5	29	2.62	48	7.38	-2.78
6	11	5.15	62	2.87	-4.05
7	18	4.88	96	11.88	0.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.48	33	-4.55	-15.00
2	12	3.85	51	-2.88	-11.61
3	20	4.35	63	-4.63	-10.63
4	14	4.38	78	-4.26	-7.48
5	29	2.20	47	8.39	-4.40
6	11	4.27	53	5.75	-3.43
7	18	4.80	64	12.49	5.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.88	55	0.58	-7.38
2	12	3.57	63	1.16	-6.18
3	20	11.28	81	-2.02	-4.88
4	14	9.54	73	-7.88	-8.18
5	29	2.87	47	12.38	0.92
6	11	7.38	74	8.47	3.78
7	18	5.14	78	12.77	8.53



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	0.48	82	0.88	-1.88
2	12	0.73	77	3.88	-0.68
3	20	5.08	76	-5.58	-9.38
4	14	2.78	63	-8.26	-16.38
5	29	8.18	73	14.78	8.67
6	11	5.58	81	2.62	-0.88
7	18	1.88	88	-0.51	-0.58

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.75	80	-9.11	-6.66
2	12	10.30	89	-1.71	-6.20
3	20	4.70	87	-6.85	-11.00
4	14	2.84	87	-2.87	-10.67
5	29	6.94	82	6.76	3.90
6	11	3.85	87	-1.76	-6.98
7	18	1.97	48	0.88	-8.76



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.34	88	-2.21	-7.10
2	12	5.20	84	-3.83	-9.05
3	20	4.28	87	-5.85	-10.78
4	14	6.38	78	-4.96	-9.32
5	29	1.82	66	6.15	-5.88
6	11	1.77	52	2.82	-8.48
7	18	1.83	54	8.80	-8.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.29	48	-1.44	-10.88
2	12	5.08	62	-2.40	-8.83
3	20	6.85	81	-0.41	-12.21
4	14	1.81	52	-8.18	-10.84
5	29	2.58	46	0.30	-9.26
6	11	1.72	48	4.58	-8.05
7	18	1.76	54	8.85	-8.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.42	49	-5.99	-11.66
2	12	3.08	52	-8.00	-15.36
3	20	2.28	48	-10.91	-16.10
4	14	1.85	50	-8.50	-12.48
5	29	1.61	38	4.32	-9.79
6	11	1.55	38	-1.31	-14.34
7	18	1.84	37	8.47	-4.54



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	33	-11.32	-100.00
2	12	1.88	47	-8.78	-15.55
3	20	2.42	50	-5.94	-14.21
4	14	2.48	81	0.00	-8.89
5	29	2.25	42	9.27	-8.07
6	11	1.65	37	1.81	-11.71
7	18	2.08	44	7.79	-4.75



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	31	-4.88	-17.48
2	12	4.27	48	-1.80	-11.57
3	20	5.45	57	2.71	-5.41
4	14	2.36	64	3.05	-2.88
5	29	2.20	48	6.50	-6.31
6	11	1.90	58	7.42	-9.24
7	18	3.64	68	9.37	0.52

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.03	45	5.10	-6.10
2	12	3.66	52	6.10	-4.34
3	20	2.65	55	6.57	-2.48
4	14	3.04	82	1.94	-8.18
5	29	1.06	36	12.27	-3.56
6	11	2.47	50	9.58	-7.28
7	18	3.66	66	10.10	3.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.70	62	0.77	-5.85
2	12	8.87	73	2.53	-1.00
3	20	8.05	84	4.02	-2.48
4	14	4.36	88	1.88	-4.24
5	29	7.08	84	10.00	7.36
6	11	5.84	88	4.35	2.16
7	18	2.47	96	12.59	9.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.03	66	2.77	-2.80
2	12	2.76	64	2.26	-3.08
3	20	7.00	67	-1.87	-6.07
4	14	2.00	61	-9.20	-12.08
5	28	1.04	46	12.70	1.08
6	11	2.38	56	11.25	2.57
7	18	1.01	52	10.06	-0.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	40	-8.77	-18.47
2	12	1.82	41	-9.34	-19.72
3	20	4.17	54	-15.27	-17.77
4	14	1.57	44	-13.19	-100.00
5	29	1.04	48	0.00	0.46
6	11	1.72	50	-1.18	-0.38
7	18	2.16	44	5.41	-3.94



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	34	-11.77	-100.00
2	12	2.33	46	-10.73	-17.77
3	20	2.16	47	-12.19	-17.21
4	14	2.44	47	-8.84	-9.10
5	29	1.62	36	0.51	-6.52
6	11	1.62	37	-8.05	-18.75
7	18	1.00	30	9.60	-9.02



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.63	38	-7.77	-100.00
2	12	2.17	51	-5.87	-14.38
3	20	4.99	66	-4.83	-11.49
4	14	3.47	61	-9.08	-8.62
5	28	1.71	36	6.88	-7.26
6	11	1.79	26	4.23	-10.29
7	18	2.67	58	9.18	-1.24

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.00	71	-0.00	-5.00
2	12	10.47	78	-0.14	-3.60
3	20	2.05	57	-5.10	-12.09
4	14	3.03	61	-1.00	-7.50
5	20	5.60	81	0.53	0.12
6	11	2.50	72	0.00	1.20
7	10	2.02	46	14.12	2.00

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	46	-3.21	-12.05
2	12	3.48	66	-4.02	-11.75
3	20	5.05	64	-0.00	-10.57
4	14	2.70	50	-7.01	-10.24
5	20	1.01	44	10.21	1.06
6	11	1.02	45	15.02	1.41
7	10	2.14	66	15.55	0.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	30	-0.00	-100.00
2	12	2.75	45	-0.07	-17.45
3	20	1.70	40	-11.00	-17.40
4	14	1.71	07	-0.50	-10.00
5	20	5.50	76	5.40	0.01
6	11	3.30	56	-0.50	-0.27
7	10	1.00	50	12.01	-2.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.30	31	-0.55	-100.00
2	12	3.15	40	-7.03	-15.02
3	20	7.55	62	-7.57	-13.00
4	14	3.02	65	1.30	-6.00
5	20	1.76	30	2.33	-10.07
6	11	1.00	50	2.00	-11.10
7	10	1.00	30	10.01	0.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	47	-1.00	-11.00
2	12	0.00	60	-2.40	-7.02
3	20	4.07	00	-2.50	-0.10
4	14	1.00	04	-5.04	-0.00
5	20	2.00	45	12.00	1.20
6	11	2.14	00	11.50	5.00
7	10	4.02	72	10.10	7.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	43	-3.10	-12.03
2	12	0.47	71	-2.21	-6.00
3	20	9.50	71	-2.50	-7.77
4	14	2.30	50	3.20	-4.10
5	20	5.22	76	13.40	0.00
6	11	5.73	00	10.75	0.00
7	10	2.01	44	13.22	0.13

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.11	75	-1.00	-5.77
2	12	3.00	60	0.00	-4.00
3	20	5.00	56	0.41	-8.50
4	14	5.55	60	5.72	-1.00
5	20	3.44	63	15.00	5.00
6	11	2.90	52	8.50	-0.85
7	10	1.74	40	17.80	2.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.50	51	2.00	-8.10
2	12	3.24	52	9.00	-5.64
3	20	8.54	68	5.95	0.00
4	14	8.06	81	2.79	-0.79
5	20	2.65	45	15.00	3.42
6	11	1.68	41	18.81	3.17
7	10	2.07	00	20.00	11.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.24	63	1.60	-4.77
2	12	8.34	70	6.27	0.04
3	20	14.94	52	4.07	2.90
4	14	8.15	79	-0.56	-9.00
5	20	3.67	64	10.80	12.63
6	11	6.44	69	19.74	15.73
7	10	9.12	84	10.61	12.42



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.61	61	2.22	-4.00
2	12	7.04	78	3.37	-0.13
3	20	12.47	90	2.27	0.80
4	14	5.80	87	-1.07	-8.94
5	20	5.10	76	19.01	14.51
6	11	4.31	88	16.81	14.79
7	10	2.12	48	8.81	-2.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.82	80	2.21	-0.80
2	12	9.35	86	2.82	0.76
3	20	4.90	76	0.69	-3.49
4	14	2.31	68	2.37	-3.00
5	20	1.71	51	14.53	4.11
6	11	1.47	49	7.36	-2.72
7	10	1.53	27	19.64	-6.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	46	3.65	-8.00
2	12	2.16	61	3.86	-3.16
3	20	2.54	65	2.60	-3.52
4	14	1.00	50	3.05	-4.51
5	20	1.67	36	13.70	-1.60
6	11	1.42	57	11.81	-2.72
7	10	1.69	20	10.40	-1.00

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	90	3.39	-0.21
2	12	2.67	81	6.06	-1.06
3	20	2.80	84	4.35	-1.80
4	14	1.80	55	0.25	-8.73
5	29	1.53	91	15.67	-1.76
6	11	1.38	30	14.69	-2.42
7	18	1.84	87	18.19	8.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	88	0.44	-0.55
2	12	3.58	56	4.68	-3.37
3	20	5.50	70	1.15	-3.97
4	14	4.05	68	1.14	-6.58
5	29	2.47	48	16.60	6.29
6	11	3.19	84	11.81	6.48
7	18	1.88	68	18.87	8.66

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.88	82	-0.88	-3.58
2	12	8.81	58	4.71	-2.81
3	20	1.75	58	0.19	-7.55
4	14	1.58	69	1.62	-5.71
5	29	1.74	42	17.16	3.38
6	11	1.76	48	14.19	2.27
7	18	8.42	58	17.81	8.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	38	-0.55	-13.32
2	12	3.88	66	0.13	-7.81
3	20	11.44	87	1.9%	0.11
4	14	8.40	88	3.89	0.81
5	29	5.88	76	13.57	9.18
6	11	4.45	82	15.60	12.47
7	18	1.87	38	20.85	4.72



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.87	85	-0.88	-9.22
2	12	7.08	88	6.22	2.77
3	20	7.72	85	7.81	5.55
4	14	7.42	82	1.84	-1.38
5	29	6.06	78	18.17	14.81
6	11	5.14	78	18.73	14.96
7	18	1.87	38	22.89	2.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.24	76	1.89	-1.88
2	12	10.78	66	4.81	2.08
3	20	7.27	83	2.27	-0.38
4	14	2.06	71	-1.48	-8.14
5	29	3.33	62	21.52	13.42
6	11	2.98	52	20.14	9.58
7	18	2.17	62	15.72	5.48

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.48	56	8.10	-4.43
2	12	1.72	67	8.61	-4.86
3	20	2.55	64	2.02	-5.56
4	14	1.71	64	4.62	-4.83
5	20	2.87	66	10.42	0.04
6	11	6.01	62	12.56	5.25
7	10	2.42	66	12.29	2.66

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.44	46	2.88	-8.77
2	12	1.06	67	6.20	-6.56
3	20	2.80	58	4.07	-9.46
4	14	3.41	58	8.70	-0.88
5	20	2.26	46	14.60	2.70
6	11	2.75	67	12.87	2.12
7	10	0.68	71	14.68	8.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.30	80	1.02	-0.98
2	12	2.68	67	7.65	-3.61
3	20	10.81	81	7.08	6.52
4	14	6.70	76	8.68	0.18
5	20	5.83	76	16.18	10.11
6	11	9.34	77	17.81	13.49
7	10	1.06	62	21.67	8.24



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	11.26	92	8.10	1.08
2	12	9.69	73	10.61	6.50
3	20	2.82	67	8.55	2.52
4	14	1.82	69	1.38	-5.07
5	20	2.42	84	22.82	16.11
6	11	2.05	93	24.55	10.48
7	10	1.08	48	22.39	9.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.77	68	4.10	-2.98
2	12	2.33	63	8.33	-3.18
3	20	2.08	67	2.58	-2.48
4	14	0.62	88	2.28	-0.27
5	20	2.26	38	29.30	6.76
6	11	5.08	58	19.18	9.79
7	10	1.84	67	24.30	16.46



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.77	48	8.10	-8.08
2	12	3.70	58	8.23	-4.26
3	20	10.53	87	6.15	5.10
4	14	5.14	88	3.62	-2.02
5	20	3.06	58	19.34	10.32
6	11	2.52	67	24.08	17.57
7	10	1.61	36	10.64	8.67

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	19.27	61	0.46	-2.46
2	12	10.51	63	2.61	0.19
3	20	5.51	66	2.21	-3.49
4	14	1.77	50	4.71	-6.91
5	20	2.09	48	10.00	5.70
6	11	1.57	39	12.52	-1.56
7	18	1.58	29	19.80	-2.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	88	2.80	-4.58
2	12	2.06	65	2.58	-3.66
3	20	4.15	66	0.00	-5.99
4	14	1.54	39	5.88	-8.80
5	20	1.70	38	10.87	-5.53
6	11	1.68	36	7.57	-8.54
7	18	1.58	26	18.87	-9.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	62	4.80	-8.80
2	12	1.66	61	9.42	-6.01
3	20	1.96	52	3.80	-7.41
4	14	1.60	40	10.78	-2.77
5	20	1.66	33	10.70	-5.05
6	11	1.51	36	9.54	-5.60
7	18	1.66	24	18.80	-2.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.55	45	2.77	-8.21
2	12	1.83	48	6.87	-4.46
3	20	2.22	38	13.10	-1.08
4	14	1.54	37	17.21	1.54
5	20	1.66	28	14.07	-4.82
6	11	1.56	26	15.80	-3.78
7	18	1.81	38	20.46	6.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	48	5.88	-4.10
2	12	2.38	38	13.76	0.08
3	20	2.11	33	19.49	2.88
4	14	1.80	48	17.79	8.22
5	20	1.63	27	21.26	1.03
6	11	1.56	26	20.80	0.85
7	18	1.78	50	25.59	11.91



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.74	38	15.21	0.44
2	12	3.02	36	19.48	2.72
3	20	2.59	28	15.94	9.52
4	14	2.98	63	8.99	2.66
5	20	1.71	32	23.80	5.98
6	11	1.86	52	19.59	9.18
7	18	1.98	45	22.94	7.91

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	48	19.21	9.77
2	12	2.39	48	18.88	9.84
3	20	5.56	65	8.88	4.38
4	14	1.86	46	10.87	-2.96
5	29	2.41	68	20.48	11.97
6	11	1.57	50	17.26	8.25
7	18	1.90	26	21.21	-0.27



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.09	67	13.96	9.81
2	12	2.31	67	10.27	1.88
3	20	2.57	91	14.60	9.69
4	14	1.68	27	18.18	-4.58
5	29	1.65	42	18.62	8.45
6	11	1.59	36	15.48	3.12
7	18	1.91	25	24.62	2.82

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.30	36	11.46	-3.81
2	12	1.64	87	16.27	8.37
3	20	2.57	68	15.80	2.22
4	14	2.00	30	19.48	0.56
5	29	1.72	31	29.76	5.06
6	11	1.58	28	25.17	3.78
7	18	1.84	40	28.41	10.90



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.30	38	8.46	-7.66
2	12	1.88	38	14.02	-0.36
3	20	2.50	57	24.18	8.27
4	14	4.08	82	17.58	-0.16
5	29	1.88	33	23.30	6.97
6	11	1.85	23	25.75	3.36
7	18	1.76	48	25.75	13.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.74	74	9.21	4.88
2	12	5.05	65	14.16	8.00
3	20	8.08	47	16.55	4.99
4	14	2.32	32	18.60	0.36
5	29	1.82	33	26.34	6.01
6	11	1.94	31	24.89	5.29
7	18	1.86	57	28.20	15.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.30	30	9.55	-7.44
2	12	1.86	33	12.58	-3.08
3	20	5.17	62	14.48	8.68
4	14	3.04	60	18.82	8.86
5	29	2.07	43	23.17	8.73
6	11	2.41	35	26.00	8.53
7	18	1.74	48	26.34	12.66

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	90	12.90	-4.84
2	12	2.40	58	12.45	3.63
3	20	5.98	66	19.91	15.58
4	14	9.73	86	17.67	8.78
5	20	2.20	62	22.12	11.04
6	11	1.02	55	26.71	9.53
7	18	1.62	48	24.87	12.83



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.58	90	10.77	5.77
2	12	6.41	53	21.10	11.06
3	20	2.05	41	25.56	11.58
4	14	4.31	88	15.78	8.06
5	20	2.14	42	26.69	12.30
6	11	1.75	45	25.80	12.21
7	18	1.62	48	24.66	12.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	88	3.88	-1.98
2	12	8.26	48	20.06	8.18
3	20	2.58	54	19.18	9.18
4	14	6.13	86	4.91	-0.84
5	20	2.02	40	27.06	13.08
6	11	1.66	45	26.58	13.08
7	18	1.06	43	23.89	8.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.22	58	8.49	1.10
2	12	9.16	51	8.95	-0.76
3	20	1.81	45	5.80	-8.02
4	14	1.68	87	7.87	-0.68
5	20	1.82	37	26.18	8.63
6	11	1.58	38	18.33	4.13
7	18	1.88	47	17.21	8.31



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	59	8.21	-11.88
2	12	1.62	33	8.86	-8.36
3	20	1.78	32	11.19	-5.10
4	14	1.88	98	14.12	-1.34
5	20	1.86	28	10.23	-1.64
6	11	1.82	91	15.85	-1.16
7	18	8.41	76	14.18	8.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	24	8.21	-10.44
2	12	1.64	27	13.18	-5.31
3	20	1.98	28	16.80	-2.00
4	14	1.82	92	10.01	8.81
5	20	8.61	58	17.27	7.38
6	11	8.48	77	15.53	8.83
7	18	2.13	58	17.38	8.88

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.90	85	12.33	-2.77
2	12	2.18	48	12.95	-0.46
3	20	1.97	45	12.77	0.58
4	14	2.28	48	16.10	4.26
5	20	2.07	58	17.83	8.98
6	11	1.88	45	18.88	5.98
7	18	1.81	41	22.84	8.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	58	8.88	-5.10
2	12	1.58	30	10.55	-6.47
3	20	3.04	58	11.71	3.55
4	14	2.38	58	14.98	4.88
5	20	1.83	38	20.81	6.83
6	11	1.88	58	22.20	5.75
7	18	1.78	48	28.94	11.60

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	52	9.10	-7.21
2	12	2.10	45	8.18	-2.64
3	20	1.93	48	8.18	-2.16
4	14	2.48	58	8.52	1.50
5	20	3.06	68	10.88	11.14
6	11	3.57	68	21.00	15.02
7	18	1.84	41	20.12	12.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.53	51	5.82	-5.10
2	12	3.81	48	5.22	-5.50
3	20	1.68	41	5.39	-5.62
4	14	2.69	68	7.48	0.11
5	20	1.82	38	10.17	3.64
6	11	1.84	40	17.77	3.43
7	18	2.14	41	28.12	12.32

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	58	8.88	-1.88
2	12	1.58	42	9.28	-2.81
3	20	1.71	47	9.10	-1.82
4	14	2.08	48	9.58	-1.28
5	20	1.81	38	18.20	6.67
6	11	2.07	58	19.15	4.76
7	18	2.48	58	23.38	12.32



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	56	11.88	-4.30
2	12	1.84	35	14.18	-1.20
3	20	1.99	43	12.02	-0.58
4	14	1.78	68	10.87	1.18
5	20	2.18	48	20.47	5.82
6	11	2.22	58	18.45	5.88
7	18	2.21	47	22.18	9.47

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.30	22	11.77	-8.77
2	12	1.05	27	14.67	-4.78
3	20	1.87	42	13.89	-0.83
4	14	1.57	86	14.48	-0.67
5	29	2.11	96	10.86	2.88
6	11	1.81	97	10.81	1.66
7	18	1.84	98	28.86	6.46



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.30	26	10.98	-8.88
2	12	1.52	22	19.82	-7.01
3	20	1.57	34	12.55	-2.77
4	14	1.63	93	19.20	2.45
5	29	1.67	26	17.46	-1.22
6	11	1.47	50	18.88	-1.00
7	18	1.64	90	20.48	7.39



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.30	32	12.68	-9.55
2	12	1.62	28	13.37	-7.12
3	20	1.94	28	18.48	-2.05
4	14	1.63	96	21.30	5.86
5	29	1.60	23	10.08	-3.09
6	11	1.83	25	16.83	-1.91
7	18	1.68	46	26.12	10.56



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.30	31	14.77	-2.44
2	12	1.64	25	15.66	-6.81
3	20	2.38	48	18.79	5.27
4	14	1.66	98	19.69	6.31
5	29	1.77	23	21.47	-1.08
6	11	1.98	40	22.47	8.33
7	18	2.19	46	27.11	15.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.57	41	19.65	0.22
2	12	2.37	40	16.80	5.68
3	20	2.61	58	22.74	15.94
4	14	1.88	40	14.06	-0.27
5	29	2.12	46	23.63	10.66
6	11	1.75	43	26.25	12.82
7	18	2.32	48	27.80	15.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.58	71	19.77	8.56
2	12	2.06	49	20.08	9.02
3	20	1.81	55	13.85	4.48
4	14	3.12	94	12.45	2.42
5	29	1.88	48	26.01	19.63
6	11	2.12	54	25.85	15.90
7	18	2.73	48	28.51	12.83

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.68	69	10.69	3.77
2	12	2.57	63	17.26	6.68
3	20	4.04	56	18.07	12.41
4	14	2.78	65	11.43	1.36
5	20	2.08	62	27.48	18.62
6	11	2.49	59	25.08	16.46
7	18	1.81	52	24.86	6.40



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	88	15.77	9.88
2	12	1.72	35	19.25	2.03
3	20	1.58	48	15.49	5.88
4	14	1.77	84	14.24	-0.87
5	20	1.84	38	26.87	10.26
6	11	1.55	32	25.09	6.18
7	18	1.68	37	27.69	8.50



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	86	10.68	1.98
2	12	1.98	37	17.88	2.86
3	20	1.72	41	18.62	5.41
4	14	1.78	62	10.69	-2.89
5	20	1.85	40	27.47	11.88
6	11	1.77	58	27.52	18.20
7	18	2.30	47	26.68	10.14



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.06	40	8.55	-8.33
2	12	1.86	32	10.56	-6.38
3	20	2.72	66	8.21	1.97
4	14	4.77	67	7.99	1.29
5	20	2.08	48	25.47	19.46
6	11	2.48	58	27.01	17.47
7	18	2.97	41	28.15	11.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.74	78	5.68	1.68
2	12	4.32	78	5.68	2.07
3	20	1.84	71	5.16	0.22
4	14	1.60	48	8.88	-9.01
5	20	2.18	47	25.43	11.76
6	11	1.56	43	19.76	6.08
7	18	1.98	43	22.98	9.16

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.38	65	6.32	0.00
2	12	1.84	48	8.46	-2.31
3	20	1.71	48	8.99	-1.55
4	14	1.87	80	12.05	1.58
5	20	1.81	55	18.71	2.68
6	11	1.57	54	16.15	0.50
7	18	2.84	61	21.10	11.94

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.61	50	8.44	-0.00
2	12	1.52	32	12.31	-8.08
3	20	2.53	45	12.80	0.69
4	14	2.06	58	16.47	5.08
5	20	2.66	48	18.07	6.26
6	11	2.54	53	16.68	6.38
7	18	2.72	69	89.71	14.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.40	84	0.00	-0.00
2	12	1.58	28	14.02	-9.70
3	20	2.22	42	10.41	0.55
4	14	2.01	62	16.00	8.48
5	20	2.23	84	21.71	6.22
6	11	2.01	38	20.80	5.70
7	18	3.53	86	24.60	17.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.86	96	12.21	-2.06
2	12	1.64	30	15.06	-2.56
3	20	2.07	58	18.60	6.47
4	14	5.20	78	19.80	8.76
5	20	1.00	36	22.63	6.77
6	11	2.06	48	20.24	8.17
7	18	2.06	64	23.62	18.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.40	38	12.39	-2.10
2	12	1.52	25	16.08	-3.74
3	20	1.98	42	18.63	5.02
4	14	4.23	76	15.68	11.30
5	20	3.34	50	21.12	9.05
6	11	4.90	74	19.99	14.99
7	18	5.87	68	24.94	14.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.48	28	17.66	-0.00
2	12	1.76	43	17.44	3.37
3	20	4.12	60	17.06	14.07
4	14	3.58	78	12.69	8.46
5	20	4.07	66	18.88	11.43
6	11	5.03	87	20.19	17.92
7	18	2.64	48	26.09	19.33



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	6.93	87	10.66	8.55
2	12	5.33	78	14.11	10.27
3	20	3.27	69	8.21	0.58
4	14	1.56	47	8.60	-2.20
5	20	2.72	68	21.64	15.26
6	11	1.48	60	18.12	10.25
7	18	2.84	48	21.65	9.64

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.04	60	12.00	4.33
2	12	3.78	60	6.67	-1.38
3	20	1.87	38	10.49	-2.96
4	14	1.76	38	16.88	2.29
5	20	1.64	43	15.95	2.37
6	11	1.42	32	14.49	-2.07
7	18	1.71	66	18.49	8.29



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.21	68	7.10	0.88
2	12	1.61	31	14.16	-3.06
3	20	1.70	38	16.85	1.74
4	14	1.83	57	18.18	8.70
5	20	1.66	38	19.83	0.86
6	11	1.37	36	19.84	9.43
7	18	2.18	57	22.14	12.90



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.46	31	17.77	-0.88
2	12	1.74	26	22.07	0.97
3	20	1.85	45	21.62	8.08
4	14	2.47	58	18.62	8.40
5	20	2.06	38	22.88	5.01
6	11	1.51	41	23.07	8.73
7	18	1.07	65	26.60	15.55



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	28	25.77	4.32
2	12	1.88	34	24.67	7.44
3	20	2.61	53	23.10	12.85
4	14	1.83	60	18.90	8.84
5	20	1.64	34	25.32	7.77
6	11	1.58	40	25.84	10.34
7	18	1.72	51	28.18	18.48

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.57	57	14.55	8.22
2	12	2.21	58	18.85	8.18
3	20	2.95	63	15.27	7.77
4	14	2.67	60	16.82	8.44
5	20	1.66	34	26.68	8.40
6	11	1.73	46	26.81	14.28
7	18	1.96	60	25.82	18.10

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	28	15.88	-8.21
2	12	1.73	35	17.81	2.03
3	20	2.08	38	18.48	4.44
4	14	2.88	58	20.27	11.88
5	20	2.04	40	26.28	11.54
6	11	1.85	52	25.80	15.38
7	18	2.94	62	24.47	16.14

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	38	18.77	-0.10
2	12	1.81	25	20.84	-0.27
3	20	2.08	38	22.55	7.84
4	14	1.71	47	28.70	16.82
5	20	2.08	88	25.66	10.16
6	11	1.84	38	28.25	11.38
7	18	1.87	81	28.58	18.41

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	48	20.77	7.46
2	12	2.26	42	24.36	10.06
3	20	2.73	48	28.05	15.55
4	14	1.80	46	25.56	12.17
5	20	2.16	43	28.58	14.61
6	11	1.72	38	29.18	14.03
7	18	1.77	47	29.25	18.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	48	24.98	12.10
2	12	3.22	48	26.88	15.08
3	20	3.18	53	27.24	16.38
4	14	1.88	64	29.78	18.88
5	20	2.08	38	31.08	15.26
6	11	1.84	45	29.38	18.51
7	18	2.13	61	28.88	18.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	48	9.55	-1.77
2	12	2.38	63	16.88	9.57
3	20	2.85	71	18.88	13.21
4	14	1.80	68	18.50	9.08
5	20	1.84	38	30.58	15.26
6	11	2.02	55	27.92	18.12
7	18	2.58	45	30.46	15.85



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.22	81	4.55	1.85
2	12	1.94	62	8.79	1.75
3	20	1.93	83	10.74	5.98
4	14	2.81	68	13.28	8.88
5	20	2.35	46	26.35	13.28
6	11	3.38	57	25.29	16.10
7	18	2.83	48	30.51	17.14



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	48	12.88	-0.88
2	12	1.71	48	14.82	0.68
3	20	2.33	56	12.71	3.58
4	14	4.38	73	18.14	10.81
5	20	3.48	54	20.88	11.38
6	11	3.19	56	25.65	15.88
7	18	2.88	48	28.81	15.27

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.30	28	10.21	-1.77
2	12	2.33	41	10.20	3.00
3	20	4.60	71	19.75	14.48
4	14	1.71	64	17.73	7.75
5	29	3.00	58	19.03	11.30
6	11	4.50	76	21.50	18.00
7	10	2.00	80	20.71	18.10

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.60	81	17.10	9.93
2	12	3.16	56	20.06	10.54
3	20	1.84	48	20.55	8.48
4	14	1.00	80	17.21	9.26
5	29	3.78	66	24.17	17.21
6	11	3.55	80	25.60	18.07
7	10	2.71	67	29.61	17.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.30	48	17.88	6.66
2	12	1.76	40	19.06	6.95
3	20	2.66	64	14.24	7.52
4	14	1.06	71	18.18	12.06
5	29	2.08	43	27.02	13.08
6	11	3.28	55	27.28	17.47
7	10	2.83	48	29.65	16.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.30	30	19.55	1.00
2	12	2.26	40	21.86	6.88
3	20	2.98	55	18.82	9.71
4	14	4.29	71	18.52	12.86
5	29	3.07	57	25.91	16.60
6	11	3.16	57	27.77	18.07
7	10	2.40	49	29.60	17.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.60	29	23.77	4.00
2	12	3.31	59	19.57	11.01
3	20	7.44	75	16.68	12.07
4	14	1.77	58	20.63	9.26
5	29	3.56	61	26.26	17.68
6	11	2.78	60	27.62	18.98
7	10	2.44	52	29.48	17.46



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.80	78	13.65	9.93
2	12	6.16	77	16.15	11.70
3	20	1.93	48	20.41	9.30
4	14	1.57	48	17.60	5.36
5	29	1.62	48	27.00	16.00
6	11	2.20	51	24.85	15.78
7	10	2.00	42	28.32	13.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.46	48	22.00	8.38
2	12	1.57	41	21.88	7.46
3	20	1.65	45	19.55	7.27
4	14	1.57	51	19.46	9.92
5	29	1.68	38	20.02	12.17
6	11	1.66	41	26.20	11.81
7	18	2.46	54	27.21	18.83

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.95	62	20.96	12.48
2	12	2.66	66	18.37	11.56
3	20	1.81	47	16.10	6.80
4	14	1.62	45	15.87	5.29
5	29	2.10	57	26.12	16.70
6	11	2.23	62	22.38	14.78
7	18	2.14	62	22.32	16.61

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	42	18.44	5.89
2	12	1.81	53	17.81	7.81
3	20	1.75	56	14.94	5.60
4	14	1.68	47	10.33	-1.20
5	29	2.68	64	24.68	17.25
6	11	2.34	56	24.25	14.23
7	18	2.38	66	25.08	18.41

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.55	53	18.10	7.52
2	12	1.68	41	17.72	6.16
3	20	1.69	49	10.30	0.11
4	14	1.54	38	13.46	-2.33
5	29	2.31	51	25.62	14.58
6	11	1.60	43	21.76	8.73
7	18	2.38	66	20.08	13.53



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	45	13.54	-1.00
2	12	1.58	44	13.29	-0.73
3	20	1.71	41	12.55	-0.27
4	14	1.57	38	16.08	1.31
5	29	1.92	56	20.01	10.07
6	11	1.42	42	18.78	5.55
7	18	1.98	64	18.98	11.90



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.59	55	15.35	-0.10
2	12	1.98	48	15.13	1.61
3	20	1.78	56	17.35	2.16
4	14	2.26	58	18.94	7.41
5	29	1.78	48	21.48	9.80
6	11	1.62	45	22.31	9.99
7	18	2.54	60	24.85	18.41

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.62	36	19.66	9.00
2	12	2.16	46	18.20	8.06
3	20	2.06	48	20.05	9.05
4	14	2.84	67	18.20	11.70
5	20	2.74	58	21.58	13.02
6	11	3.61	78	19.69	16.34
7	18	2.22	52	20.77	11.48

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	43	19.66	8.77
2	12	2.57	65	15.50	8.92
3	20	2.20	48	21.57	7.16
4	14	3.45	75	18.06	13.17
5	20	3.58	67	22.23	15.64
6	11	5.31	81	20.49	16.91
7	18	1.86	48	29.51	18.24



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.86	42	21.10	7.55
2	12	2.67	46	20.69	7.68
3	20	6.01	68	19.91	12.80
4	14	5.63	69	18.76	13.20
5	20	5.38	68	22.78	16.33
6	11	2.35	78	25.22	18.98
7	18	1.68	47	30.24	18.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	37	22.21	6.58
2	12	2.61	67	17.85	11.96
3	20	6.08	77	19.98	15.77
4	14	5.33	69	18.62	10.67
5	20	2.57	71	24.28	18.58
6	11	1.04	71	24.74	19.23
7	18	1.74	56	27.56	17.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.77	79	17.77	13.99
2	12	9.53	82	18.46	15.27
3	20	5.21	73	17.90	12.96
4	14	1.73	46	22.69	10.11
5	20	2.71	70	25.85	19.80
6	11	1.83	60	25.90	17.67
7	18	1.97	51	30.06	18.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.25	[illegible]	21.21	12.10
2	12	2.51	51	21.80	10.83
3	20	2.59	50	19.93	8.91
4	14	1.63	48	25.27	13.08
5	20	2.50	55	26.00	16.12
6	11	2.36	50	25.39	14.25
7	18	2.26	62	26.60	18.12

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.64	87	29.32	7.00
2	12	2.21	42	23.96	8.85
3	20	1.81	38	24.10	9.32
4	14	2.22	63	28.01	16.87
5	20	2.07	62	26.87	15.48
6	11	2.49	48	27.11	15.24
7	18	1.68	54	27.18	15.72



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.86	56	28.88	10.55
2	12	2.30	38	25.45	10.58
3	20	2.36	41	28.91	12.88
4	14	1.86	68	24.32	16.70
5	20	2.61	48	26.86	13.84
6	11	2.34	48	27.62	15.38
7	18	1.80	66	27.70	18.56



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.88	50	26.88	9.77
2	12	2.32	48	24.83	11.70
3	20	2.81	41	28.38	15.69
4	14	2.27	64	25.31	17.05
5	20	2.88	63	24.11	15.88
6	11	2.39	45	26.81	14.08
7	18	1.90	48	28.18	18.24



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	39	27.10	11.55
2	12	4.27	56	29.80	15.82
3	20	3.00	51	27.63	16.68
4	14	1.73	67	28.42	17.28
5	20	4.21	63	24.87	16.60
6	11	3.58	47	27.57	15.50
7	18	1.83	48	29.44	17.42



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	98	27.32	17.56
2	12	2.63	62	24.90	17.03
3	20	4.20	57	27.19	17.82
4	14	1.88	84	28.97	17.57
5	20	2.78	64	27.41	16.86
6	11	4.90	58	25.39	15.95
7	18	1.88	48	30.62	17.56



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.17	54	27.43	17.21
2	12	4.28	55	25.22	18.00
3	20	3.70	59	27.30	18.66
4	14	1.78	88	28.58	18.06
5	20	2.68	66	28.21	18.38
6	11	4.43	56	27.72	18.02
7	18	1.72	48	30.23	18.08

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.81	87	27.21	17.08
2	12	4.38	87	27.26	18.18
3	20	2.59	86	29.52	19.55
4	14	2.78	84	26.90	18.06
5	29	3.68	86	28.87	18.82
6	11	3.53	81	30.14	18.78
7	18	1.84	48	31.14	18.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	86	18.80	10.22
2	12	7.08	76	21.20	16.76
3	20	3.18	81	28.30	20.13
4	14	2.87	66	25.90	18.48
5	29	3.26	84	30.09	19.61
6	11	2.85	48	32.07	20.26
7	18	1.68	46	33.45	18.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.88	81	21.88	11.10
2	12	2.88	58	22.81	14.20
3	20	2.76	58	29.10	20.05
4	14	1.67	60	28.01	18.08
5	29	3.65	58	28.22	18.03
6	11	2.68	54	31.31	20.80
7	18	1.70	48	33.35	18.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.02	95	25.80	15.77
2	12	6.08	82	27.85	18.53
3	20	1.75	81	29.25	20.80
4	14	2.78	82	26.26	18.53
5	29	3.38	82	30.20	20.53
6	11	2.08	51	32.87	20.75
7	18	1.81	48	33.77	17.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	97	18.10	2.44
2	12	2.31	60	21.80	13.79
3	20	2.42	58	30.10	20.99
4	14	1.83	60	23.18	12.81
5	29	2.36	48	32.87	20.32
6	11	2.45	48	33.13	21.00
7	18	1.57	46	32.68	18.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.08	88	15.68	8.98
2	12	3.16	67	19.48	13.28
3	20	1.87	59	17.55	9.83
4	14	1.61	58	17.89	9.63
5	29	2.36	65	30.32	18.86
6	11	1.58	51	29.88	18.73
7	18	1.81	48	32.81	18.08

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.14	60	15.55	9.08
2	12	2.05	61	14.84	7.17
3	20	1.65	55	17.39	8.90
4	14	1.77	55	21.06	12.45
5	29	1.73	46	27.62	16.63
6	11	1.58	47	27.67	15.00
7	18	1.66	46	31.39	16.16

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	58	25.77	8.21
2	12	1.71	61	22.03	11.43
3	20	2.16	57	22.35	15.08
4	14	1.85	46	26.88	15.27
5	29	1.73	45	28.13	16.88
6	11	1.78	48	30.30	17.47
7	18	1.81	47	32.29	18.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	50	21.77	10.72
2	12	2.58	63	19.71	12.84
3	20	2.14	58	21.81	15.02
4	14	1.72	58	24.80	16.48
5	29	2.02	64	29.90	19.43
6	11	1.84	48	31.78	19.25
7	18	1.84	46	33.39	19.40



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.48	70	10.55	10.33
2	12	1.84	68	10.67	10.68
3	20	1.81	45	21.32	8.91
4	14	3.32	73	21.14	15.82
5	29	1.82	45	28.81	15.20
6	11	1.90	48	29.16	15.90
7	18	1.82	44	33.47	18.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	44	20.55	7.77
2	12	1.66	41	23.00	9.02
3	20	1.82	47	23.05	11.02
4	14	1.68	47	22.05	10.15
5	29	3.02	70	24.44	18.25
6	11	4.36	75	24.79	19.74
7	18	1.82	60	28.68	18.85

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	41	29.77	9.77
2	12	2.36	48	24.81	10.36
3	20	1.76	48	24.83	10.52
4	14	1.94	29	24.28	9.68
5	29	3.36	67	25.16	17.96
6	11	2.38	67	25.24	18.47
7	18	2.30	68	24.85	18.53

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	34	28.43	8.58
2	12	2.10	39	26.52	11.20
3	20	1.83	35	28.68	10.16
4	14	1.70	44	25.23	11.93
5	29	3.50	61	26.62	17.98
6	11	3.78	59	28.80	16.66
7	18	2.31	82	27.42	19.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.88	40	24.56	8.80
2	12	2.70	38	27.86	12.40
3	20	2.45	43	27.57	13.74
4	14	2.77	56	25.07	15.03
5	29	2.61	66	27.77	17.92
6	11	2.88	68	26.81	20.09
7	18	1.84	83	26.76	18.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.22	60	23.88	15.55
2	12	3.64	64	23.74	16.61
3	20	2.86	64	20.32	15.27
4	14	1.70	90	23.64	12.21
5	29	2.64	85	20.29	20.80
6	11	2.43	81	24.84	21.45
7	18	1.94	85	20.78	18.30

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	49	18.33	7.21
2	12	1.57	47	17.68	5.86
3	20	1.57	41	18.21	4.80
4	14	1.86	52	22.81	11.48
5	29	2.38	61	25.58	17.31
6	11	2.57	68	24.28	18.02
7	18	1.88	83	23.86	18.18

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	35	19.88	3.77
2	12	1.53	31	22.68	6.71
3	20	1.88	31	22.57	5.96
4	14	2.00	52	24.67	14.00
5	29	2.28	61	24.19	15.48
6	11	2.00	68	24.38	17.87
7	18	2.02	84	20.48	18.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	36	25.44	8.88
2	12	1.56	30	26.88	8.00
3	20	1.87	30	26.36	7.82
4	14	2.00	58	24.47	15.27
5	29	3.18	81	26.03	16.92
6	11	1.92	87	26.30	19.64
7	18	1.88	86	30.34	19.78

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	27	30.09	8.77
2	12	1.86	31	28.48	10.78
3	20	1.82	32	29.02	10.88
4	14	2.36	63	27.45	18.88
5	28	1.96	66	26.77	18.45
6	11	2.03	65	28.81	19.04
7	18	1.88	57	30.20	20.13

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	28	31.10	10.99
2	12	2.09	29	31.01	11.20
3	20	2.28	32	30.66	12.35
4	14	1.71	66	28.80	19.60
5	28	2.02	67	27.21	17.14
6	11	2.07	59	27.31	18.43
7	18	1.71	61	30.88	19.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	55	31.00	19.88
2	12	2.68	37	31.96	16.87
3	20	2.38	37	31.52	15.18
4	14	1.79	66	27.99	18.21
5	28	2.01	64	27.38	19.07
6	11	2.55	60	28.71	18.12
7	18	1.71	48	31.18	18.81

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.25	39	32.00	10.10
2	12	3.09	33	32.91	14.30
3	20	2.39	38	31.91	15.96
4	14	1.57	60	28.60	17.53
5	28	1.67	61	28.73	20.06
6	11	2.45	57	27.08	20.50
7	18	1.86	46	31.63	18.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.37	48	28.55	18.21
2	12	6.42	58	30.32	18.16
3	20	3.99	56	28.35	18.41
4	14	1.67	48	31.11	18.84
5	28	2.32	66	28.61	20.97
6	11	3.07	61	27.92	20.06
7	18	1.78	44	32.50	18.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.75	67	29.05	18.88
2	12	6.52	68	26.96	19.08
3	20	4.98	58	29.32	19.86
4	14	1.64	43	32.10	18.54
5	28	1.62	63	28.69	21.26
6	11	3.65	67	27.41	20.75
7	18	1.78	45	32.67	18.81

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.52	80	28.21	18.58
2	12	5.67	84	30.35	19.86
3	20	5.04	78	31.52	19.80
4	14	1.67	48	31.27	18.01
5	29	2.06	68	30.32	21.78
6	11	2.27	58	29.84	21.05
7	18	1.81	49	32.36	19.71



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.25	48	33.11	17.80
2	12	4.71	41	33.75	18.78
3	20	5.05	45	32.92	19.06
4	14	1.67	48	29.81	18.74
5	29	2.61	65	31.43	21.41
6	11	3.16	66	28.73	21.06
7	18	1.66	52	30.40	19.18

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.24	46	32.88	18.88
2	12	5.03	45	32.54	19.38
3	20	2.57	49	30.18	18.24
4	14	1.69	48	28.34	16.32
5	29	2.42	66	31.26	21.20
6	11	3.91	62	30.06	22.06
7	18	1.79	55	30.19	19.97



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	45	25.88	12.55
2	12	1.68	40	24.57	9.98
3	20	1.63	45	23.71	9.32
4	14	1.60	84	25.55	15.07
5	29	2.06	62	30.59	19.66
6	11	2.78	59	29.89	20.70
7	18	1.64	51	30.86	19.30

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	42	20.10	8.66
2	12	1.52	26	24.62	6.25
3	20	1.73	42	22.49	8.21
4	14	1.80	50	27.33	15.66
5	29	1.90	43	27.88	16.11
6	11	1.72	47	28.93	16.66
7	18	1.74	48	32.32	18.75

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.39	43	22.32	9.21
2	12	1.58	32	26.75	8.32
3	20	1.83	29	26.10	10.13
4	14	2.22	61	27.69	18.04
5	29	1.91	43	29.13	15.16
6	11	1.94	47	29.84	17.42
7	18	1.88	48	32.20	18.75

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	43	21.77	8.44
2	12	1.57	38	24.89	7.77
3	20	2.41	52	26.38	14.55
4	14	2.08	62	28.21	18.85
5	29	1.88	47	28.69	16.43
6	11	2.42	63	29.39	21.30
7	18	1.83	47	32.53	19.06

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	51	22.90	11.88
2	12	2.20	58	26.08	16.06
3	20	2.80	58	25.30	16.80
4	14	2.02	58	27.53	18.28
5	29	2.26	64	29.19	19.11
6	11	3.08	68	29.39	22.82
7	18	1.81	48	31.87	19.98

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.21	86	17.77	15.46
2	12	2.56	52	21.93	11.57
3	20	1.59	42	22.76	8.94
4	14	1.92	54	27.05	16.76
5	29	2.48	57	29.48	20.08
6	12	3.01	66	27.66	20.73
7	18	1.58	47	32.81	20.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	45	21.10	7.88
2	12	1.52	40	21.06	6.88
3	20	1.57	38	21.80	6.80
4	14	1.63	47	26.62	14.20
5	29	2.26	57	25.30	15.72
6	12	2.13	56	26.47	15.43
7	18	1.70	46	32.77	19.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	55	20.55	11.31
2	12	1.81	48	22.07	10.92
3	20	1.61	37	24.63	9.19
4	14	1.84	53	25.87	15.15
5	29	2.18	48	25.55	13.27
6	12	1.47	41	25.69	11.66
7	18	1.73	48	32.39	18.85

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	47	24.88	12.77
2	12	1.89	42	26.64	12.03
3	20	1.87	34	27.66	10.60
4	14	2.50	63	24.59	18.20
5	29	1.95	46	27.37	13.88
6	12	1.76	42	27.44	13.89
7	18	2.35	55	30.88	19.82

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.28	48	28.89	14.32
2	12	2.93	43	27.83	13.14
3	20	1.85	35	29.07	12.21
4	14	5.78	74	23.16	17.07
5	29	2.63	46	29.17	14.63
6	12	1.93	45	29.82	18.10
7	18	1.72	52	32.25	21.00

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.05	48	28.88	14.77
2	12	2.46	58	26.30	18.16
3	20	5.83	87	24.38	18.35
4	14	2.15	60	26.88	18.00
5	29	2.71	48	28.53	16.91
6	12	2.77	68	28.61	20.38
7	18	1.82	52	32.46	21.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	60	25.10	18.66
2	12	3.35	66	22.77	15.92
3	20	2.21	67	25.49	18.69
4	14	1.54	48	28.58	19.72
5	29	6.83	75	26.32	20.36
6	12	1.98	69	27.77	21.57
7	18	2.68	58	30.05	20.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.66	67	29.88	17.21
2	12	2.19	53	26.33	15.78
3	20	1.80	51	25.71	14.05
4	14	1.80	51	25.47	14.59
5	29	1.00	66	29.89	19.76
6	12	1.76	59	29.02	20.32
7	18	1.67	58	31.17	20.82

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	45	28.77	13.89
2	12	2.82	45	27.85	15.10
3	20	2.79	63	28.91	19.16
4	14	1.67	54	28.36	18.25
5	29	1.81	65	30.26	19.89
6	12	3.41	68	27.69	21.24
7	18	1.84	59	32.53	20.48

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.82	51	27.32	18.32
2	12	2.69	47	30.36	17.63
3	20	2.24	60	29.32	20.85
4	14	1.60	57	27.33	17.77
5	29	2.13	68	30.28	21.43
6	12	1.88	64	29.65	22.48
7	18	1.68	47	33.12	20.97

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.51	69	27.89	20.22
2	12	2.98	62	31.98	20.45
3	20	2.02	54	31.10	20.74
4	14	1.57	58	28.57	18.58
5	29	2.16	60	30.60	21.83
6	12	2.62	66	29.90	22.81
7	18	1.66	48	32.66	20.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	42	30.22	16.10
2	12	2.63	61	28.89	18.00
3	20	2.95	67	27.60	21.32
4	14	1.54	55	29.28	18.26
5	29	2.09	58	31.05	21.50
6	12	2.18	68	30.45	23.55
7	18	1.63	47	33.16	20.97

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	60	25.55	18.09
2	12	3.00	72	24.29	19.11
3	20	1.96	61	25.19	17.21
4	14	1.54	41	29.05	15.11
5	29	1.78	53	31.97	20.66
6	12	2.08	67	30.19	23.26
7	18	1.56	46	33.89	20.27



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.70	69	23.94	17.44
2	12	2.26	61	26.19	17.91
3	20	1.59	49	28.27	16.71
4	14	1.54	47	29.87	17.41
5	29	2.10	57	29.54	18.92
6	12	1.81	55	28.97	19.29
7	18	1.65	43	34.27	19.57

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.48	71	21.99	18.21
2	12	3.54	62	26.88	17.17
3	20	2.36	58	26.77	17.96
4	14	1.54	48	31.32	19.00
5	23	2.70	63	28.67	18.21
6	12	2.04	54	29.85	19.62
7	18	1.71	40	34.62	18.58

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.81	52	24.89	14.21
2	12	3.24	54	26.61	16.61
3	20	2.77	55	27.74	18.10
4	14	1.68	49	32.10	19.28
5	29	3.28	59	27.86	19.01
6	12	2.27	62	28.48	20.36
7	18	1.81	44	33.84	18.91

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.48	44	31.93	17.93
2	12	3.37	46	29.57	16.98
3	20	3.18	50	29.07	17.71
4	14	2.03	56	30.55	20.43
5	20	3.62	66	26.81	19.43
6	12	2.08	65	27.12	19.39
7	16	1.70	46	33.92	19.47

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.30	42	35.85	18.85
2	12	3.35	48	31.36	17.21
3	20	3.34	49	30.15	18.38
4	14	2.46	53	30.85	19.98
5	20	2.66	60	28.11	20.32
6	12	2.60	72	25.92	20.45
7	16	1.98	48	32.22	19.09



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.47	36	34.65	17.55
2	12	3.77	46	31.67	18.14
3	20	2.96	54	29.62	19.55
4	14	2.03	56	28.46	18.60
5	20	2.08	54	30.61	20.38
6	12	1.83	68	28.23	21.29
7	16	1.82	52	31.00	19.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.02	37	33.55	17.10
2	12	3.81	41	32.87	18.00
3	20	1.97	57	29.55	20.19
4	14	2.31	73	23.68	18.84
5	20	1.06	61	32.84	20.62
6	12	1.50	68	30.22	21.52
7	16	2.64	55	31.04	20.37

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.90	41	34.11	18.99
2	12	2.74	53	31.11	20.50
3	20	2.66	66	27.57	20.63
4	14	1.87	56	29.16	19.51
5	20	1.96	67	30.65	21.18
6	12	1.81	67	28.42	21.75
7	16	1.05	56	30.76	20.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.95	50	32.90	20.10
2	12	4.13	63	27.96	19.96
3	20	3.01	68	25.76	17.07
4	14	1.65	63	27.20	18.70
5	20	1.90	68	30.13	21.27
6	12	3.05	72	27.54	21.56
7	16	1.71	55	31.04	20.68

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.05	58	25.89	15.77
2	12	1.58	47	25.59	13.19
3	20	1.73	47	27.43	15.33
4	14	1.84	61	25.83	17.21
5	29	2.38	58	30.07	20.87
6	12	2.21	67	28.79	22.21
7	18	1.72	83	31.52	20.65

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	39	26.32	8.68
2	12	1.76	44	26.15	12.86
3	20	2.09	57	26.85	17.24
4	14	1.63	54	29.12	18.56
5	29	2.16	58	29.44	20.56
6	12	3.71	70	27.72	21.84
7	18	1.76	47	33.02	19.89



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.64	43	26.44	13.10
2	12	1.29	69	23.83	17.49
3	20	1.67	50	27.18	15.96
4	14	1.68	53	29.12	18.05
5	29	2.41	56	30.66	21.03
6	12	2.33	61	30.22	21.69
7	18	1.58	44	28.50	18.33



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.05	69	22.55	16.32
2	12	2.05	54	25.55	15.64
3	20	1.90	57	26.98	17.83
4	14	1.57	48	29.48	18.78
5	29	2.00	47	30.95	18.46
6	12	1.50	45	31.24	17.81
7	18	1.77	49	33.28	18.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.07	52	26.10	15.22
2	12	2.30	53	27.58	17.17
3	20	2.16	63	28.88	21.27
4	14	1.57	48	28.70	14.75
5	29	2.15	50	31.68	19.84
6	12	1.54	50	32.12	20.32
7	18	1.69	48	32.74	19.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.90	55	25.22	15.88
2	12	1.68	48	25.89	14.99
3	20	1.59	50	26.99	15.71
4	14	1.60	50	27.77	16.22
5	29	2.20	46	32.04	18.99
6	12	2.36	52	31.71	20.73
7	18	1.67	47	32.95	19.85

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	80	25.77	15.21
2	12	1.54	68	25.22	19.68
3	20	1.60	53	25.90	15.63
4	14	1.08	90	20.52	18.84
5	29	2.03	47	30.87	18.08
6	12	2.38	50	31.43	19.65
7	18	1.81	46	33.49	19.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.30	49	27.68	16.22
2	12	1.98	45	27.69	16.43
3	20	3.10	68	28.21	19.10
4	14	1.65	57	28.58	18.86
5	29	2.20	48	31.08	18.68
6	12	2.51	51	32.12	21.10
7	18	1.78	46	33.57	18.64



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	61	27.68	18.44
2	12	3.12	58	26.39	17.46
3	20	2.87	62	27.57	19.57
4	14	1.08	64	28.81	19.28
5	29	2.82	56	30.57	20.66
6	12	3.75	60	31.80	29.23
7	18	1.81	46	32.81	18.47

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.14	56	28.43	18.99
2	12	3.11	50	27.25	16.10
3	20	2.49	55	27.80	18.13
4	14	1.70	46	30.71	17.53
5	29	2.78	51	30.97	19.86
6	12	2.82	56	30.04	20.41
7	18	1.91	46	33.46	20.30

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.09	63	24.88	18.72
2	12	2.45	48	27.81	16.20
3	20	3.21	68	25.05	18.52
4	14	1.74	59	28.82	17.69
5	29	2.61	48	31.30	19.03
6	12	2.42	48	31.06	18.65
7	18	1.69	48	32.98	19.57

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	41	22.32	8.22
2	12	1.67	41	24.85	10.83
3	20	2.10	53	24.91	14.41
4	14	1.83	63	27.68	17.06
5	29	2.48	55	29.32	19.03
6	12	4.32	66	27.82	20.59
7	18	1.78	53	31.87	20.48

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	53	21.55	10.88
2	12	1.61	47	24.76	12.21
3	20	1.88	48	26.74	14.82
4	14	1.90	56	28.25	18.24
5	29	2.16	53	29.36	18.84
6	12	2.06	58	29.58	20.36
7	18	2.01	66	31.80	20.75

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	58	25.21	8.55
2	12	2.08	45	25.31	12.26
3	20	3.42	64	25.52	18.07
4	14	1.91	66	25.88	18.48
5	29	2.60	60	30.22	18.18
6	12	2.78	58	30.27	21.10
7	18	1.58	48	33.30	20.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.36	76	19.10	14.32
2	12	7.55	84	21.66	18.56
3	20	2.52	85	22.24	15.24
4	14	1.57	69	21.84	11.98
5	29	3.21	83	30.20	22.06
6	12	2.12	86	29.76	22.21
7	18	1.58	60	32.08	20.04

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	69	18.21	12.49
2	12	1.58	55	19.33	9.96
3	20	1.57	55	19.57	10.21
4	14	1.59	48	22.41	11.08
5	29	1.76	50	27.35	15.76
6	12	1.78	60	24.30	15.82
7	18	1.68	53	29.23	18.19

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	38	22.88	7.88
2	12	1.58	44	22.72	9.62
3	20	1.70	48	22.98	10.91
4	14	1.63	46	25.81	12.88
5	29	2.24	51	26.87	15.82
6	12	1.65	49	25.04	13.83
7	18	1.68	53	28.50	17.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	42	20.44	8.08
2	12	1.98	43	23.46	10.13
3	20	2.25	58	24.52	15.52
4	14	2.04	81	26.42	16.47
5	29	2.48	48	28.80	16.25
6	12	2.18	58	27.07	15.92
7	18	1.74	47	30.85	18.16

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.65	54	22.88	12.88
2	12	2.76	57	23.93	14.67
3	20	2.20	69	19.55	15.57
4	14	1.66	53	21.02	10.78
5	29	3.12	52	29.21	18.06
6	12	2.80	53	28.65	17.88
7	18	1.71	42	32.57	17.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	60	20.44	12.22
2	12	1.84	51	21.47	10.62
3	20	1.78	56	19.74	10.18
4	14	3.88	71	18.40	12.40
5	29	2.06	51	29.67	17.97
6	12	2.52	51	29.53	18.28
7	18	1.82	48	31.94	18.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	42	25.33	8.55
2	12	1.91	59	22.07	11.93
3	20	5.87	72	19.18	13.85
4	14	2.28	60	22.48	12.77
5	29	3.09	58	29.01	20.16
6	12	3.78	60	28.93	19.93
7	18	2.08	58	29.54	20.51



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.42	79	19.77	15.68
2	12	4.28	67	23.60	15.98
3	20	2.94	62	23.24	15.44
4	14	1.98	45	27.45	14.05
5	29	2.40	65	28.27	21.03
6	12	3.98	70	25.87	19.85
7	18	1.78	50	30.86	19.26

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.95	45	27.10	13.99
2	12	3.73	54	26.89	16.84
3	20	2.65	54	26.89	16.83
4	14	1.97	49	27.65	15.98
5	29	2.50	65	28.04	20.91
6	12	2.77	61	27.81	19.87
7	18	1.75	48	32.01	18.28

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	46	26.77	15.88
2	12	8.11	66	27.44	17.69
3	20	3.14	51	27.48	16.55
4	14	1.99	55	27.39	16.82
5	29	2.18	60	28.32	20.58
6	12	2.92	55	29.53	19.67
7	18	1.79	47	32.61	19.76

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.41	69	22.90	14.84
2	12	4.98	53	20.05	17.54
3	20	3.55	54	27.05	17.52
4	14	2.53	67	24.04	18.17
5	29	2.95	52	30.64	19.61
6	12	2.58	49	31.01	19.20
7	18	1.50	46	33.30	18.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.14	71	18.21	13.44
2	12	3.51	66	21.01	14.20
3	20	4.30	77	21.30	17.03
4	14	5.30	80	24.86	18.08
5	29	2.60	48	31.16	19.28
6	12	2.52	49	31.89	20.06
7	18	1.83	41	34.34	19.02



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	61	17.21	6.66
2	12	1.53	41	22.61	7.77
3	20	2.65	59	21.90	13.21
4	14	3.41	71	22.39	16.06
5	29	3.60	56	27.81	18.07
6	12	3.63	57	30.55	20.92
7	18	1.77	61	31.07	19.90

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	35	21.88	5.68
2	12	1.57	40	23.00	8.60
3	20	1.67	47	23.68	11.55
4	14	3.94	68	24.18	17.26
5	29	3.17	64	25.55	17.75
6	12	3.50	55	30.84	20.50
7	18	1.91	44	33.69	19.47

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	39	23.21	8.33
2	12	1.59	41	23.87	9.85
3	20	2.10	47	24.71	12.69
4	14	4.83	71	24.81	18.68
5	29	2.90	61	26.35	17.96
6	12	3.38	58	29.95	20.59
7	18	2.17	42	34.34	19.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	36	23.80	7.98
2	12	2.52	46	25.18	12.48
3	20	6.58	71	23.55	17.77
4	14	2.71	60	25.82	18.54
5	29	2.29	58	27.03	18.58
6	12	3.23	61	30.48	21.56
7	18	2.08	40	34.80	18.95

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.23	78	18.55	14.77
2	12	6.84	76	21.80	17.21
3	20	3.23	84	24.38	18.93
4	14	1.83	67	23.20	18.06
5	29	3.02	64	26.17	20.48
6	12	2.78	72	27.40	21.70
7	18	2.02	57	30.41	20.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.48	70	21.88	18.83
2	12	5.50	68	24.46	16.01
3	20	1.85	52	24.27	13.55
4	14	1.66	66	23.87	12.77
5	29	2.98	60	28.77	20.34
6	12	2.85	57	29.82	19.78
7	18	2.03	56	28.86	20.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.51	61	22.68	14.44
2	12	1.98	47	23.09	11.18
3	20	1.75	58	20.80	12.49
4	14	1.84	68	21.62	15.32
5	29	2.08	52	29.19	18.07
6	12	1.87	45	28.51	15.41
7	18	2.03	60	29.18	20.61



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	38	23.10	8.32
2	12	1.54	38	22.86	8.18
3	20	1.63	46	23.99	11.80
4	14	2.28	72	21.18	18.35
5	29	1.83	52	27.75	16.80
6	12	1.57	46	28.14	15.45
7	18	2.19	58	29.51	20.30



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	42	24.21	10.10
2	12	1.93	40	24.96	10.27
3	20	2.76	60	23.18	14.52
4	14	2.48	66	23.60	18.82
5	29	2.36	52	28.61	17.48
6	12	2.06	50	30.09	18.55
7	18	1.87	51	32.01	20.51



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.09	56	24.21	14.88
2	12	3.04	62	24.30	16.38
3	20	3.17	71	23.57	17.91
4	14	2.06	78	21.18	18.47
5	29	2.66	66	30.07	18.91
6	12	2.59	53	31.20	20.41
7	18	1.92	52	32.01	20.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.36	48	18.44	8.39
2	12	1.79	59	20.84	12.26
3	20	2.47	66	19.82	13.30
4	14	2.61	71	20.82	15.27
5	29	2.83	61	26.30	20.51
6	12	5.06	70	27.85	21.38
7	16	1.71	61	31.60	20.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	47	17.10	5.86
2	12	1.94	58	17.86	9.30
3	20	2.35	58	20.80	12.16
4	14	2.88	68	22.81	15.82
5	29	3.04	67	26.51	19.67
6	12	2.94	58	28.32	19.39
7	16	1.80	59	31.52	20.27



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.18	76	18.10	10.44
2	12	2.34	62	17.54	9.85
3	20	2.66	58	21.89	12.48
4	14	3.16	62	24.87	18.30
5	29	2.93	67	24.43	17.60
6	12	3.28	58	27.21	15.82
7	16	1.88	50	32.69	20.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	42	23.21	9.21
2	12	3.32	51	23.65	12.82
3	20	3.74	58	24.80	15.59
4	14	2.06	59	24.47	15.63
5	29	2.90	58	26.98	17.98
6	12	3.14	51	27.91	18.70
7	16	1.77	50	32.29	19.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.64	58	22.32	13.44
2	12	3.85	50	25.59	14.43
3	20	4.48	62	24.27	16.44
4	14	1.80	52	27.48	16.66
5	29	2.78	54	28.11	17.18
6	12	2.67	48	29.16	18.24
7	16	1.84	50	31.80	18.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.26	56	24.77	14.99
2	12	4.35	52	25.64	14.94
3	20	5.27	55	28.31	16.88
4	14	1.86	58	25.63	16.22
5	29	2.62	48	28.02	17.30
6	12	3.21	45	30.52	17.08
7	16	1.91	46	32.25	18.78

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.38	38	21.65	7.10
2	12	1.75	44	23.09	10.08
3	20	2.05	48	24.85	13.05
4	14	3.33	86	23.80	18.42
5	29	3.18	46	29.59	16.58
6	12	3.50	45	30.73	17.28
7	18	1.88	44	32.29	18.22



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.44	38	22.68	7.88
2	12	1.79	46	24.59	12.07
3	20	3.34	55	27.07	17.05
4	14	2.30	84	26.35	17.98
5	29	3.47	48	28.40	17.52
6	12	3.58	45	31.89	18.37
7	18	1.98	46	32.69	18.76



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	3.19	79	21.66	18.46
2	12	3.38	81	25.08	18.98
3	20	2.79	78	20.91	15.82
4	14	1.78	87	18.64	16.03
5	29	3.66	80	30.66	19.07
6	12	3.68	58	30.13	20.41
7	18	2.17	88	28.08	19.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.44	50	13.77	3.44
2	12	1.59	53	14.40	4.76
3	20	1.57	50	15.68	5.27
4	14	1.70	82	18.02	8.60
5	29	2.98	58	26.43	17.35
6	12	3.68	70	24.25	18.00
7	18	2.08	62	28.78	18.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.38	43	15.33	2.86
2	12	1.57	45	16.88	4.98
3	20	2.03	50	19.10	8.44
4	14	2.67	85	18.80	11.70
5	29	3.56	71	21.50	15.55
6	12	3.38	72	23.14	17.72
7	18	2.64	82	26.94	18.85

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.38	48	17.68	8.10
2	12	1.64	40	18.78	6.75
3	20	3.52	57	22.93	13.85
4	14	2.78	62	22.01	13.92
5	29	4.38	77	20.41	15.97
6	12	2.17	68	23.97	17.68
7	18	3.07	68	26.45	20.08

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.07	66	18.77	9.66
2	12	2.94	55	19.67	9.76
3	20	3.32	53	25.52	15.18
4	14	3.78	72	22.25	16.70
5	29	2.55	67	23.44	16.83
6	12	2.29	63	25.78	18.09
7	16	3.38	70	26.62	20.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.74	77	18.77	14.32
2	12	3.25	68	20.31	13.18
3	20	2.73	48	26.27	14.35
4	14	3.74	72	29.40	17.97
5	29	2.17	60	25.49	16.85
6	12	2.56	54	28.86	18.29
7	16	1.87	66	27.28	20.34

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.34	68	21.55	15.21
2	12	2.71	62	22.82	14.34
3	20	2.62	48	27.52	12.71
4	14	2.17	66	23.84	17.28
5	29	2.70	62	25.34	17.52
6	12	2.77	55	28.38	15.82
7	16	2.26	64	27.21	18.64

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.17	58	24.33	15.21
2	12	2.58	48	26.10	12.17
3	20	3.08	49	27.80	15.48
4	14	2.05	70	21.50	18.31
5	29	2.47	54	27.37	16.81
6	12	2.54	41	28.52	14.02
7	16	2.11	62	28.25	19.85

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.76	68	16.66	9.66
2	12	3.74	66	19.48	12.86
3	20	4.95	74	19.89	14.48
4	14	1.85	68	18.75	13.84
5	29	3.01	55	20.11	17.63
6	12	2.52	38	29.44	15.79
7	16	1.82	50	29.57	17.87

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	62	14.65	7.44
2	12	1.77	65	14.71	7.91
3	20	2.14	57	19.13	10.21
4	14	2.02	67	17.06	10.63
5	29	3.43	68	25.70	18.06
6	12	2.33	45	29.18	15.38
7	16	2.10	45	29.99	17.00

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.55	63	12.10	4.66
2	12	1.67	42	15.40	2.72
3	20	1.81	53	17.44	7.68
4	14	2.55	72	15.82	10.29
5	29	1.96	55	23.34	13.34
6	12	1.92	39	28.43	11.15
7	18	2.16	45	29.26	16.00

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	50	10.21	0.11
2	12	1.52	35	13.28	-1.71
3	20	1.83	47	17.68	6.21
4	14	2.61	70	17.65	11.54
5	29	2.21	50	19.59	8.17
6	12	1.64	36	23.19	7.17
7	18	2.47	47	27.66	16.61

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	91	14.86	-2.22
2	12	1.65	96	15.04	-0.73
3	20	1.97	58	20.69	9.08
4	14	2.04	58	21.22	12.17
5	29	2.58	60	19.90	8.40
6	12	1.45	55	22.40	5.92
7	18	2.40	47	28.01	16.56



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.39	20	10.32	0.77
2	12	2.18	95	18.02	9.00
3	20	2.35	40	23.16	8.27
4	14	1.88	50	22.37	11.10
5	29	2.56	57	21.06	12.48
6	12	1.48	38	24.11	8.93
7	18	2.26	51	28.03	16.96

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.69	33	22.59	5.49
2	12	2.37	44	22.54	9.20
3	20	2.24	38	24.82	9.65
4	14	1.98	44	24.43	10.85
5	29	2.30	54	26.72	15.37
6	12	1.55	50	25.04	13.69
7	18	1.96	46	28.59	19.81

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	40	21.92	8.84
2	12	2.40	43	24.81	11.24
3	20	2.27	48	26.27	11.38
4	14	1.57	46	24.55	11.70
5	29	2.07	53	26.10	14.95
6	12	2.62	22	22.17	13.33
7	18	2.04	46	26.03	12.84

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	54	14.55	5.21
2	12	1.84	53	10.48	0.20
3	20	3.81	56	22.93	15.21
4	14	1.98	57	18.80	8.43
5	29	4.68	68	23.84	16.91
6	12	4.34	82	18.65	15.36
7	18	1.69	42	28.83	11.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.06	88	11.10	10.54
2	12	7.19	84	15.50	12.45
3	20	2.16	68	13.88	7.07
4	14	1.54	43	17.73	6.87
5	29	1.93	71	23.63	18.04
6	12	2.59	89	20.78	16.34
7	18	1.66	38	24.06	8.57

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	59	13.68	-0.22
2	12	1.55	47	16.66	5.18
3	20	1.57	42	19.34	8.52
4	14	1.60	38	23.09	8.88
5	29	1.75	48	22.10	10.37
6	12	1.40	46	19.18	7.07
7	18	1.54	29	24.02	6.92



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.39	90	15.55	1.88
2	12	2.06	60	20.27	9.34
3	20	1.69	33	25.63	8.57
4	14	1.57	36	26.02	9.32
5	29	1.65	46	23.73	11.20
6	12	1.66	47	23.74	11.47
7	18	1.57	30	28.41	7.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.02	49	29.10	9.88
2	12	2.33	41	29.66	9.20
3	20	1.93	38	25.89	10.85
4	14	1.78	34	25.39	8.32
5	29	1.90	50	24.74	13.67
6	12	1.69	53	25.36	14.99
7	18	1.78	32	28.25	9.40

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.82	60	21.44	13.44
2	12	2.62	67	20.95	11.18
3	20	1.81	51	19.71	8.82
4	14	1.97	38	22.37	8.22
5	29	2.32	62	26.81	16.22
6	12	2.03	48	27.58	14.20
7	18	1.88	31	29.51	9.30

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	42	12.21	-0.68
2	12	1.52	38	15.22	1.15
3	20	2.34	50	18.44	7.71
4	14	1.83	33	25.39	7.48
5	29	1.76	42	24.86	11.08
6	12	1.71	36	26.56	10.04
7	16	1.60	31	28.62	8.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	28	17.54	-0.66
2	12	2.04	34	18.69	2.40
3	20	2.11	55	24.52	7.35
4	14	1.76	29	26.17	7.77
5	29	1.84	46	23.40	9.87
6	12	1.77	39	26.88	11.81
7	16	1.82	31	29.98	10.10

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	26	24.77	2.55
2	12	2.27	27	25.31	4.05
3	20	1.75	28	28.98	8.66
4	14	1.66	38	25.78	7.81
5	29	1.83	41	24.84	10.34
6	12	1.67	41	25.92	11.52
7	16	1.66	25	29.78	11.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	28	28.99	8.55
2	12	2.44	36	26.13	9.85
3	20	2.07	58	28.77	11.02
4	14	1.60	46	21.48	9.16
5	29	1.76	41	26.50	12.02
6	12	1.91	38	26.29	11.10
7	16	1.91	34	29.79	11.17



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	46	17.88	5.55
2	12	1.86	43	18.70	5.78
3	20	1.78	46	20.52	8.38
4	14	1.71	41	22.18	8.09
5	29	2.13	43	26.38	12.50
6	12	2.26	37	26.61	10.69
7	16	1.91	28	30.57	8.75



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	57	10.77	-9.77
2	12	1.58	58	17.26	2.58
3	20	2.15	59	22.60	7.71
4	14	1.60	41	22.61	8.40
5	26	2.33	44	23.46	10.20
6	12	1.76	53	26.08	8.52
7	16	2.02	28	30.65	8.8c

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	41	14.66	1.55
2	12	2.76	42	18.93	5.50
3	20	2.15	50	25.16	6.35
4	14	1.90	42	23.17	9.32
5	20	2.10	42	22.12	8.36
6	12	1.66	58	25.13	9.53
7	16	2.02	96	10.17	10.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.34	41	20.92	8.32
2	12	2.34	38	21.24	8.19
3	20	2.77	42	24.13	9.58
4	14	1.84	47	20.75	8.84
5	20	1.87	48	23.48	8.70
6	12	2.08	58	26.35	10.79
7	16	1.68	92	20.13	10.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.90	56	12.66	-3.86
2	12	1.63	38	16.23	-0.78
3	20	1.68	43	19.69	6.41
4	14	2.02	47	21.28	8.55
5	20	2.31	42	25.01	11.27
6	12	2.66	42	27.31	15.25
7	16	2.04	57	29.08	12.28

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	31	18.99	-9.44
2	12	1.76	40	16.24	2.40
3	20	1.76	35	20.15	3.91
4	14	2.17	41	23.03	9.18
5	20	1.93	42	22.54	8.88
6	12	2.46	37	26.84	10.73
7	16	2.08	37	28.89	12.59

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	39	20.88	9.88
2	12	1.91	31	20.86	2.72
3	20	2.28	24	22.89	1.47
4	14	1.88	37	24.84	8.40
5	20	1.84	42	23.86	9.26
6	12	2.20	45	25.55	12.58
7	16	2.14	45	27.96	14.97



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.88	57	29.88	8.21
2	12	3.66	27	23.16	2.91
3	20	3.73	28	28.62	5.63
4	14	1.98	45	23.58	10.75
5	20	2.16	43	24.29	10.11
6	12	2.07	42	25.55	11.52
7	16	1.98	46	28.43	15.08

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.83	24	29.88	2.88
2	12	4.07	26	24.16	2.86
3	20	4.07	41	25.02	11.38
4	14	2.20	57	21.38	12.21
5	20	2.13	38	25.53	8.26
6	12	1.77	38	25.27	9.99
7	18	2.13	47	26.65	14.16

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.85	45	17.77	4.09
2	12	4.71	38	24.16	8.43
3	20	3.38	41	24.77	9.21
4	14	2.97	64	20.11	12.77
5	20	2.40	33	26.31	7.31
6	12	1.98	31	26.01	7.88
7	18	1.81	46	27.01	14.30



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.14	50	23.44	10.44
2	12	6.59	43	29.83	9.84
3	20	2.83	47	29.74	9.74
4	14	3.36	66	19.87	12.85
5	20	3.67	36	26.87	8.50
6	12	2.04	29	26.70	5.98
7	18	1.78	48	27.74	14.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.30	37	25.55	9.66
2	12	8.25	37	25.32	9.30
3	20	4.21	55	21.52	10.35
4	14	5.48	85	20.90	13.28
5	20	3.63	42	25.76	11.62
6	12	2.62	22	28.70	4.95
7	18	1.07	59	28.45	15.34

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.48	47	21.77	9.88
2	12	7.01	45	22.63	9.29
3	20	5.65	59	22.98	13.46
4	14	5.13	85	17.33	14.40
5	20	3.63	40	25.05	10.45
6	12	2.32	26	27.49	8.15
7	18	1.76	52	28.48	15.51



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.53	47	17.52	5.66
2	12	3.76	48	20.73	8.60
3	20	6.03	63	20.66	13.02
4	14	4.58	77	18.40	13.96
5	29	3.30	27	35.75	10.29
6	12	2.56	18	25.33	9.25
7	18	1.86	61	26.17	14.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.48	48	12.10	1.59
2	12	2.68	50	17.60	8.98
3	20	4.36	41	26.02	11.80
4	14	1.76	63	23.24	12.57
5	29	9.97	85	22.50	12.12
6	12	3.51	52	27.77	9.53
7	18	2.83	81	28.80	18.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.93	59	17.52	8.66
2	12	4.56	62	18.67	9.43
3	20	5.06	39	26.68	11.49
4	14	1.67	58	23.72	14.26
5	29	4.41	72	20.62	15.30
6	12	2.68	46	25.92	13.00
7	18	2.21	85	26.27	18.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	8.04	41	24.21	8.98
2	12	5.97	47	23.92	11.24
3	20	4.21	42	25.74	11.88
4	14	2.44	58	19.18	10.63
5	29	3.50	64	22.96	15.49
6	12	2.18	55	24.25	14.18
7	18	2.18	58	24.37	18.23



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	5.82	42	24.54	10.66
2	12	6.51	48	24.25	11.24
3	20	3.81	55	24.18	14.21
4	14	1.82	48	18.63	7.37
5	29	9.11	68	23.80	16.41
6	12	1.98	55	24.85	15.22
7	18	2.09	87	28.62	18.13



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	9.02	41	25.55	11.99
2	12	5.05	58	24.06	13.00
3	20	2.65	49	26.46	14.91
4	14	1.83	43	17.81	4.36
5	29	3.06	57	25.35	15.76
6	12	3.31	58	26.68	15.22
7	18	2.19	58	26.55	14.89

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.40	44	24.54	10.66
2	12	6.30	53	22.17	11.52
3	20	2.57	49	19.24	7.06
4	14	1.54	38	14.55	-1.38
5	29	3.22	46	27.00	16.22
6	12	2.52	47	27.28	14.95
7	18	2.18	61	25.83	14.84

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.23	71	13.55	7.44
2	12	2.20	63	14.08	3.65
3	20	1.83	52	15.46	-1.27
4	14	1.88	39	11.70	-6.12
5	29	3.44	45	24.36	11.43
6	12	2.21	49	22.00	10.41
7	10	1.74	47	22.80	10.19

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.18	78	5.10	1.21
2	12	1.64	48	8.67	-1.29
3	20	1.57	48	11.35	0.49
4	14	1.54	41	10.55	-2.37
5	29	1.78	36	16.89	0.82
6	12	1.39	28	15.41	-5.23
7	10	1.72	34	20.56	9.26

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.57	58	4.21	-9.55
2	12	1.52	42	8.60	-3.76
3	20	1.70	41	12.55	-0.58
4	13	1.71	43	13.75	1.15
5	29	1.55	28	16.28	-2.08
6	12	1.55	28	16.33	-2.40
7	10	1.96	41	24.40	8.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.46	37	13.83	-2.00
2	12	1.78	44	13.60	1.30
3	20	4.52	67	10.88	4.21
4	14	2.08	51	8.91	0.08
5	29	2.09	27	20.05	0.08
6	12	2.28	26	21.70	1.11
7	10	1.88	48	24.84	13.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	7.32	80	8.75	7.21
2	12	3.46	76	10.72	6.61
3	20	1.89	47	9.82	-2.19
4	14	1.88	34	8.12	-5.90
5	29	2.43	57	19.39	10.56
6	12	4.92	73	12.89	7.35
7	10	1.81	47	15.18	2.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.00	81	7.35	5.04
2	12	1.76	67	7.08	-0.92
3	20	1.63	48	6.38	-3.57
4	14	1.83	25	10.78	-4.38
5	29	2.08	37	12.37	-2.33
6	12	1.41	20	11.61	-5.27
7	10	1.53	31	17.08	-0.51

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.48	46	0.88	-4.77
2	12	1.56	48	8.85	-4.85
3	20	1.65	56	11.15	-3.88
4	14	1.94	35	13.21	-1.86
5	20	1.57	35	14.26	-1.18
6	12	1.57	28	13.09	-4.85
7	18	1.04	66	18.60	8.86

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.44	40	11.77	-1.88
2	12	1.82	37	12.36	-2.08
3	20	3.48	67	9.88	3.44
4	14	2.52	86	12.37	2.40
5	20	1.88	48	17.77	3.36
6	12	1.95	42	15.45	1.52
7	18	1.82	56	23.38	13.60



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.81	48	13.21	2.58
2	12	8.58	53	13.37	3.56
3	20	7.91	69	10.35	8.83
4	14	8.67	80	13.21	6.80
5	20	8.66	71	18.75	13.17
6	12	6.58	83	15.69	12.58
7	18	2.41	48	23.32	9.57



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	5.05	78	12.21	8.58
2	12	8.58	90	13.00	11.47
3	20	9.48	88	12.80	10.07
4	14	1.58	47	13.56	1.62
5	20	5.38	78	18.38	14.42
6	12	4.25	82	17.07	13.08
7	18	1.82	34	24.84	8.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.97	95	12.44	11.77
2	12	5.52	90	12.35	10.73
3	20	7.08	75	12.19	7.71
4	14	2.84	48	13.76	2.18
5	20	2.72	56	18.86	8.32
6	12	2.32	56	17.44	8.57
7	18	1.82	33	26.62	7.46



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.36	93	12.44	11.44
2	12	7.07	87	11.88	9.71
3	20	8.12	71	11.77	8.35
4	14	2.89	60	12.48	4.83
5	20	1.73	43	18.68	6.78
6	12	2.65	48	17.12	5.92
7	18	2.18	60	21.10	12.86

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.24	92	8.88	7.44
2	12	3.78	71	12.68	7.31
3	20	4.81	83	14.07	8.88
4	14	2.16	69	13.08	9.58
5	29	2.16	47	10.67	7.58
6	12	3.12	58	14.57	6.35
7	16	2.28	84	10.78	10.16

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.01	78	7.21	3.88
2	12	2.28	88	13.76	5.92
3	20	3.52	57	15.85	5.13
4	14	1.67	48	12.53	-0.27
5	29	3.01	67	10.70	8.88
6	12	3.03	45	19.20	8.70
7	16	1.83	44	22.11	8.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.70	88	8.88	5.10
2	12	2.26	58	12.40	2.81
3	20	1.88	48	9.18	-1.21
4	14	1.88	48	8.44	-2.77
5	29	2.57	48	10.38	7.10
6	12	1.78	55	10.23	1.52
7	16	1.58	93	22.60	5.28

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.48	78	8.85	4.21
2	12	1.78	58	8.46	-0.68
3	20	2.05	81	5.21	-2.10
4	14	1.67	58	4.00	-5.78
5	29	1.68	37	16.26	0.78
6	12	1.38	27	13.37	-5.04
7	16	1.68	57	10.48	3.22

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.88	88	7.43	0.55
2	12	2.08	58	6.89	-1.24
3	20	3.14	75	5.55	-0.55
4	14	1.78	58	1.10	-6.22
5	29	1.77	33	12.60	-3.90
6	12	3.08	52	6.15	-4.11
7	16	1.57	92	14.89	-1.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	61	5.88	-1.22
2	12	2.07	58	7.07	-0.36
3	20	2.00	67	8.18	0.90
4	14	1.84	67	3.56	-4.48
5	29	1.85	43	9.69	-2.65
6	12	2.18	53	7.72	-1.80
7	16	1.73	97	13.86	-1.07

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	62	4.77	-4.21
2	12	1.59	51	6.84	-2.86
3	20	1.62	51	8.98	-0.98
4	14	1.74	41	11.30	-1.90
5	29	1.66	48	12.77	-0.61
6	12	1.84	48	11.79	-1.24
7	18	1.58	48	20.18	8.67

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.22	66	8.77	-0.67
2	12	2.43	48	11.10	0.64
3	20	2.68	48	14.21	3.92
4	14	2.87	84	12.79	8.75
5	29	1.82	34	16.81	0.67
6	12	2.22	42	16.38	3.28
7	18	1.93	90	24.90	12.94



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	94	7.44	-0.22
2	12	2.88	48	15.81	4.67
3	20	3.15	65	17.91	10.49
4	14	1.88	57	8.88	0.96
5	29	1.77	36	20.87	4.76
6	12	1.95	52	20.06	9.81
7	18	1.68	81	20.72	9.12

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.30	62	16.93	9.21
2	12	3.36	55	17.77	8.05
3	20	3.08	72	13.86	6.49
4	14	1.78	44	10.35	-1.62
5	29	1.48	48	21.83	9.10
6	12	3.31	65	18.63	11.30
7	18	1.82	55	17.14	7.83



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.67	68	4.89	2.10
2	12	1.82	86	11.29	2.35
3	23	5.90	58	11.71	3.21
4	14	1.87	48	10.27	-1.18
5	23	2.17	48	20.66	9.15
6	12	5.38	84	18.37	10.98
7	18	4.66	81	17.63	14.05



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.34	89	8.66	0.77
2	12	2.72	58	13.06	2.48
3	20	7.50	76	12.07	7.68
4	14	5.25	74	7.89	5.29
5	29	2.58	54	18.73	9.28
6	12	3.10	68	19.53	13.18
7	18	2.34	87	19.44	12.81

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.42	85	9.86	8.32
2	12	3.25	77	12.31	9.38
3	20	5.43	78	15.69	9.80
4	14	9.42	84	5.27	2.86
5	29	9.19	61	20.32	12.52
6	12	2.80	69	20.27	14.43
7	10	3.90	75	20.89	18.14



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.56	78	13.32	9.10
2	12	7.06	71	15.41	10.13
3	20	4.20	69	16.44	12.85
4	14	2.41	78	0.88	-2.93
5	29	2.92	59	21.96	13.31
6	12	1.91	50	22.21	14.02
7	10	2.67	81	10.00	8.79

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.67	82	15.55	12.54
2	12	3.08	81	13.37	10.04
3	20	1.91	72	2.44	-2.22
4	14	1.63	53	1.62	-7.41
5	29	3.04	60	20.83	16.16
6	12	1.69	75	12.12	7.72
7	10	1.65	50	13.67	-2.08

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.39	35	5.10	-9.10
2	12	1.82	48	4.62	-5.45
3	20	1.93	56	4.38	-5.77
4	14	1.71	55	3.80	-3.88
5	29	2.29	51	14.68	4.23
6	12	1.88	49	10.22	-0.38
7	10	1.53	42	12.82	-0.31

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.49	38	2.11	-10.46
2	12	1.80	47	3.33	-7.07
3	20	2.27	52	7.87	-2.10
4	14	3.01	60	2.57	-2.09
5	29	2.16	49	14.15	3.29
6	12	1.81	48	14.85	3.42
7	10	1.93	52	14.47	6.72



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.39	41	6.55	-5.08
2	12	2.21	54	6.09	-0.78
3	20	3.12	68	10.27	2.80
4	14	2.15	56	6.78	-2.02
5	29	3.09	70	14.66	9.15
6	12	0.51	79	12.68	9.20
7	10	2.93	62	12.00	6.68

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.06	48	12.44	1.00
2	12	2.50	57	12.65	4.07
3	20	3.02	58	9.89	1.94
4	14	1.00	56	10.15	-0.95
5	29	4.27	71	10.01	14.10
6	12	5.51	82	14.70	11.00
7	16	3.15	63	13.01	6.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	80	3.77	-3.00
2	12	3.10	65	12.17	5.04
3	20	5.80	67	10.77	4.52
4	14	1.80	47	5.50	-5.35
5	29	4.27	73	10.06	13.06
6	12	8.26	87	15.15	12.81
7	16	2.62	88	14.44	6.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.61	92	0.00	5.00
2	12	10.00	88	7.00	0.15
3	20	3.12	62	2.02	-4.02
4	14	1.56	48	4.40	-7.13
5	28	6.22	76	13.40	8.86
6	12	4.07	59	5.04	-2.91
7	16	1.94	32	11.20	-4.00

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.45	58	3.55	-3.64
2	12	4.40	66	0.87	-4.81
3	20	4.05	69	1.19	-4.24
4	14	1.54	51	1.74	-7.60
5	29	1.72	41	8.48	-4.61
6	12	1.78	47	7.49	-3.79
7	16	1.52	31	14.37	-2.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	42	-2.77	-14.10
2	12	2.03	57	-0.78	-8.56
3	21	2.73	61	-0.71	-7.45
4	14	1.80	47	2.20	-8.24
5	29	1.55	38	8.25	-5.07
6	12	1.76	42	7.50	-4.98
7	16	1.67	34	16.36	0.36

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.06	53	0.44	-8.21
2	12	8.64	64	1.61	-4.05
3	21	3.77	66	-0.39	-8.23
4	14	3.13	55	1.00	-8.84
5	29	2.27	46	10.93	-0.86
6	12	4.77	70	8.80	2.96
7	16	2.11	49	11.14	0.24

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	11.88	91	-1.66	-2.00
2	12	6.58	83	1.83	-1.10
3	21	5.83	71	-2.11	-6.79
4	16	1.77	47	4.89	-6.38
5	20	3.81	60	8.85	1.83
6	12	1.84	53	5.85	-5.25
7	16	1.81	36	19.22	-2.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.87	88	-0.88	-8.10
2	12	2.34	87	1.10	-8.52
3	21	5.05	75	-1.24	-5.23
4	16	1.88	52	4.83	-8.27
5	20	2.04	48	10.18	-1.58
6	12	2.82	48	9.88	-0.83
7	16	1.58	31	15.90	-1.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.42	84	-0.88	-8.38
2	12	6.16	82	2.17	-4.57
3	21	5.18	76	0.87	-4.08
4	16	3.44	84	6.42	-4.08
5	20	2.90	51	11.10	1.05
6	12	5.81	58	6.94	-1.26
7	16	1.81	38	15.65	-0.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.41	71	-2.10	-8.55
2	12	4.59	67	3.48	-2.08
3	21	4.02	69	4.59	-0.79
4	16	3.10	48	8.44	-3.21
5	20	2.48	46	10.70	-0.57
6	12	2.92	45	10.98	0.60
7	16	2.53	45	15.41	2.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	5.04	74	0.55	-3.56
2	12	4.91	59	6.15	-1.34
3	21	3.50	53	11.23	1.81
4	16	4.01	63	3.84	-2.85
5	20	3.17	47	13.75	2.56
6	12	2.80	51	13.32	3.57
7	16	3.08	48	17.18	5.41



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	12.35	86	1.77	-0.33
2	12	6.09	69	8.18	1.62
3	21	4.80	61	1.55	-1.58
4	16	8.35	80	-2.45	-7.81
5	20	6.56	65	19.36	6.48
6	12	1.57	45	7.54	-4.48
7	16	1.71	21	10.41	-11.14

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.08	78	0.33	1.88
2	12	6.51	64	2.40	-3.97
3	21	4.80	80	-1.29	-4.28
4	14	2.18	66	-7.89	-12.17
5	29	2.96	46	0.82	-9.23
6	12	1.96	47	4.58	-8.57
7	16	2.72	28	10.89	-8.52



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	88	2.44	-9.33
2	12	6.46	66	0.66	-6.76
3	21	5.84	78	-2.53	-5.73
4	14	9.39	88	-8.58	-12.72
5	29	1.73	45	0.55	-2.62
6	12	2.31	48	8.35	-4.20
7	16	5.00	78	12.53	7.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	42	-1.88	-12.88
2	12	2.53	58	-1.81	-8.51
3	21	7.28	62	-1.50	-4.25
4	14	7.08	76	-10.18	-12.26
5	29	6.44	68	9.18	3.08
6	12	8.06	88	7.40	5.58
7	16	2.58	78	6.48	3.02



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	13.29	79	-6.77	-7.45
2	12	9.16	85	-1.15	-2.32
3	21	8.17	83	-5.22	-5.73
4	14	5.48	75	-9.43	-13.16
5	29	5.96	86	12.70	9.97
6	12	5.02	87	5.31	3.57
7	16	2.21	72	2.08	-2.46

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.01	71	-4.44	-8.89
2	12	4.16	67	-0.27	-5.78
3	21	3.47	87	-7.89	-11.53
4	14	6.48	55	-13.82	-14.81
5	29	6.43	80	12.04	8.52
6	12	8.48	81	5.57	0.41
7	15	4.20	79	1.89	-1.56



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.18	78	-2.86	-5.88
2	12	6.48	66	-3.70	-9.25
3	21	9.22	63	-12.29	-15.79
4	14	1.76	87	-14.48	-18.94
5	29	6.58	88	8.32	6.98
6	12	2.58	88	-2.17	-7.95
7	18	2.07	81	0.27	-8.87

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	40	-8.21	-18.81
2	12	2.20	57	-5.82	-13.00
3	21	2.06	66	-10.00	-14.46
4	14	1.70	68	-16.00	-14.71
5	20	2.20	62	3.48	-6.60
6	12	1.01	54	-5.10	-11.19
7	10	1.02	66	2.39	-5.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	48	-7.77	-18.98
2	12	2.85	53	-6.05	-14.25
3	21	4.82	71	-10.80	-15.36
4	14	9.16	65	-19.37	-19.88
5	20	2.97	48	0.60	-6.80
6	12	2.03	50	-2.35	-11.81
7	10	2.70	68	4.19	-3.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.39	37	-8.68	-18.86
2	12	3.57	58	-5.08	-11.98
3	21	9.88	78	-9.09	-12.84
4	14	7.38	71	-10.41	-12.52
5	29	2.58	48	4.50	-6.06
6	12	1.98	42	1.75	-9.99
7	16	2.82	61	8.17	-1.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	11.14	71	-7.55	-9.85
2	12	12.67	78	-4.34	-7.54
3	21	4.28	68	-10.24	-11.09
4	14	1.63	67	-19.14	-18.38
5	20	4.22	66	6.22	-2.71
6	12	2.25	60	-0.32	-7.30
7	16	3.17	66	3.12	-2.95



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	52	-8.68	-13.70
2	12	3.75	60	-6.93	-12.92
3	21	4.14	58	-14.18	-15.55
4	14	1.60	59	-11.68	-14.55
5	29	1.63	39	2.83	-9.60
6	12	1.78	47	-3.10	-13.14
7	16	4.65	64	2.46	-4.23



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	43	-8.98	-18.11
2	12	2.60	58	-7.35	-14.43
3	21	3.01	61	-11.78	-14.10
4	14	4.00	58	-19.68	-14.71
5	29	1.81	38	2.47	-9.05
6	12	2.34	48	-2.28	-12.11
7	16	5.93	77	3.05	-1.10

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	48	-11.88	-100.00
2	12	3.06	60	-8.23	-16.18
3	21	4.85	68	-10.87	-12.78
4	14	4.58	80	-14.18	-16.18
5	20	2.02	40	4.82	-6.75
6	12	2.55	45	-2.28	-11.55
7	18	6.84	77	-0.10	-6.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	59	-9.98	-12.10
2	12	4.08	68	-1.36	-6.81
3	21	8.27	73	-7.78	-9.86
4	14	1.74	86	-18.57	-19.53
5	20	1.97	46	6.07	-5.84
6	12	5.95	55	1.20	-7.68
7	18	6.80	78	-3.40	-6.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.84	62	-6.10	-12.21
2	12	7.10	78	-2.77	-6.20
3	21	8.54	74	-5.41	-8.28
4	14	1.84	83	-8.80	-8.84
5	20	9.16	88	6.89	4.21
6	12	7.35	83	-2.45	-4.95
7	18	2.00	84	-0.40	-0.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.93	78	-0.44	-4.22
2	12	5.27	74	-0.60	-4.58
3	2.	5.16	73	-5.85	-8.08
4	14	1.80	84	4.83	-1.90
5	20	3.84	73	3.54	-0.86
6	12	3.72	67	-2.03	-7.49
7	18	1.77	48	7.69	-2.77

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.80	58	0.56	-8.77
2	12	2.36	65	0.27	-6.65
3	21	4.10	78	0.38	-5.35
4	14	1.82	85	9.88	-2.48
5	20	1.06	48	7.94	-2.31
6	12	2.78	65	9.58	-2.82
7	18	1.78	44	13.78	1.42



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.50	81	-6.44	-7.03
2	12	6.78	68	1.24	-3.88
3	21	4.83	77	2.51	-1.21
4	14	3.70	83	1.82	-4.98
5	20	1.80	48	13.66	-4.07
6	12	2.65	65	10.13	5.74
7	18	1.71	48	18.97	8.48

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	0.69	81	-10.10	-10.58
2	12	9.35	77	-3.76	-7.28
3	21	8.52	75	-2.55	-6.38
4	14	2.35	89	-7.87	-11.46
5	29	3.13	87	13.04	4.32
6	12	2.62	85	8.88	-0.13
7	18	1.84	47	11.78	0.58

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.61	69	-6.66	-10.76
2	12	3.33	84	-2.08	-8.00
3	21	2.76	84	-7.52	-12.82
4	14	1.67	85	-4.50	-8.48
5	29	2.08	48	8.78	-1.70
6	12	5.00	55	5.57	-5.41
7	18	1.84	58	8.26	0.62

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	4.88	62	-5.44	-11.88
2	12	2.87	65	-3.88	-11.66
3	21	4.45	63	-8.48	-12.58
4	14	1.78	60	-8.48	-10.77
5	29	1.05	46	8.11	-3.28
6	12	2.28	48	4.30	-8.75
7	18	2.78	68	7.77	-0.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.38	36	-10.69	-100.00
2	12	1.76	52	-7.86	-15.70
3	21	3.38	58	-11.31	-14.94
4	14	1.86	60	-7.77	-11.04
5	29	2.64	51	5.70	-4.23
6	12	2.08	49	0.94	-9.02
7	18	2.32	62	9.60	-3.40

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.67	46	-8.77	-10.66
2	12	5.63	56	-5.88	-13.51
3	21	4.42	56	-8.38	-15.15
4	14	2.62	68	1.26	-7.45
5	29	6.54	72	3.23	-0.55
6	12	8.01	64	-1.08	-7.17
7	18	2.87	58	4.78	-3.74


REGION 1, QTR 1 1963
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 1, QTR 2 1963
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 1, QTR 3 1963
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 1, QTR 4 1963
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

COPITO


REGION 2, QTR 1 1963
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 2, QTR 2 1963
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 2, QTR 3 1963
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 2, QTR 4 1963
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC
COPITO


REGION 3, QTR 1 1963
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 3, QTR 2 1963
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 3, QTR 3 1963
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 3, QTR 4 1963
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

COPITA


REGION 4, QTR 1 1963
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 4, QTR 2 1963
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 4, QTR 3 1963
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 4, QTR 4 1963
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 5, QTR 1 1963
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 5, QTR 2 1963
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 5, QTR 3 1963
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 5, QTR 4 1963
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 6, QTR 1 1963
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 6, QTR 2 1963
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 6, QTR 3 1963
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 6, QTR 4 1963
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 7, QTR 1 1963
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 7, QTR 2 1963
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 7, QTR 3 1963
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 7, QTR 4 1963
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


EUS MEAN, QTR 1 1963
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
EUS MEAN, QTR 2 1963
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
EUS MEAN, QTR 3 1963
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
EUS MEAN, QTR 4 1963
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

70

COPITO



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.10	69	-7.66	-12.21
2	12	12.00	61	-2.66	-5.73
3	21	8.50	70	-5.31	-10.20
4	14	2.06	55	6.20	-2.05
5	20	5.50	70	5.70	1.00
6	12	3.77	73	-0.09	-4.76
7	10	1.69	44	0.10	-2.01



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.06	74	1.10	-3.10
2	12	3.04	66	1.36	-4.36
3	21	3.23	71	2.50	-2.32
4	14	1.54	59	0.00	-1.14
5	20	1.74	47	0.40	-2.64
6	12	2.28	62	0.10	-0.73
7	10	1.68	56	10.41	1.14



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.89	69	4.44	-1.00
2	12	4.29	58	7.95	-1.39
3	21	2.32	60	5.52	0.31
4	14	1.69	40	4.76	-9.00
5	20	1.95	40	14.62	3.75
6	12	2.04	71	12.40	7.28
7	10	1.70	62	15.41	5.31



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	46	5.80	-4.77
2	12	1.96	57	4.34	-3.83
3	21	2.05	60	2.80	-4.46
4	14	1.54	47	4.52	-6.30
5	20	1.84	58	13.40	2.77
6	12	2.00	51	8.79	-1.35
7	10	2.36	41	11.92	-2.49



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.30	48	-0.89	-11.19
2	12	2.10	50	3.37	-4.62
3	21	2.08	54	5.10	-3.67
4	14	1.09	50	1.10	-6.42
5	20	1.05	43	13.27	-0.19
6	12	2.03	47	10.27	-1.06
7	10	3.51	47	11.17	-0.78



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.07	62	0.58	-9.00
2	12	2.05	60	4.05	-2.54
3	21	3.17	72	2.80	-1.90
4	14	1.00	60	0.47	-8.70
5	20	2.30	62	15.41	7.75
6	12	8.21	60	9.53	7.50
7	10	2.00	51	11.00	0.59

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.25	86	2.80	-3.10
2	12	2.20	82	2.95	-3.60
3	21	4.10	87	1.89	-5.85
4	14	2.34	81	1.48	-8.51
5	20	3.37	78	14.11	10.37
6	12	4.73	78	8.71	3.05
7	10	1.02	46	12.70	0.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	46	0.33	-10.10
2	12	3.45	58	2.31	-5.36
3	21	8.18	80	1.37	-1.88
4	14	8.07	78	-1.34	-8.11
5	20	6.08	78	11.62	7.77
6	12	9.95	88	9.62	7.86
7	10	3.72	81	19.20	8.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.73	74	-0.77	-6.77
2	12	5.62	83	6.15	3.32
3	21	8.03	84	0.39	-1.29
4	14	1.85	87	-9.90	-14.16
5	20	6.08	88	14.39	12.31
6	12	2.87	81	9.90	9.70
7	10	1.83	87	5.27	-0.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.85	57	2.93	-5.44
2	12	1.83	48	-2.86	-12.68
3	21	3.61	60	-8.14	-14.35
4	14	2.78	55	-6.83	-12.21
5	20	1.64	39	5.64	-7.83
6	12	1.48	43	2.80	-9.18
7	10	1.68	29	8.78	-7.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	42	-4.55	-14.71
2	12	2.95	48	-3.00	-12.54
3	21	3.00	62	-2.80	-9.30
4	14	6.48	68	-0.78	-12.72
5	20	1.84	47	8.13	-3.06
6	12	2.06	44	5.55	-6.24
7	10	2.17	59	8.61	0.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	38	-9.80	-17.77
2	12	2.84	46	-9.34	-15.32
3	21	7.47	69	-8.51	-12.91
4	14	4.13	68	-12.40	-15.41
5	20	8.28	86	5.91	3.67
6	12	9.55	88	3.00	0.98
7	10	2.08	44	0.72	-10.32

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.26	72	-0.74	-8.07
2	12	13.47	77	-0.28	-11.61
3	21	8.83	71	-7.05	-11.58
4	14	2.83	60	-11.23	-14.71
5	20	5.32	68	0.74	-4.86
6	12	6.98	64	-4.80	-10.73
7	16	1.86	38	-2.84	-12.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	49	-10.96	-17.48
2	12	1.09	66	-9.57	-16.71
3	21	2.99	61	-7.29	-15.89
4	14	1.79	52	-4.84	-15.02
5	20	1.73	46	-0.88	-10.75
6	12	2.13	56	-3.00	-11.15
7	16	1.64	36	1.48	-11.10

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	47	-6.48	-19.21
2	12	3.24	58	-6.41	-12.91
3	21	2.91	65	-3.85	-9.57
4	14	2.71	60	-1.16	-8.28
5	20	1.80	48	3.42	-7.84
6	12	2.52	51	0.78	-8.41
7	16	6.76	69	4.18	-8.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.50	52	-1.00	-8.55
2	12	2.08	53	-0.73	-8.25
3	21	3.57	73	-2.35	-6.71
4	14	3.29	71	-1.82	-6.82
5	20	2.29	46	0.62	-3.46
6	12	4.97	58	1.84	-5.92
7	16	5.37	66	4.30	-1.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.07	83	-1.56	-9.88
2	12	2.54	55	0.66	-7.45
3	21	4.49	75	-2.06	-5.58
4	14	2.35	51	3.02	-8.19
5	20	6.50	66	7.08	1.62
6	12	5.28	54	5.59	-3.65
7	16	1.62	38	8.70	-3.58

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.52	68	-0.39	-8.44
2	12	4.68	56	3.00	-5.08
3	21	2.57	58	5.58	-3.91
4	14	1.78	50	2.49	-7.57
5	20	2.63	62	9.47	2.27
6	12	1.88	54	10.18	1.15
7	16	2.19	44	14.78	2.57

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.90	80	0.32	-3.77
2	12	6.99	64	4.81	-0.08
3	21	4.08	79	6.51	2.85
4	14	1.90	68	3.32	-4.20
5	20	3.65	72	10.76	5.72
6	12	2.45	89	13.00	8.23
7	18	1.81	41	17.04	5.19



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.08	82	4.09	1.08
2	12	6.20	80	5.08	1.66
3	21	5.42	76	4.04	-0.28
4	14	1.57	65	5.07	-0.26
5	20	4.58	62	12.29	4.32
6	12	1.67	47	10.27	-1.06
7	18	3.31	50	10.46	-1.45

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.40	84	3.08	1.08
2	12	1.86	47	6.80	-4.02
3	21	1.95	52	8.72	-0.06
4	14	1.84	48	8.28	-4.67
5	20	1.67	33	14.80	-1.77
6	12	1.74	51	14.11	-2.95
7	18	2.71	56	17.62	8.36

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	49	4.99	-4.99
2	12	2.08	53	6.15	-2.77
3	21	2.68	53	11.31	1.87
4	14	2.04	58	4.83	-3.13
5	20	2.05	39	17.96	2.81
6	12	3.11	44	15.55	1.68
7	18	4.11	58	18.88	8.71



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.05	59	2.44	-4.77
2	12	3.61	53	7.40	-1.57
3	21	7.04	78	8.77	4.91
4	14	4.34	67	-3.05	-8.15
5	20	3.72	58	17.10	6.75
6	12	3.45	61	16.33	7.82
7	18	5.65	71	17.35	10.83



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.35	88	5.10	-0.77
2	12	9.26	70	6.75	1.66
3	21	7.79	84	10.33	7.61
4	14	5.58	68	-4.84	-9.34
5	20	5.46	74	16.01	11.08
6	12	8.79	91	15.30	13.00
7	18	2.39	43	13.50	-0.17

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.68	95	7.89	7.36
2	12	6.88	78	6.43	2.79
3	21	4.45	84	-3.27	-9.20
4	14	2.88	80	-9.21	-11.84
5	20	2.17	62	15.16	7.43
6	12	1.47	43	8.65	-5.22
7	18	1.78	24	10.75	-7.79

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.53	48	3.89	-7.10
2	12	1.76	43	2.81	-8.88
3	21	2.34	51	-1.57	-10.49
4	14	2.06	51	-3.72	-9.88
5	20	1.82	34	13.13	-2.75
6	12	1.52	31	12.35	-6.33
7	18	1.72	26	15.27	-5.80

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.87	47	1.88	-8.55
2	12	2.03	46	2.86	-8.83
3	21	2.81	53	-2.08	-9.47
4	14	2.06	54	-4.76	-10.06
5	20	1.86	48	14.66	2.03
6	12	3.56	45	10.45	-0.27
7	18	2.76	50	13.20	2.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	13.12	93	-3.44	-5.89
2	12	7.48	66	-2.56	-8.42
3	21	2.88	58	-6.10	-12.76
4	14	1.79	48	-5.27	-14.11
5	20	1.62	42	9.53	-3.93
6	12	1.52	39	2.12	-10.55
7	18	1.88	43	12.87	-1.07

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	43	-3.88	-14.55
2	12	1.84	50	-2.54	-11.98
3	21	2.37	51	0.02	-9.05
4	14	1.79	53	2.39	-8.74
5	20	1.77	38	7.81	-6.43
6	12	1.81	33	5.55	-9.48
7	18	5.26	66	11.10	8.30



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.65	56	-0.55	-8.21
2	12	2.73	55	1.89	-6.47
3	21	3.15	58	3.17	-4.33
4	14	4.33	58	5.43	-3.05
5	20	2.26	38	12.75	-2.02
6	12	2.54	32	11.52	-4.53
7	18	8.00	60	10.83	7.01

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	46	0.89	-9.44
2	12	3.02	66	2.26	-4.81
3	21	10.08	85	4.20	1.74
4	14	2.47	87	5.67	-2.46
5	29	3.05	60	11.62	3.85
6	12	6.27	75	10.73	5.48
7	18	3.01	71	15.05	7.42



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	19.74	94	1.00	1.22
2	12	11.00	87	2.63	0.68
3	21	6.48	74	5.59	-0.78
4	14	2.00	94	3.00	-5.16
5	20	6.20	72	12.06	7.77
6	12	2.22	58	10.82	2.01
7	18	1.92	84	19.18	9.53



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.14	61	0.10	-8.55
2	12	1.64	67	1.71	-6.16
3	21	2.00	69	0.71	-6.44
4	14	8.10	66	3.48	-4.40
5	29	1.71	39	13.88	-1.05
6	12	1.86	39	13.47	-2.26
7	18	2.24	94	14.23	6.97



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	42	-6.10	-18.00
2	12	1.96	47	-3.74	-13.32
3	21	2.21	65	-1.13	-7.05
4	14	6.30	77	0.00	-3.72
5	29	1.93	45	9.93	-2.06
6	12	2.05	41	10.45	-2.40
7	18	7.00	81	10.58	8.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.97	40	1.33	-8.44
2	13	1.04	48	2.63	-9.25
3	21	3.97	58	3.91	-3.43
4	14	4.45	83	4.32	-2.68
5	29	3.23	43	11.83	-1.77
6	12	2.36	45	11.06	-0.96
7	18	4.92	77	8.08	3.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.68	57	5.10	-2.89
2	13	2.40	46	7.63	-3.69
3	21	3.82	50	6.80	-1.32
4	14	2.29	61	4.52	-2.97
5	29	3.20	48	15.49	2.35
6	12	4.40	63	12.17	6.21
7	18	3.52	63	8.67	0.88

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	57	2.48	-4.98
2	12	3.68	76	3.51	-0.78
3	21	7.15	76	5.35	1.10
4	14	1.98	58	-1.72	-8.25
5	29	3.49	63	12.42	5.16
6	12	2.80	73	7.58	3.97
7	18	1.73	54	11.34	1.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.38	74	2.88	-1.44
2	12	5.83	71	4.21	-0.83
3	21	4.71	71	-2.18	-8.84
4	14	2.38	58	-4.44	-10.89
5	29	2.45	61	14.11	6.71
6	12	3.02	69	5.13	-0.15
7	18	1.86	48	8.34	-5.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.63	71	-0.11	-4.98
2	12	6.36	66	-1.39	-8.20
3	21	5.65	66	-2.81	-9.57
4	14	1.96	56	-3.23	-8.75
5	29	1.68	43	6.38	-5.36
6	12	1.41	41	4.39	-7.56
7	18	1.95	54	10.62	-6.13



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	44	-4.84	-13.48
2	12	1.03	50	-2.26	-11.43
3	21	3.73	64	-2.29	-8.30
4	14	3.66	60	0.19	-7.21
5	29	1.67	30	9.83	-8.71
6	12	1.64	48	9.18	-1.70
7	18	1.69	33	13.28	-2.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	37	-7.96	-14.72
2	12	7.15	67	-4.11	-8.58
3	21	2.38	64	-2.18	-8.35
4	14	2.88	67	-3.25	-7.80
5	29	2.65	45	11.54	-1.26
6	12	4.17	55	10.08	0.50
7	18	1.68	43	15.27	1.97



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.83	38	-4.55	-14.99
2	12	5.44	58	-3.42	-10.29
3	21	2.09	58	0.80	-8.03
4	14	2.73	65	0.75	-9.15
5	29	5.23	67	5.11	-0.06
6	12	2.22	48	3.25	-8.70
7	18	1.67	45	10.90	-1.69

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.69	48	-0.86	-10.10
2	11	1.88	48	1.10	-8.88
3	21	4.52	51	2.05	-7.83
4	14	3.78	77	1.54	-2.22
5	29	2.36	42	6.85	-5.48
6	12	2.24	48	4.85	-5.51
7	18	5.10	73	15.00	7.91



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.73	40	5.55	-0.10
2	12	3.88	60	2.07	-5.17
3	21	5.41	82	3.18	-1.81
4	14	1.80	60	-0.03	-8.84
5	29	2.70	57	11.00	2.60
6	12	7.53	88	7.85	6.15
7	18	2.14	68	9.84	3.40

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	54	1.00	-8.52
2	12	3.07	60	1.43	-6.01
3	21	2.26	65	0.10	-5.85
4	14	9.00	69	1.00	-4.50
5	29	2.37	47	11.00	-0.20
6	12	2.11	57	0.00	-1.84
7	18	9.70	85	0.71	1.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	45	1.55	-8.30
2	12	2.78	56	1.66	-6.15
3	21	8.31	75	0.52	-3.01
4	14	3.81	70	-2.37	-7.25
5	29	3.94	67	10.89	4.90
6	12	8.12	89	7.26	5.56
7	18	1.77	58	9.71	-1.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	19.26	90	-3.77	-5.10
2	12	5.92	76	0.09	-4.11
3	21	2.75	68	-0.18	-5.84
4	14	1.76	81	-1.28	-7.97
5	29	1.78	55	10.95	1.85
6	12	2.32	84	5.45	-1.86
7	18	1.55	47	9.16	-1.03

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.39	45	-5.92	-14.30
2	12	1.78	48	-1.47	-11.26
3	21	5.79	71	1.58	-3.19
4	14	2.06	80	2.17	-4.55
5	28	1.95	46	10.78	-0.51
6	12	2.18	49	9.25	-0.78
7	18	8.94	87	11.24	6.61

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.04	40	-0.99	-11.94
2	12	3.40	61	2.03	-6.90
3	21	8.16	75	2.40	-1.50
4	14	2.29	63	1.82	-6.51
5	20	6.57	87	11.05	9.80
6	12	5.02	87	7.03	4.99
7	10	1.90	48	12.59	-0.17



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.26	78	-3.10	-8.55
2	12	11.63	80	-0.83	-5.00
3	21	7.55	77	0.52	-3.11
4	14	2.73	67	-2.57	-7.00
5	20	3.37	58	9.65	1.26
6	12	8.85	87	5.04	-0.37
7	10	1.50	85	10.62	-4.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	86	0.88	-7.21
2	12	9.76	58	0.00	-7.21
3	21	5.88	85	-1.34	-7.13
4	14	1.82	58	-8.34	-12.77
5	20	1.86	45	7.77	-3.52
6	12	5.75	59	4.87	-2.77
7	10	1.78	48	9.08	-2.15

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.07	62	-2.68	-8.99
2	12	4.06	57	-3.83	-11.33
3	21	3.78	69	-3.93	-9.91
4	14	1.60	54	-9.59	-12.63
5	20	2.08	41	6.72	-5.85
6	12	2.61	58	2.22	-5.52
7	10	2.45	62	2.88	-4.47

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	49	-5.68	-13.92
2	12	1.89	51	-4.90	-13.65
3	21	2.08	57	-3.98	-10.81
4	14	3.73	54	-0.47	-9.09
5	20	2.08	55	5.13	-3.71
6	12	2.24	52	1.29	-7.72
7	10	1.83	41	7.21	-5.37



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	46	-0.77	-10.99
2	12	2.12	51	-3.36	-10.31
3	21	3.50	83	-2.82	-9.12
4	14	2.02	53	-9.58	-19.10
5	20	1.84	48	5.59	-7.18
6	12	1.96	42	4.11	-7.91
7	10	1.82	40	9.82	-3.57

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.85	51	1.77	-7.44
2	12	4.55	60	-1.11	-8.23
3	21	2.70	58	-4.89	-12.40
4	14	2.70	47	1.60	-9.20
5	20	1.01	36	11.06	-3.80
6	12	1.95	37	8.70	-5.10
7	10	3.31	58	8.62	1.00

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.62	41	-4.00	-14.18
2	12	3.18	48	-0.46	-10.00
3	21	2.28	52	5.83	-5.33
4	14	5.77	58	-0.50	-19.02
5	20	5.81	74	8.75	6.00
6	12	4.00	71	7.87	1.52
7	10	2.28	64	11.00	5.12



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.30	60	3.22	-4.21
2	12	7.28	62	1.78	-4.05
3	21	2.04	69	-2.62	-9.12
4	14	1.63	47	-6.50	-12.00
5	20	2.70	62	11.16	3.60
6	12	5.45	70	0.80	2.72
7	10	2.53	58	6.30	-1.73



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.39	38	-5.77	-13.70
2	12	1.70	45	-3.14	-13.65
3	21	1.70	49	-3.43	-12.12
4	14	3.24	48	0.63	-8.89
5	20	3.70	64	8.54	1.66
6	12	2.67	62	5.92	-1.47
7	10	2.20	47	9.40	-2.77



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	54	-0.11	-8.32
2	12	2.66	57	0.63	-6.80
3	21	2.32	51	1.24	-7.80
4	14	1.63	44	4.32	-7.13
5	20	7.28	70	0.74	4.61
6	12	4.11	59	5.04	-2.20
7	10	1.61	38	10.10	-5.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	40	1.10	-11.10
2	12	1.80	50	1.43	-7.91
3	21	1.79	46	0.39	-5.23
4	14	2.02	12	0.60	-7.05
5	20	1.60	41	0.50	-4.30
6	12	1.01	39	0.90	-8.19
7	10	1.60	39	12.10	-1.07

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	90	6.10	-7.00
2	12	2.20	53	6.17	-3.70
3	21	1.95	59	8.00	0.42
4	14	1.80	40	0.04	-4.29
5	20	1.80	51	13.60	3.54
6	12	2.20	67	10.55	4.44
7	10	3.05	84	15.05	7.83



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.00	55	7.00	-0.55
2	12	3.10	60	9.67	1.67
3	21	7.14	70	10.20	5.57
4	14	2.11	47	0.00	-2.26
5	20	2.90	65	17.71	10.66
6	12	9.27	90	12.54	11.01
7	10	1.90	40	10.47	0.80



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.04	50	9.77	1.77
2	12	8.80	75	9.53	5.04
3	21	7.20	81	10.15	8.95
4	14	4.11	60	3.40	-2.10
5	20	6.36	70	19.32	14.21
6	12	3.80	75	18.29	11.80
7	10	1.80	51	18.60	8.50



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.99	57	10.44	2.21
2	12	6.68	79	10.13	4.44
3	21	8.93	88	10.71	8.77
4	14	2.01	60	0.49	-4.01
5	20	5.49	79	19.19	15.09
6	12	3.08	72	21.75	16.10
7	10	3.19	53	11.52	0.90



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.45	93	12.32	11.21
2	12	5.59	73	13.00	7.63
3	21	1.50	71	0.82	-4.59
4	14	1.63	46	1.10	-8.67
5	20	1.72	49	20.09	8.36
6	12	1.50	54	8.37	-0.60
7	10	1.53	33	15.20	-1.52



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	59	3.44	-9.33
2	12	1.63	45	4.95	-6.52
3	21	2.12	51	7.50	-2.13
4	14	4.18	61	0.75	-5.42
5	20	1.64	37	14.09	0.15
6	12	1.55	34	13.09	-1.80
7	10	1.70	40	19.47	7.00

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	48	7.52	-8.86
2	12	2.38	54	8.76	0.58
3	21	2.41	84	5.20	-1.05
4	14	1.67	48	-4.04	-12.58
5	29	2.00	48	10.94	7.33
6	12	1.95	80	15.04	7.48
7	18	3.50	75	10.55	10.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	97	4.55	-0.00
2	12	5.45	60	6.86	-2.21
3	21	9.09	87	4.56	2.84
4	14	5.38	73	-1.90	-8.50
5	29	2.08	58	20.60	11.01
6	12	2.80	70	15.76	13.03
7	18	5.09	78	17.69	12.56



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.00	00	4.55	2.00
2	12	0.01	00	0.02	7.07
3	21	4.08	83	2.27	-0.39
4	14	1.80	00	0.03	-8.54
5	29	1.02	61	23.52	15.83
6	12	4.72	72	13.54	14.48
7	18	5.07	58	8.71	0.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.28	83	-3.24	-5.68
2	12	9.86	85	1.71	-0.60
3	21	9.72	71	0.52	-4.48
4	14	1.87	56	2.33	-5.79
5	29	1.72	50	18.30	7.14
6	12	1.89	65	8.47	0.97
7	18	1.56	62	13.90	0.39



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	63	-3.22	-9.21
2	12	3.28	61	0.32	-6.43
3	21	3.16	81	2.58	-3.28
4	14	5.60	85	3.96	-2.77
5	29	1.05	43	14.19	1.45
6	12	1.98	48	11.80	0.46
7	18	1.71	47	15.75	3.85



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.87	62	0.11	-9.33
2	12	10.71	15	1.61	-2.48
3	21	9.70	72	3.87	-1.05
4	14	2.35	43	9.47	-3.29
5	29	2.72	48	17.06	6.17
6	12	1.68	41	14.02	0.27
7	18	1.81	30	18.88	3.47

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	36	3.00	-10.00
2	12	2.77	56	4.94	-3.28
3	21	3.50	60	8.67	1.28
4	14	1.78	48	10.78	-0.27
5	20	2.02	61	16.06	2.64
6	12	1.84	34	18.42	1.35
7	10	1.00	62	21.03	10.02



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.95	59	5.59	-3.44
2	12	3.23	71	7.21	2.33
3	21	5.56	72	11.72	8.47
4	14	1.77	38	6.22	-7.85
5	20	6.72	78	17.83	13.67
6	12	5.06	84	18.85	15.52
7	10	2.40	47	10.90	6.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	47	8.80	-6.10
2	12	1.80	47	6.60	-6.11
3	21	1.87	58	9.30	-4.22
4	14	1.66	29	10.11	-8.13
5	20	2.76	78	16.70	11.70
6	12	1.66	55	11.96	2.17
7	10	1.50	27	17.30	-9.43



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	38	3.00	-9.77
2	12	1.52	46	6.84	-7.05
3	21	1.78	39	14.39	0.39
4	14	1.70	32	9.31	-9.00
5	20	1.62	53	17.31	2.41
6	12	1.48	28	16.33	-2.51
7	10	1.71	34	18.85	2.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.09	71	1.10	-3.77
2	12	1.78	43	7.21	-4.71
3	21	5.45	58	-0.29	-9.32
4	14	1.68	37	-0.63	-10.60
5	20	1.58	35	20.03	3.33
6	12	1.85	28	17.32	-0.79
7	10	1.84	34	18.85	2.32



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	80	0.80	-7.10
2	12	2.95	48	-0.00	-10.41
3	21	2.48	52	-0.89	-9.75
4	14	1.81	38	2.79	-9.97
5	20	1.56	28	14.07	-6.28
6	12	1.81	58	12.58	-4.52
7	10	1.80	59	10.15	7.49

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.99	46	0.80	-8.72
2	12	1.68	45	2.31	-8.02
3	21	1.36	43	3.53	-6.47
4	14	0.10	76	1.00	-2.10
5	29	1.71	36	14.26	-1.76
6	12	2.08	46	11.15	-0.84
7	10	9.40	87	10.87	9.71



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.39	42	4.99	-8.88
2	12	2.07	43	6.73	-6.57
3	21	11.05	80	1.40	-1.90
4	14	4.09	75	-2.25	-4.20
5	29	4.33	70	12.48	6.43
6	12	5.05	72	14.99	9.85
7	10	2.34	48	12.35	0.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.49	58	5.93	-4.21
2	12	3.62	60	4.76	-0.82
3	21	4.29	75	3.17	-1.05
4	14	1.57	81	-2.43	-4.08
5	29	3.87	76	11.88	6.58
6	12	2.57	87	5.59	-0.08
7	10	1.74	67	0.57	-1.96



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.69	63	2.46	-3.89
2	12	2.20	61	5.82	-1.26
3	21	1.77	68	4.15	-3.15
4	14	2.65	85	1.82	-6.08
5	29	1.92	52	12.46	2.60
6	12	1.98	56	9.85	1.29
7	10	1.87	45	15.50	3.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.70	35	5.21	-9.34
2	12	1.66	39	7.01	-5.22
3	21	2.20	52	9.88	0.49
4	14	3.91	62	5.03	-2.08
5	29	2.48	47	15.51	4.11
6	12	2.50	48	10.33	4.53
7	10	2.85	61	10.91	8.92



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	58	5.10	-8.16
2	12	2.61	49	12.56	1.80
3	21	2.21	43	13.59	2.75
4	14	9.36	84	-5.58	-10.13
5	29	2.68	57	19.19	10.10
6	12	2.48	56	19.71	10.55
7	10	9.16	68	20.72	12.94

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.42	58	19.66	5.96
2	12	5.33	67	13.80	6.63
3	21	8.55	85	8.15	3.86
4	14	8.36	71	-6.46	-12.01
5	20	4.61	71	20.00	14.30
6	12	5.93	84	18.79	16.01
7	10	2.36	84	14.26	8.67



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.56	88	2.46	0.24
2	12	5.58	75	0.51	8.03
3	21	8.01	73	-2.65	-7.21
4	14	1.03	56	-6.76	-11.06
5	20	1.86	50	20.41	11.52
6	12	1.03	54	6.83	-1.85
7	10	1.56	40	0.00	-6.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	48	9.22	-0.45
2	12	1.53	42	6.90	-7.63
3	21	2.35	60	0.51	-8.50
4	14	2.06	62	-0.55	-8.91
5	20	1.67	38	14.65	-0.20
6	12	1.59	58	13.60	-3.09
7	10	1.70	47	17.60	6.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	78	4.55	-0.22
2	12	1.76	38	0.86	-6.67
3	21	3.70	67	3.25	-2.77
4	14	1.68	48	-0.67	-10.12
5	20	3.21	52	17.06	6.56
6	12	2.33	51	16.15	4.35
7	10	2.56	52	13.11	0.19



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.05	75	4.88	0.77
2	12	1.88	48	5.36	-4.76
3	21	5.56	84	-1.69	-7.08
4	14	2.19	53	-5.27	-12.77
5	20	1.71	38	14.86	0.03
6	12	1.54	38	11.10	-3.51
7	10	1.73	43	17.98	3.92



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	58	3.60	-9.55
2	12	3.07	51	0.23	-9.11
3	21	2.33	53	-2.00	-10.57
4	14	1.96	46	1.76	-9.99
5	20	2.10	37	6.09	-7.00
6	12	1.58	58	3.89	-11.06
7	10	1.88	44	13.43	0.89

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	95	-0.77	-15.10
2	12	3.27	47	-0.32	-10.82
3	21	4.58	69	1.37	-5.55
4	14	1.70	48	8.25	-4.22
5	29	1.60	32	10.37	-6.27
6	12	1.74	56	12.95	-2.48
7	18	1.87	44	20.79	8.23

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	94	1.77	-12.88
2	12	1.66	36	2.88	-11.06
3	21	1.39	48	5.53	-8.23
4	14	1.07	43	13.88	0.03
5	29	1.80	34	12.86	-3.30
6	12	2.14	40	15.08	1.28
7	18	1.92	57	22.88	10.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.62	30	5.32	-10.55
2	12	2.96	46	8.10	-3.88
3	21	7.57	69	9.59	0.52
4	14	9.42	85	12.40	5.78
5	29	2.80	50	17.81	6.54
6	12	1.88	58	20.27	9.20
7	18	2.22	48	24.82	8.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.18	81	6.90	3.88
2	12	3.15	65	9.80	3.08
3	21	3.30	72	2.37	-2.28
4	14	3.88	84	4.20	-2.53
5	29	2.06	60	20.99	12.84
6	12	2.17	88	20.84	18.48
7	18	2.25	84	23.47	14.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.99	30	1.55	-10.88
2	12	1.65	43	2.59	-9.36
3	21	1.83	55	2.86	-5.57
4	14	9.25	81	2.57	-4.07
5	29	2.30	53	16.04	5.05
6	12	4.38	89	16.06	9.81
7	18	4.23	81	18.38	15.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.39	28	4.88	-11.77
2	12	1.79	41	6.38	-6.61
3	21	4.75	69	7.18	0.23
4	14	6.51	85	9.40	0.99
5	29	4.17	62	14.78	7.02
6	12	4.32	78	18.85	13.37
7	18	2.34	54	20.08	9.56

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.49	42	7.35	-5.06
2	12	6.70	86	5.68	3.60
3	21	2.98	73	16.34	11.31
4	14	3.96	68	7.85	2.10
5	29	7.56	81	15.16	13.40
6	12	1.81	75	19.85	15.08
7	10	9.50	47	29.84	8.91



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.45	85	8.10	5.88
2	12	6.43	81	13.88	8.86
3	21	2.88	88	14.85	7.93
4	14	2.23	84	1.82	-4.48
5	29	5.62	80	21.88	17.21
6	12	1.98	71	24.81	19.02
7	10	1.88	54	10.06	0.36



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.52	84	11.10	8.44
2	12	7.07	76	9.84	5.78
3	21	3.51	58	1.98	-3.69
4	14	1.88	43	4.18	-7.97
5	28	2.74	78	19.58	15.35
6	12	2.09	62	10.41	3.33
7	10	1.84	48	13.80	0.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	50	5.68	-9.09
2	12	1.98	55	5.58	-3.28
3	21	1.61	41	8.80	-3.99
4	14	1.63	38	12.89	-1.38
5	29	1.78	42	14.59	1.64
6	12	1.59	41	11.29	-1.57
7	10	1.59	33	16.73	0.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.39	52	12.60	-3.68
2	12	1.62	38	12.26	-1.66
3	21	1.38	48	13.40	-0.13
4	14	1.54	33	17.88	0.91
5	29	1.78	36	18.71	2.66
6	12	1.58	32	17.21	0.41
7	10	1.60	33	21.73	3.88

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	38	11.44	-2.88
2	12	2.25	38	12.81	-2.82
3	21	2.03	56	18.91	2.67
4	14	1.88	47	16.74	4.40
5	28	1.95	35	21.14	4.27
6	12	1.68	28	21.58	2.28
7	10	2.41	57	23.24	10.10

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	90	14.80	-0.77
2	12	1.90	30	17.83	2.60
3	21	2.10	53	17.61	7.50
4	14	2.57	60	14.10	7.05
5	20	1.82	43	21.86	8.50
6	12	2.61	72	18.89	12.83
7	10	2.45	55	25.37	12.73



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.06	50	14.55	3.22
2	12	2.00	56	18.10	9.02
3	21	2.01	59	16.19	7.02
4	14	3.02	50	9.12	-2.10
5	20	3.55	67	21.73	16.06
6	12	6.38	83	17.94	14.44
7	10	3.27	40	20.48	4.18

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.20	82	12.32	11.10
2	12	6.25	78	15.36	8.37
3	21	1.59	27	16.84	-2.40
4	14	1.63	38	11.78	-9.02
5	20	3.75	72	21.60	15.78
6	12	2.01	53	20.32	-8.93
7	10	2.41	40	22.21	5.48



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	77	11.55	8.88
2	12	1.83	54	13.79	3.24
3	21	1.61	32	19.54	-2.05
4	14	1.77	50	19.60	6.75
5	20	1.79	41	21.64	6.97
6	12	1.38	28	20.59	1.24
7	10	1.88	35	25.23	7.28



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.99	20	11.88	-9.55
2	12	1.60	30	14.40	-2.02
3	21	1.75	32	21.90	4.57
4	14	1.65	28	24.38	6.48
5	20	1.55	31	21.62	3.25
6	12	1.40	28	24.30	4.57
7	10	2.12	67	24.47	14.57



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	20	12.88	-8.32
2	12	1.83	28	21.84	8.33
3	21	1.57	54	26.10	9.04
4	14	1.65	45	11.62	-0.07
5	20	1.62	26	26.84	9.46
6	12	1.41	40	25.41	10.55
7	10	1.83	60	24.90	14.81

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.89	46	21.77	7.77
2	12	4.08	61	20.82	8.58
3	21	3.15	68	12.76	7.08
4	14	2.08	45	10.47	-1.58
5	20	1.77	63	26.31	12.02
6	12	1.67	52	25.50	14.62
7	10	2.17	66	25.10	17.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.55	39	10.77	-6.00
2	12	3.58	62	12.48	4.99
3	21	0.48	61	10.07	0.73
4	14	2.99	63	11.30	4.09
5	20	1.78	46	26.43	13.67
6	12	1.71	55	26.33	18.10
7	10	1.84	58	20.60	18.50

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.17	67	4.88	-1.78
2	12	5.21	78	7.72	6.11
3	21	8.75	84	12.88	9.38
4	14	8.47	78	14.12	7.88
5	20	3.36	58	24.65	13.86
6	12	1.61	67	28.80	16.25
7	10	1.88	84	26.17	19.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.42	92	10.56	-1.09
2	12	4.78	78	8.65	4.59
3	21	3.01	70	20.07	14.34
4	14	2.91	63	12.39	5.39
5	20	2.57	55	23.24	12.06
6	12	1.58	45	28.80	13.05
7	10	1.93	54	24.82	13.49

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.78	88	8.88	2.22
2	12	3.38	68	11.56	8.05
3	21	1.51	61	14.25	6.66
4	14	1.63	56	12.89	4.12
5	20	2.31	58	23.78	18.45
6	12	2.09	64	23.37	18.01
7	10	1.03	60	25.79	19.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.24	78	10.77	8.10
2	12	2.01	63	14.85	5.27
3	21	2.58	62	13.75	8.37
4	14	1.92	57	15.15	8.94
5	20	2.08	52	25.91	14.69
6	12	3.05	38	29.14	17.03
7	10	1.91	56	27.00	14.47

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.30	70	7.00	2.06
2	12	1.81	66	10.70	2.17
3	21	1.90	58	12.32	4.17
4	14	3.77	60	16.30	8.20
5	20	1.00	60	26.00	13.76
6	12	2.58	67	23.32	16.09
7	16	1.87	56	20.69	14.58



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.21	80	8.93	2.95
2	12	1.76	62	12.01	3.20
3	21	2.31	53	15.41	5.00
4	14	2.50	56	18.00	8.32
5	20	3.66	63	20.01	12.27
6	12	1.98	68	22.45	18.19
7	16	1.70	57	25.75	16.04



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.05	40	13.00	2.84
2	12	2.34	43	16.00	4.30
3	21	4.11	50	19.25	10.41
4	14	3.04	62	18.25	8.03
5	20	3.40	61	18.82	10.55
6	12	3.50	63	17.49	14.57
7	16	2.30	47	29.59	9.05



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.60	20	21.00	2.00
2	12	2.49	52	17.03	6.43
3	21	6.17	65	15.69	13.13
4	14	3.47	68	12.77	6.68
5	20	4.04	77	10.91	15.37
6	12	2.11	64	23.14	15.30
7	16	1.03	36	26.00	8.71



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	42	15.33	1.00
2	12	6.07	77	16.52	11.03
3	21	2.33	80	18.54	10.41
4	14	2.43	65	12.61	5.47
5	20	3.70	76	22.52	17.63
6	12	2.15	53	24.90	14.40
7	16	2.63	36	24.70	7.80

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	40	12.33	0.77
2	12	4.46	76	10.36	5.96
3	21	3.50	78	13.30	8.98
4	14	1.03	49	12.05	0.23
5	20	2.01	66	21.00	14.00
6	12	1.01	52	20.45	10.08
7	16	1.00	38	22.01	8.62

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.47	80	15.66	-0.22
2	12	6.20	75	13.16	6.33
3	21	6.47	78	13.47	7.05
4	14	3.58	62	12.33	5.04
5	29	3.04	69	21.02	11.69
6	12	1.58	38	20.89	5.04
7	16	1.82	48	22.81	10.41



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.47	88	14.10	0.10
2	12	1.80	69	14.08	3.79
3	21	2.52	67	17.21	8.27
4	14	3.08	71	18.40	7.87
5	29	6.06	74	18.78	13.71
6	12	1.82	45	29.70	10.55
7	16	3.03	62	24.81	15.62

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	51	16.32	-1.33
2	12	1.53	40	15.87	1.86
3	21	2.90	55	20.81	11.34
4	14	3.02	66	17.89	11.10
5	29	4.85	76	18.13	13.38
6	12	5.83	75	20.06	15.13
7	16	1.83	48	27.87	11.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.47	27	18.66	-4.77
2	12	1.60	38	17.21	2.26
3	21	2.21	50	22.48	11.80
4	14	2.08	47	21.42	9.00
5	29	2.87	73	19.80	13.52
6	12	1.52	57	22.21	13.37
7	18	1.98	48	27.50	15.26

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.42	33	20.89	2.99
2	12	2.16	38	20.82	5.78
3	21	2.07	48	24.67	12.83
4	14	1.78	43	21.89	7.45
5	29	1.68	61	22.84	11.85
6	12	1.47	43	24.34	13.05
7	18	3.26	57	27.25	18.14



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	48	19.32	8.21
2	12	1.92	40	22.72	7.58
3	21	2.15	48	26.38	14.25
4	14	2.84	58	22.48	12.69
5	29	1.75	46	24.28	11.87
6	12	1.47	47	25.82	13.79
7	18	3.12	64	26.80	16.68

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.47	48	18.80	6.38
2	12	1.88	48	22.21	7.58
3	21	2.57	49	25.25	13.54
4	14	2.26	82	18.68	7.57
5	20	1.68	45	23.80	11.33
6	12	1.58	62	26.20	12.48
7	18	3.03	58	25.51	15.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.08	86	20.10	8.86
2	12	2.47	48	24.89	11.38
3	21	2.01	57	25.73	18.45
4	14	1.84	48	22.69	10.67
5	20	1.66	42	26.06	12.35
6	12	1.87	52	25.78	15.13
7	18	2.97	84	20.78	10.80

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.78	84	20.10	10.86
2	12	3.08	66	25.85	15.27
3	21	2.41	70	24.87	18.38
4	14	3.96	84	18.21	7.25
5	20	1.67	48	28.99	14.07
6	12	1.88	51	27.55	16.43
7	18	2.25	62	25.48	11.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.68	68	19.88	13.68
2	12	2.18	42	25.36	11.38
3	21	1.79	48	20.06	8.67
4	14	1.54	58	17.17	6.28
5	20	1.81	45	23.65	15.87
6	12	1.56	62	24.85	16.83
7	18	2.65	53	20.48	15.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	48	18.33	7.10
2	12	1.81	47	19.53	7.03
3	21	1.57	48	20.81	8.75
4	14	1.63	94	22.97	5.99
5	22	1.58	37	28.29	11.68
6	12	2.08	61	24.81	16.53
7	18	1.98	62	20.07	16.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	48	19.88	5.08
2	12	1.61	35	23.26	8.94
3	21	1.89	48	21.28	8.72
4	14	1.84	80	18.52	9.95
5	20	1.59	42	27.60	13.13
6	12	2.11	60	26.29	17.08
7	18	1.84	88	25.68	15.20

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	37	23.83	5.66
2	12	2.34	41	22.31	7.86
3	21	5.05	62	20.29	12.29
4	14	2.68	63	12.06	4.90
5	20	2.80	55	27.65	17.77
6	12	1.72	68	24.81	17.88
7	10	1.96	80	26.13	19.67

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.58	58	18.10	10.22
2	12	6.10	72	19.36	13.88
3	21	9.54	82	12.87	8.88
4	14	1.82	49	18.88	5.41
5	20	2.10	61	26.29	17.90
6	12	1.84	54	20.84	10.41
7	10	1.83	86	24.76	8.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.04	88	10.88	8.88
2	12	8.28	72	15.73	10.22
3	21	1.82	57	15.55	8.84
4	14	1.70	46	21.18	8.40
5	20	1.81	58	21.87	11.60
6	12	1.82	55	19.21	9.78
7	10	1.80	43	28.31	12.64



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	47	15.93	9.00
2	12	1.78	58	17.72	7.48
3	21	1.97	43	22.19	9.12
4	14	1.83	47	25.01	10.83
5	20	2.14	51	21.90	10.83
6	12	1.72	43	22.81	9.67
7	10	1.77	48	28.21	13.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.59	41	29.33	8.86
2	12	2.36	46	22.86	10.32
3	21	2.25	60	23.18	14.73
4	14	1.68	48	24.87	11.70
5	20	2.06	46	25.32	12.37
6	12	1.57	37	28.81	10.89
7	10	1.68	48	27.83	14.99



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	58	21.68	8.84
2	12	2.03	48	22.86	9.76
3	21	1.71	45	24.28	11.55
4	14	1.71	48	26.18	13.48
5	20	1.92	28	27.88	12.60
6	12	1.82	56	28.05	11.81
7	10	1.71	45	27.73	14.78

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	58	20.77	5.77
2	12	1.71	36	26.45	8.23
3	21	1.97	43	28.71	13.09
4	14	1.88	43	27.09	12.85
5	29	1.84	46	28.38	11.88
6	12	1.74	35	29.10	12.26
7	10	1.84	43	28.25	14.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	45	21.85	8.44
2	12	2.47	46	25.75	13.48
3	21	2.08	42	29.09	14.75
4	14	1.82	43	23.88	10.58
5	29	2.08	48	29.61	14.20
6	12	1.98	38	30.73	14.94
7	10	1.76	45	28.91	15.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.39	48	18.88	9.18
2	12	1.62	48	17.35	6.82
3	21	1.88	55	17.29	8.14
4	14	1.60	42	25.96	11.82
5	29	2.58	41	29.57	14.53
6	12	2.36	41	31.08	18.15
7	10	2.08	48	28.71	15.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	57	14.21	-0.77
2	12	1.78	32	18.71	2.31
3	21	2.01	39	23.59	8.58
4	14	1.77	35	30.15	13.08
5	29	2.08	45	26.54	13.46
6	12	2.51	48	30.27	15.22
7	10	2.20	51	28.32	16.97



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.85	45	21.77	9.10
2	12	2.60	41	26.19	11.52
3	21	2.30	40	29.89	14.78
4	14	1.77	40	28.46	13.56
5	29	2.26	51	28.30	17.04
6	12	2.89	48	30.55	17.51
7	13	2.14	58	28.57	18.74



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.22	57	31.53	14.77
2	12	2.84	37	31.08	14.53
3	21	2.75	46	29.46	18.55
4	14	2.17	58	25.03	15.43
5	29	2.23	46	30.81	16.71
6	12	3.15	62	28.75	18.78
7	10	1.94	58	28.91	18.29

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.00	39	32.11	16.00
2	12	2.52	40	29.95	14.04
3	21	2.57	61	24.30	18.04
4	14	1.54	38	21.60	8.38
5	20	2.13	52	28.61	17.56
6	12	2.43	58	28.25	18.55
7	18	1.73	58	28.54	18.39



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.69	53	19.60	8.38
2	12	1.52	36	22.46	6.15
3	21	1.59	36	25.98	7.93
4	14	1.67	45	26.78	13.58
5	20	1.81	42	28.50	14.13
6	12	1.74	47	29.20	15.75
7	18	1.84	55	30.19	19.75

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	28	21.00	0.00
2	12	1.80	30	24.71	8.34
3	21	2.10	55	25.85	15.00
4	14	1.80	47	20.27	7.79
5	20	1.78	38	28.48	13.15
6	12	1.82	59	30.48	16.85
7	18	1.81	52	30.55	19.57



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.30	29	22.43	9.33
2	12	1.67	36	23.51	6.75
3	21	1.76	33	20.84	3.78
4	14	2.68	45	17.65	4.99
5	20	2.00	48	29.43	17.08
6	12	2.17	51	30.37	18.79
7	18	1.78	56	28.84	18.99



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	38	15.32	0.88
2	12	1.58	36	17.80	1.75
3	21	2.27	50	14.83	4.17
4	14	1.55	48	18.50	4.67
5	20	2.28	51	26.60	14.55
6	12	3.31	65	24.81	16.98
7	18	1.74	58	25.08	15.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.36	29	15.43	1.33
2	12	1.59	38	16.52	2.17
3	21	1.58	45	15.23	3.52
4	14	1.73	48	17.09	5.35
5	20	2.25	57	21.72	12.37
6	12	1.76	57	19.11	10.08
7	18	2.03	64	24.28	15.65

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	86	17.54	2.99
2	12	1.77	36	18.79	3.56
3	21	1.76	39	18.80	4.20
4	14	1.88	45	18.30	3.66
5	29	2.18	54	22.75	12.78
6	12	2.07	57	21.29	12.31
7	18	2.08	69	22.89	16.76

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	48	10.88	4.77
2	12	2.36	47	10.14	0.26
3	21	2.17	55	10.05	7.48
4	14	1.94	32	17.48	0.38
5	29	2.25	53	24.97	14.57
6	12	4.29	72	20.75	15.41
7	18	3.28	85	20.02	19.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.45	56	17.68	7.98
2	12	4.49	68	15.73	8.97
3	21	1.95	49	19.91	5.89
4	14	1.78	45	15.23	2.18
5	29	9.81	68	23.40	16.05
6	12	9.29	68	21.68	15.08
7	18	1.78	48	22.68	10.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	58	16.77	7.22
2	12	2.63	48	17.72	6.26
3	21	2.49	45	17.53	5.09
4	14	1.68	37	17.85	2.57
5	29	3.04	62	23.86	15.83
6	12	2.81	48	23.89	11.98
7	18	2.97	48	24.97	12.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	41	19.54	4.54
2	12	2.52	67	16.47	9.81
3	21	1.75	42	19.62	8.00
4	14	1.97	31	22.48	4.32
5	29	2.66	53	24.40	14.26
6	12	1.96	42	24.34	10.64
7	18	1.92	44	27.00	13.43



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.41	49	16.77	5.21
2	12	1.78	39	19.20	4.71
3	21	1.83	39	21.55	6.78
4	14	2.08	53	20.43	9.24
5	29	1.99	49	26.62	12.22
6	12	1.89	28	25.55	10.13
7	16	1.89	48	28.38	14.85

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	36	18.39	0.77
2	12	2.23	37	18.83	2.77
3	21	2.58	58	20.52	9.36
4	14	1.71	47	23.25	10.27
5	29	2.32	58	26.83	15.11
6	12	2.33	45	27.72	14.07
7	18	1.96	64	28.69	18.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	38	21.88	8.88
2	12	3.85	57	19.98	10.68
3	21	4.23	70	21.26	15.46
4	14	1.88	56	22.85	13.33
5	29	2.68	63	26.06	18.08
6	12	2.57	64	25.04	17.46
7	18	1.82	48	30.37	17.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.86	62	21.77	13.77
2	12	5.21	69	23.00	16.00
3	21	3.84	62	24.98	17.16
4	14	2.03	61	24.85	16.62
5	29	2.24	66	26.26	18.73
6	12	2.11	55	28.05	18.09
7	18	2.06	46	32.18	18.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.00	77	19.32	14.98
2	12	5.97	68	22.91	16.98
3	21	3.95	58	27.72	18.69
4	14	2.47	58	27.65	18.29
5	29	2.18	55	28.88	18.65
6	12	2.45	54	29.99	19.62
7	18	1.98	45	31.56	17.11



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.51	72	19.21	13.77
2	12	4.04	58	26.43	17.49
3	21	2.78	49	31.37	19.35
4	14	1.82	50	32.29	18.86
5	29	2.38	50	31.58	19.82
6	12	2.48	54	30.87	20.45
7	18	1.73	50	32.04	18.85



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.51	68	23.21	18.77
2	12	2.42	52	27.21	16.10
3	21	1.71	57	22.03	13.08
4	14	1.00	58	19.08	10.83
5	29	2.11	46	33.18	19.82
6	12	2.18	58	31.84	22.17
7	15	1.78	50	32.85	20.47

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.90	35	22.55	8.44
2	12	1.63	34	22.21	5.55
3	21	1.99	44	22.40	9.36
4	14	2.06	73	18.88	14.48
5	20	1.87	46	30.13	16.60
6	12	2.08	52	31.43	20.31
7	10	1.83	58	30.61	20.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	26	27.39	5.00
2	12	2.31	38	26.82	10.13
3	21	2.32	52	27.29	18.45
4	14	1.57	51	26.10	16.87
5	29	2.01	52	28.08	18.09
6	12	2.70	56	32.58	22.17
7	10	1.79	58	30.58	20.75

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.62	71	20.88	16.32
2	12	4.26	78	24.07	18.06
3	21	1.83	52	29.41	18.22
4	14	1.63	58	24.55	15.82
5	20	2.36	57	30.32	20.66
6	12	2.18	61	30.41	21.98
7	10	1.85	66	30.08	20.48

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	44	26.10	12.06
2	12	2.01	45	28.13	14.57
3	21	2.55	56	27.05	17.32
4	14	2.38	73	22.13	17.08
5	20	1.98	49	32.16	20.38
6	12	1.71	54	31.52	21.10
7	10	1.61	53	30.51	19.71



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	57	21.32	11.00
2	12	2.76	60	23.76	16.99
3	21	2.91	73	22.62	17.08
4	19	1.68	85	20.00	17.00
5	22	1.87	46	33.18	20.07
6	12	1.71	58	31.15	21.52
7	16	2.17	62	28.98	20.23



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	58	15.10	-2.22
2	12	1.52	53	17.58	1.15
3	21	1.01	42	17.58	4.41
4	19	1.08	63	21.02	13.52
5	29	1.76	46	29.15	15.76
6	12	2.44	63	27.40	19.62
7	18	2.12	70	28.01	21.21

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	26	20.77	1.22
2	12	1.60	36	22.07	6.33
3	21	2.40	52	22.85	12.24
4	13	2.48	72	23.20	17.04
5	29	2.02	45	20.61	15.36
6	12	2.28	57	20.51	13.16
7	16	1.72	58	20.70	20.72



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	28	26.21	6.88
2	12	1.88	37	26.87	8.37
3	21	3.65	68	28.71	19.57
4	13	2.84	68	25.50	17.08
5	29	2.43	56	29.68	19.72
6	12	3.16	61	29.62	21.15
7	16	1.58	58	31.52	18.57

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.21	54	26.52	10.99
2	12	4.77	68	26.83	19.76
3	21	1.97	58	31.15	21.88
4	13	1.81	58	25.21	16.72
5	29	2.78	57	31.66	21.62
6	12	1.84	57	31.29	21.70
7	16	1.66	51	32.45	20.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.82	52	30.78	19.21
2	12	1.88	50	30.55	18.88
3	21	1.79	67	26.47	19.87
4	13	1.53	56	24.31	14.48
5	29	2.76	51	33.23	21.78
6	12	1.73	52	32.59	21.81
7	16	1.05	48	32.48	19.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	50	27.33	15.46
2	12	2.31	46	30.41	17.48
3	21	2.53	75	24.88	20.10
4	13	1.78	63	25.28	15.80
5	29	1.87	48	33.41	21.08
6	12	1.81	52	32.50	21.43
7	16	1.62	46	32.77	19.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.08	51	25.21	13.44
2	12	2.46	56	27.63	17.91
3	21	2.93	62	23.09	21.05
4	13	1.89	73	22.22	18.70
5	29	2.21	54	31.89	21.24
6	12	1.84	49	33.75	21.43
7	16	1.79	45	32.95	18.88

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.76	46	27.89	16.21
2	12	6.87	61	27.21	18.68
3	21	2.18	66	29.35	19.22
4	13	1.53	53	29.09	12.49
5	20	3.68	61	30.34	21.83
6	12	2.67	57	31.85	22.26
7	16	1.62	46	30.39	17.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.02	70	28.98	20.44
2	12	5.06	61	26.38	17.68
3	21	1.57	48	29.40	11.74
4	13	1.53	43	28.44	12.43
5	20	2.36	60	28.63	21.06
6	12	2.01	57	28.85	19.48
7	16	1.64	42	31.10	18.21

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	48	29.68	12.38
2	12	1.70	58	22.58	11.43
3	21	1.80	47	26.71	14.48
4	13	1.69	42	29.89	15.55
5	20	1.93	57	27.69	18.20
6	12	1.86	48	28.89	18.52
7	16	1.55	46	31.24	15.96

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	45	24.77	11.00
2	12	2.78	62	27.56	19.42
3	21	1.58	45	30.31	17.18
4	13	1.72	43	29.52	15.58
5	20	2.52	58	27.90	18.63
6	12	1.65	53	29.34	18.28
7	16	1.78	41	30.72	15.18

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.84	48	27.10	12.10
2	12	1.87	41	29.25	14.80
3	21	1.88	41	30.44	15.41
4	13	1.87	42	29.95	15.55
5	20	1.98	52	30.01	18.63
6	12	2.18	52	30.13	18.83
7	16	1.97	44	30.98	16.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	20	24.80	0.32
2	12	1.53	32	26.06	8.34
3	21	1.84	38	31.26	15.18
4	13	2.09	42	30.25	15.93
5	20	1.64	46	29.62	16.66
6	12	2.14	46	31.89	18.51
7	16	1.62	44	32.18	17.73

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	92	25.00	7.00
2	12	2.14	86	20.25	12.58
3	21	2.08	58	32.67	18.78
4	13	2.18	44	30.38	18.78
5	20	1.67	46	30.30	16.21
6	12	2.28	52	29.85	18.28
7	18	2.41	81	31.80	18.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.38	65	30.65	18.00
2	12	2.88	38	33.58	17.07
3	21	2.45	42	31.48	17.08
4	13	2.18	59	26.57	17.73
5	20	1.78	65	31.87	17.35
6	12	2.30	58	27.49	18.56
7	18	2.09	68	32.84	18.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.17	48	32.11	17.88
2	12	3.06	41	32.67	17.64
3	21	3.11	58	28.26	18.72
4	13	1.66	62	25.87	17.80
5	20	2.23	57	29.24	18.24
6	12	3.70	73	26.47	20.58
7	18	1.87	48	32.36	18.02

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.25	82	25.10	18.77
2	12	3.93	55	27.86	17.63
3	21	3.00	56	29.38	18.98
4	13	1.78	47	29.69	17.00
5	20	2.31	58	29.61	20.09
6	12	3.01	63	29.07	21.23
7	18	1.83	48	32.39	18.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.28	73	29.55	18.44
2	12	6.02	58	28.60	18.43
3	21	2.28	54	27.98	17.64
4	13	1.71	55	25.88	15.56
5	20	1.83	68	30.81	21.66
6	12	4.25	66	28.48	21.15
7	18	1.73	48	32.57	19.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.56	78	29.96	18.55
2	12	2.28	66	23.37	13.88
3	21	1.59	47	23.27	11.23
4	13	1.67	62	27.04	18.16
5	20	3.23	87	27.61	20.83
6	12	2.59	64	28.85	20.56
7	18	1.80	49	33.62	18.87

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.85	84	23.63	16.80
2	12	1.63	38	26.67	9.81
3	21	1.57	58	25.80	9.14
4	13	2.06	58	27.17	17.81
5	20	1.84	48	27.65	15.35
6	12	1.52	47	28.58	15.87
7	16	1.60	41	80.89	18.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	67	22.10	15.48
2	12	1.66	34	26.62	8.96
3	21	2.65	55	24.12	15.25
4	13	1.65	52	28.01	17.64
5	20	1.73	42	28.62	13.88
6	12	2.06	50	28.19	16.58
7	16	1.72	38	94.55	18.50



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	54	24.77	14.86
2	12	1.76	34	27.91	8.57
3	21	2.16	66	24.48	17.29
4	13	1.69	48	30.18	17.68
5	20	2.23	44	28.83	15.08
6	12	2.58	55	29.02	18.76
7	16	1.80	42	94.94	18.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.25	58	24.60	16.88
2	12	5.10	63	23.89	16.01
3	21	5.35	75	23.56	18.77
4	13	2.78	57	28.73	17.00
5	20	2.58	62	27.33	18.58
6	12	2.65	65	25.81	21.86
7	16	1.79	41	94.62	18.57



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.88	78	20.68	18.56
2	12	3.71	85	23.88	15.36
3	21	5.93	83	24.91	17.28
4	13	2.89	55	27.73	18.03
5	20	2.51	62	28.28	20.11
6	12	2.27	66	28.05	20.92
7	16	1.63	46	93.78	19.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.25	77	19.21	14.98
2	12	2.04	49	28.60	14.53
3	21	2.48	49	28.30	14.65
4	13	3.55	46	25.68	18.58
5	20	3.10	58	30.73	19.02
6	12	2.88	61	29.34	20.52
7	16	1.66	48	93.79	19.07

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.51	60	26.32	18.58
2	12	2.96	46	28.37	14.71
3	21	3.58	47	27.85	15.31
4	13	4.35	68	24.31	18.11
5	20	2.41	57	28.07	19.17
6	12	3.28	65	28.51	20.50
7	16	1.61	46	34.00	19.40



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.58	72	23.00	18.43
2	12	4.92	72	23.60	18.36
3	21	5.72	72	20.10	14.57
4	13	2.17	84	23.37	19.52
5	23	2.73	76	26.65	21.20
6	12	4.06	65	26.16	21.47
7	16	1.76	51	30.55	18.53



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.00	80	18.46	18.98
2	12	7.80	81	21.10	17.68
3	21	5.19	61	20.15	12.09
4	13	1.88	98	25.80	19.11
5	20	2.10	68	27.56	21.12
6	12	5.85	68	24.00	17.72
7	16	1.06	46	28.81	18.94



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.40	83	20.99	17.99
2	12	2.93	51	26.84	15.96
3	21	1.07	64	22.45	15.20
4	13	1.09	45	28.28	15.25
5	20	2.52	55	29.61	19.61
6	12	2.09	58	28.24	18.38
7	16	1.93	48	32.38	18.07

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.48	58	27.68	17.99
2	12	2.26	63	27.68	15.83
3	21	2.22	58	27.61	18.09
4	13	1.09	48	30.96	18.07
5	23	2.17	63	30.41	19.78
6	12	2.31	56	28.97	19.39
7	16	1.05	49	32.88	18.25

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.01	48	28.49	15.66
2	12	3.00	48	27.72	16.10
3	21	2.87	55	30.05	20.09
4	13	2.10	49	30.99	18.28
5	20	2.02	57	29.61	19.99
6	12	2.34	61	28.80	20.41
7	16	1.58	48	31.80	19.97

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.00	52	28.55	17.44
2	12	3.37	48	30.22	18.05
3	21	2.49	49	31.48	19.57
4	19	1.80	48	31.45	18.81
5	29	2.68	66	28.29	20.72
6	12	1.84	57	29.99	20.55
7	18	1.63	48	31.42	19.08

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.71	52	31.88	20.77
2	12	2.77	47	31.61	18.88
3	21	2.52	66	27.43	19.70
4	19	1.60	47	30.88	18.07
5	29	3.08	73	27.14	21.68
6	12	1.75	61	26.25	19.99
7	18	1.58	50	31.95	18.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.72	63	29.33	21.55
2	12	2.70	58	30.22	20.87
3	21	2.15	58	30.65	21.28
4	19	1.83	48	30.88	18.24
5	29	2.15	68	28.88	21.77
6	12	2.52	67	29.25	21.47
7	18	1.88	48	31.84	19.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	55	29.10	19.49
2	12	3.08	57	29.39	20.08
3	21	2.77	57	31.42	21.02
4	19	1.77	52	29.27	18.03
5	29	2.52	66	29.07	21.02
6	12	2.73	64	29.34	21.70
7	18	1.69	48	32.32	19.75



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.15	67	26.88	20.53
2	12	2.83	58	30.04	20.87
3	21	4.25	62	29.97	21.69
4	19	1.60	50	30.98	18.41
5	29	2.66	72	27.98	21.87
6	12	3.85	65	29.90	22.54
7	18	1.84	44	33.38	19.09



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.07	68	28.77	21.86
2	12	3.18	66	28.42	21.33
3	21	4.17	59	31.66	21.58
4	19	1.91	48	33.03	18.82
5	29	2.58	67	28.76	21.03
6	12	3.84	62	30.50	22.26
7	18	1.65	44	33.71	19.23

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.27	79	21.77	17.08
2	12	3.04	66	28.62	18.04
3	21	3.39	50	31.58	19.73
4	13	1.82	44	32.89	18.45
5	29	2.58	67	29.11	22.25
6	12	4.08	58	31.10	22.21
7	18	1.82	44	33.84	18.23

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.11	78	19.55	14.80
2	12	3.56	70	24.48	18.65
3	21	4.08	51	32.19	20.60
4	13	1.78	43	30.25	18.78
5	29	3.07	67	28.86	22.06
6	12	4.55	58	31.52	22.31
7	18	2.26	45	33.92	19.09



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.01	71	18.99	13.65
2	12	3.30	64	24.30	16.88
3	21	5.74	57	29.78	20.15
4	13	1.75	40	28.18	12.55
5	29	3.44	73	26.08	20.81
6	12	4.25	61	30.36	22.03
7	18	1.76	40	34.55	17.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.48	65	22.33	15.43
2	12	4.08	65	25.06	17.91
3	21	2.86	52	29.70	18.77
4	13	1.60	42	29.60	15.08
5	29	2.65	69	27.15	20.01
6	12	3.20	61	30.08	21.84
7	18	1.84	39	34.75	18.25

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.09	40	31.77	16.92
2	12	3.75	48	30.73	18.14
3	21	2.39	49	31.79	19.78
4	13	1.71	51	29.69	18.20
5	29	2.33	67	28.75	21.61
6	12	3.38	60	30.50	21.86
7	18	2.21	48	32.95	19.50



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.99	47	32.00	18.99
2	12	3.60	54	30.87	20.06
3	21	4.93	57	31.00	21.42
4	13	1.77	52	29.75	17.77
5	29	2.18	63	29.80	21.08
6	12	3.16	63	30.32	22.48
7	18	2.24	48	33.54	19.92

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.00	87	26.00	20.11
2	12	3.00	55	30.19	19.00
3	21	1.98	54	28.37	18.02
4	13	1.60	47	28.62	19.20
5	29	2.75	61	30.93	22.52
6	12	2.63	68	29.62	22.72
7	18	1.76	58	32.81	20.65

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	41	24.55	10.44
2	12	1.58	38	25.45	10.45
3	21	1.59	48	25.84	11.82
4	13	1.78	58	24.88	15.72
5	29	2.02	58	29.07	18.78
6	12	3.38	69	27.88	21.58
7	18	1.65	53	31.80	20.82

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	91	23.49	9.10
2	12	1.52	38	23.79	6.47
3	21	2.10	58	24.81	13.48
4	13	2.42	86	26.28	18.75
5	29	2.37	58	28.48	19.18
6	12	2.85	61	29.62	21.38
7	18	1.87	48	32.48	20.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	35	29.92	6.08
2	12	2.13	40	25.64	10.68
3	21	2.03	51	29.83	18.27
4	13	1.76	48	32.47	19.85
5	29	2.52	59	28.25	19.26
6	12	2.47	63	30.22	22.35
7	18	1.83	49	32.84	20.48



REGION	# STNS	BEXT	RH %	TEMPERATURE C	DEWPOINT,C
1	5	2.22	79	18.68	13.68
2	12	3.23	67	24.39	17.06
3	21	2.58	58	33.49	22.72
4	13	1.60	40	33.29	17.38
5	29	2.85	61	29.74	21.41
6	12	2.50	59	31.10	22.12
7	18	1.68	47	33.26	20.23

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	49	20.77	9.77
2	12	2.77	67	21.75	14.57
3	21	2.13	81	32.22	25.38
4	13	1.57	41	31.53	15.72
5	29	3.73	61	30.36	21.73
6	12	2.01	58	32.91	23.09
7	18	1.55	42	34.23	18.98

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	38	29.43	7.46
2	12	2.01	45	24.67	11.70
3	21	3.31	54	29.12	18.43
4	13	1.60	48	29.65	18.81
5	20	2.41	66	26.64	19.48
6	12	2.08	59	32.59	25.58
7	18	1.64	38	35.38	18.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.03	84	21.88	16.89
2	12	2.30	58	29.65	15.06
3	21	1.84	51	27.50	18.26
4	13	1.53	41	30.83	19.89
5	20	2.28	63	27.26	19.53
6	12	3.12	85	28.25	21.89
7	18	1.75	38	35.88	17.35

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	80	21.44	18.21
2	12	1.58	38	24.16	9.34
3	21	1.91	44	28.92	13.48
4	13	2.20	55	28.70	16.88
5	20	2.18	58	28.48	18.20
6	12	3.00	60	29.81	21.01
7	18	1.78	38	35.48	18.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	48	24.96	11.32
2	12	2.74	41	27.68	12.02
3	21	2.52	43	30.89	16.87
4	13	1.67	45	24.88	11.82
5	20	2.61	57	29.35	19.67
6	12	2.89	59	30.32	21.29
7	18	1.84	48	32.91	19.61

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.28	72	21.93	15.45
2	12	3.18	51	25.31	14.11
3	21	1.57	41	23.75	9.87
4	13	1.53	39	24.78	8.58
5	20	2.58	58	30.48	21.33
6	12	2.28	62	29.44	21.35
7	18	1.95	57	30.48	20.23



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	48	18.33	8.55
2	12	1.52	37	20.78	6.50
3	21	1.59	44	20.52	7.82
4	13	1.37	58	23.41	13.11
5	20	1.98	57	28.06	18.44
6	12	1.98	54	28.97	18.65
7	18	1.58	46	32.60	18.47

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	58	21.88	8.10
2	12	2.10	43	23.14	9.62
3	21	2.17	48	24.99	12.35
4	13	1.88	48	28.45	15.42
5	29	3.16	70	27.23	20.85
6	12	2.01	80	28.71	20.98
7	18	1.88	45	30.88	19.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.34	84	23.32	19.88
2	12	3.37	61	26.88	18.55
3	21	3.01	58	27.13	17.85
4	13	1.81	52	17.85	7.21
5	29	2.78	73	27.58	22.17
6	12	2.84	86	28.59	22.35
7	18	1.84	41	33.71	18.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.48	88	21.88	18.44
2	12	1.68	86	24.88	15.45
3	21	1.88	62	18.88	9.39
4	13	1.53	48	18.88	5.20
5	29	2.33	82	29.53	21.25
6	12	1.58	82	25.41	17.58
7	18	1.58	43	29.58	15.16

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	48	21.88	10.10
2	12	1.57	49	18.79	7.68
3	21	1.72	56	17.53	8.40
4	13	1.75	49	17.81	6.74
5	29	1.98	53	25.15	14.91
6	12	1.59	51	23.23	12.30
7	18	1.77	50	30.55	18.19

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	48	18.77	6.33
2	12	2.06	48	18.88	6.96
3	21	1.59	40	20.78	8.63
4	13	2.39	60	19.48	10.59
5	29	1.93	53	25.12	14.65
6	12	1.92	51	24.18	13.32
7	18	2.09	56	30.88	20.23



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.36	48	19.22	7.10
2	12	1.55	58	22.21	7.31
3	21	1.75	38	22.68	7.89
4	13	1.97	64	21.23	13.79
5	29	2.65	67	25.26	15.47
6	12	5.17	75	22.05	16.56
7	18	3.01	67	27.88	20.37

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	97	23.99	8.99
2	12	1.87	41	24.71	10.36
3	21	1.80	38	25.41	10.16
4	13	2.13	52	24.15	13.02
5	29	5.20	72	24.67	18.88
6	12	6.81	79	25.93	19.87
7	18	2.01	71	28.97	21.18

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.80	71	20.60	14.77
2	12	3.14	68	23.65	16.80
3	21	2.31	45	27.71	14.62
4	13	2.67	58	24.81	16.22
5	29	2.26	64	27.46	19.78
6	12	2.22	60	27.21	18.69
7	18	1.96	62	28.68	21.38

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	48	24.33	11.08
2	12	2.26	48	24.20	12.56
3	21	1.65	49	24.48	12.85
4	13	2.18	61	26.10	15.92
5	29	2.34	56	28.73	18.98
6	12	2.63	58	27.91	19.20
7	18	1.87	57	30.13	20.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	50	21.55	10.44
2	12	1.77	45	21.40	8.03
3	21	1.98	48	23.54	10.39
4	13	1.85	52	27.66	15.50
5	29	3.03	56	27.02	17.35
6	12	2.23	53	28.97	18.28
7	18	1.90	51	31.83	19.99

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.17	47	20.00	8.39
2	12	2.27	51	21.33	10.06
3	21	3.73	67	23.05	16.66
4	13	2.00	67	22.43	15.29
5	23	2.26	57	28.53	18.08
6	12	2.50	58	29.99	19.01
7	19	1.67	47	32.84	19.54



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	42	21.80	8.55
2	12	3.60	68	22.17	13.97
3	21	5.33	77	23.88	19.49
4	13	3.08	66	20.12	12.94
5	29	2.48	58	29.97	20.70
6	12	2.01	59	30.87	21.89
7	18	1.70	56	31.11	20.51

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.86	90	15.44	13.66
2	12	5.53	71	26.43	20.46
3	21	4.26	78	24.30	19.75
4	13	2.10	70	18.45	12.43
5	29	2.32	64	30.34	22.16
6	12	1.92	73	28.80	22.54
7	18	1.81	87	20.18	17.53

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.22	87	18.88	16.44
2	12	2.82	84	27.63	20.06
3	21	1.88	82	21.82	16.12
4	13	1.53	84	20.85	10.72
5	29	1.85	68	29.97	22.48
6	12	1.97	67	27.58	20.73
7	18	1.62	56	28.85	18.46

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	58	26.10	16.88
2	12	1.76	46	27.28	16.30
3	21	1.70	53	23.93	13.77
4	13	1.80	65	20.80	13.71
5	29	1.67	52	30.81	19.65
6	12	1.88	52	28.78	17.88
7	18	1.83	61	29.88	21.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.99	50	25.10	13.98
2	12	2.81	58	27.62	16.28
3	21	1.68	59	22.93	14.33
4	13	1.88	53	18.88	8.50
5	29	2.07	56	30.53	20.47
6	12	1.99	57	28.79	15 43
7	18	1.55	54	30.79	20.17



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.30	78	20.95	18.10
2	12	2.06	58	24.67	15.59
3	21	1.83	44	22.72	9.59
4	13	1.71	49	24.61	12.04
5	23	2.11	56	29.93	19.97
6	12	2.09	66	27.03	20.08
7	18	1.81	54	30.20	19.97



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	45	29.55	10.86
2	12	1.68	40	25.45	10.64
3	21	2.90	58	26.84	17.40
4	13	1.72	60	29.28	18.86
5	29	2.42	62	29.71	20.58
6	12	1.98	57	30.61	20.92
7	18	1.71	51	31.24	18.57

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.45	46	24.44	11.44
2	12	2.41	53	27.58	16.76
3	21	2.43	60	27.96	15.45
4	13	1.53	59	22.77	12.39
5	20	3.58	71	27.60	21.80
6	12	1.87	57	31.10	21.70
7	18	1.68	54	30.58	18.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.91	75	24.55	18.77
2	12	4.30	61	28.00	19.67
3	21	1.85	52	27.89	17.05
4	13	2.31	68	25.28	15.93
5	20	3.21	72	27.83	22.00
6	12	2.41	56	31.01	21.29
7	18	1.64	50	32.74	20.82

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.90	56	28.32	18.88
2	12	3.07	68	29.59	20.41
3	21	2.38	56	29.30	19.03
4	13	1.60	57	21.18	11.98
5	20	3.40	70	28.75	22.42
6	12	2.32	68	30.48	21.39
7	18	1.64	58	32.22	20.03

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.07	70	25.55	21.77
2	12	2.86	64	27.12	18.62
3	21	1.58	49	24.91	13.48
4	13	1.74	60	23.80	15.53
5	20	2.53	64	30.09	22.23
6	12	2.22	58	31.49	20.92
7	18	1.61	49	32.89	20.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	49	23.10	11.77
2	12	1.55	47	24.57	12.40
3	21	1.17	59	21.87	13.43
4	13	2.11	62	25.72	17.15
5	20	1.09	50	29.36	17.06
6	12	1.71	48	30.13	16.52
7	18	1.68	48	32.53	19.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	43	21.77	8.55
2	12	1.68	37	23.93	8.46
3	21	2.48	51	24.73	13.72
4	13	2.08	55	28.45	17.77
5	20	2.13	53	27.90	17.23
6	12	2.08	45	29.44	16.15
7	18	2.07	47	32.77	19.65

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	57	22.80	7.52
2	12	1.93	38	25.87	10.82
3	21	2.08	48	29.59	18.63
4	19	2.48	59	28.57	16.98
5	29	2.58	52	28.11	16.85
6	12	2.58	48	30.38	18.18
7	18	2.22	48	32.38	18.47

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.94	78	20.35	14.66
2	12	2.19	40	30.32	15.32
3	21	2.21	42	28.58	14.35
4	19	1.60	50	25.85	8.95
5	29	2.53	51	29.90	18.32
6	12	2.80	52	30.92	20.09
7	18	2.52	48	32.22	19.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.82	44	24.55	10.84
2	12	1.68	35	26.61	8.71
3	21	1.57	38	25.25	8.48
4	13	1.60	56	21.74	11.38
5	29	2.53	58	30.03	18.00
6	12	2.72	48	30.46	17.91
7	18	2.05	48	31.56	18.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.34	48	22.89	10.44
2	12	1.52	38	23.79	8.42
3	21	1.81	50	23.32	13.50
4	13	1.08	67	21.32	14.70
5	29	1.91	49	28.17	16.02
6	12	2.29	48	30.84	17.72
7	18	2.05	51	30.83	19.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	44	22.55	9.66
2	12	1.61	40	26.24	11.56
3	21	2.59	42	30.89	16.08
4	13	2.18	62	23.71	15.55
5	29	1.86	48	28.42	16.54
6	12	2.09	50	30.13	18.42
7	15	1.93	58	30.78	20.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.63	49	25.44	13.39
2	12	2.05	42	30.34	14.59
3	21	2.48	45	30.95	16.98
4	13	2.84	72	29.37	17.85
5	29	2.07	58	28.29	16.75
6	12	1.98	46	29.35	18.84
7	18	2.14	59	30.72	20.44

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.62	83	23.89	18.55
2	12	4.53	50	29.11	16.75
3	21	3.22	45	31.43	17.76
4	19	2.95	66	26.15	18.82
5	29	3.16	60	30.50	19.42
6	12	1.89	38	31.81	14.78
7	18	2.01	51	31.82	20.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.81	78	20.89	18.77
2	12	3.13	47	30.32	17.12
3	21	2.38	43	31.55	16.79
4	19	2.03	58	28.58	18.69
5	29	2.63	68	28.61	21.71
6	12	1.83	42	32.17	17.58
7	18	1.84	48	32.76	18.37

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.27	70	26.46	19.10
2	12	2.38	66	25.68	15.78
3	21	1.63	57	17.87	9.12
4	19	1.59	62	19.28	9.45
5	29	2.77	66	29.49	21.85
6	12	3.07	57	29.62	19.78
7	18	3.14	55	30.76	18.22



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	48	16.56	5.48
2	12	1.59	46	18.32	6.29
3	21	1.57	49	16.92	5.49
4	19	1.63	48	16.70	4.66
5	29	3.10	72	23.69	18.25
6	12	1.69	52	25.50	14.85
7	18	1.93	58	24.89	14.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.18	43	15.60	3.22
2	12	1.09	41	17.12	3.00
3	21	1.57	38	18.40	3.72
4	19	1.57	49	20.55	8.01
5	29	3.77	75	20.16	15.14
6	12	1.41	42	22.17	8.42
7	18	1.98	48	24.89	11.59



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.71	67	19.72	7.93
2	12	1.67	38	20.32	3.55
3	21	1.71	25	22.50	5.03
4	19	1.84	50	16.98	7.53
5	29	1.90	49	23.63	11.75
6	12	1.68	35	24.85	7.77
7	18	1.71	43	27.44	13.23

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	48	17.21	3.66
2	12	1.58	48	18.07	5.08
3	21	1.08	53	17.21	7.00
4	13	3.42	85	15.83	8.62
5	29	2.57	46	26.20	12.39
6	12	2.04	54	27.54	10.06
7	18	2.43	55	28.27	15.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	42	18.44	2.44
2	12	1.00	36	18.78	4.11
3	21	4.09	55	20.57	10.81
4	13	4.30	79	16.50	12.04
5	29	2.08	46	26.33	13.27
6	12	2.10	48	27.77	15.41
7	18	2.43	72	25.97	18.71

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.27	62	19.99	12.21
2	12	3.22	43	25.31	11.88
3	21	3.54	47	25.81	13.50
4	13	4.48	68	21.08	14.22
5	29	2.20	60	27.40	16.03
6	12	2.63	54	25.41	14.99
7	18	5.27	68	24.66	17.73



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.16	51	20.77	10.30
2	12	4.78	48	24.81	12.69
3	21	8.44	69	17.62	16.07
4	13	4.48	76	19.27	14.95
5	29	3.70	61	26.16	17.90
6	12	3.48	60	29.00	19.20
7	18	1.82	60	20.53	10.43



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	19	19.32	2.09
2	12	2.43	46	17.67	11.15
3	21	8.45	81	20.55	17.27
4	13	3.56	74	18.71	13.50
5	29	4.08	69	24.99	18.69
6	12	2.76	71	28.15	20.55
7	18	1.08	61	20.05	20.65



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.36	41	18.32	4.55
2	12	1.97	57	19.67	10.68
3	21	5.37	70	24.56	16.58
4	13	1.91	67	17.17	10.21
5	29	3.32	68	24.82	18.48
6	12	2.09	59	28.37	19.48
7	18	1.99	70	25.90	19.26

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	55	18.33	8.88
2	12	2.08	52	22.40	11.70
3	21	4.24	65	20.58	13.20
4	13	2.23	73	17.61	12.38
5	29	3.28	62	24.51	16.68
6	12	2.87	55	28.51	18.89
7	18	9.41	74	26.49	21.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.08	68	18.89	12.68
2	12	2.32	51	24.11	12.91
3	21	4.23	73	23.17	17.95
4	13	2.05	73	18.87	13.71
5	29	2.80	58	25.64	16.54
6	12	4.55	64	28.84	19.25
7	18	2.25	67	27.28	20.51

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.98	84	20.32	17.33
2	12	2.29	82	26.18	15.04
3	21	1.68	48	21.42	8.67
4	18	1.71	51	15.67	4.91
5	28	2.38	53	29.05	18.50
6	12	2.43	58	28.19	19.18
7	18	2.26	64	28.82	18.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	33	29.77	8.88
2	12	1.69	38	21.61	5.36
3	21	1.61	61	14.49	6.79
4	13	1.53	45	16.66	3.83
5	29	1.95	42	27.94	13.61
6	12	1.96	31	24.48	5.78
7	18	2.37	55	24.61	14.33



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	55	17.10	7.43
2	12	2.00	52	17.21	5.82
3	21	1.68	47	17.85	8.23
4	13	1.53	53	20.85	10.63
5	29	1.81	38	24.55	8.96
6	12	1.45	31	23.51	5.22
7	18	2.36	57	24.50	14.96

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	43	19.22	0.44
2	12	2.10	56	22.77	6.75
3	21	2.25	59	20.20	10.57
4	13	2.68	64	15.08	7.73
5	29	1.66	45	26.01	12.83
6	12	1.55	39	26.05	10.73
7	18	1.88	64	27.14	19.47

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.59	57	20.22	11.10
2	12	2.02	60	20.78	12.40
3	21	2.98	64	19.09	8.21
4	19	1.53	46	11.68	-0.06
5	20	2.12	62	20.81	10.90
6	12	5.36	70	24.94	18.74
7	18	1.74	72	18.64	14.16

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.31	49	18.88	1.68
2	12	3.27	66	12.68	6.68
3	21	2.08	58	13.18	5.08
4	19	1.53	42	10.38	1.09
5	20	3.06	73	24.96	19.07
6	12	5.15	85	21.57	18.37
7	18	1.96	68	19.88	13.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	6.90	80	13.88	8.10
2	12	7.34	82	13.78	10.68
3	21	2.19	54	16.50	7.13
4	19	1.78	50	16.78	8.27
5	20	6.77	71	25.41	19.57
6	12	5.80	65	21.70	19.02
7	18	3.07	72	22.42	18.90



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.81	64	15.77	8.77
2	12	2.61	66	16.06	9.40
3	21	1.98	54	17.50	7.07
4	19	2.62	56	18.41	8.26
5	20	2.81	72	25.18	19.72
6	12	5.21	71	23.51	17.06
7	18	2.68	73	22.83	17.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.38	49	14.33	3.44
2	12	2.84	55	18.60	3.07
3	21	2.84	48	21.92	10.31
4	19	2.27	65	19.81	12.77
5	20	5.80	70	22.58	18.38
6	12	3.00	75	24.95	20.22
7	18	2.78	68	23.64	17.48

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.60	63	15.77	9.21
2	12	7.11	76	18.58	13.78
3	21	2.80	63	19.91	12.24
4	19	1.60	56	17.21	0.98
5	20	5.71	62	23.36	15.91
6	12	2.26	78	24.65	20.98
7	18	2.20	64	25.34	17.59

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	36	18.55	4.21
2	12	1.55	34	20.41	3.69
3	21	1.61	54	20.89	9.22
4	13	1.53	35	18.14	2.80
5	20	2.18	62	24.90	16.58
6	12	2.25	68	24.34	17.77
7	10	1.93	56	20.07	10.31



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.34	51	20.77	9.88
2	12	1.06	55	18.65	9.11
3	21	1.56	46	15.31	3.46
4	13	1.53	42	13.02	-0.38
5	22	5.40	81	23.80	20.07
6	12	5.23	72	18.80	12.49
7	10	1.85	42	25.60	8.13



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	45	11.24	-0.22
2	12	1.58	48	11.06	0.22
3	21	1.57	47	11.02	0.15
4	13	1.53	59	11.07	-2.17
5	20	2.81	72	16.33	10.99
6	12	1.45	48	15.92	4.30
7	10	1.54	51	10.78	1.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	47	12.92	1.33
2	12	1.02	44	12.26	-0.32
3	21	2.12	51	9.59	-0.87
4	13	1.53	57	13.24	-1.96
5	20	2.17	49	16.80	5.49
6	12	1.45	58	15.30	1.20
7	10	1.54	32	20.41	3.19



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.33	38	9.77	-4.10
2	12	1.53	33	11.70	-4.30
3	21	1.05	58	15.12	0.63
4	13	1.00	41	17.21	2.73
5	23	1.77	43	17.88	4.82
6	12	1.48	55	17.03	1.70
7	10	1.56	33	21.55	4.69



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	48	11.80	-0.35
2	12	1.70	35	14.67	-0.02
3	21	2.54	64	13.45	5.12
4	13	1.59	54	8.85	-0.48
5	23	2.18	60	18.80	8.15
6	12	1.57	59	19.02	4.94
7	10	1.68	40	22.03	8.28

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.88	86	12.89	8.22
2	12	2.11	58	13.76	5.73
3	21	1.72	61	8.82	-0.55
4	13	1.63	37	8.05	-6.79
5	29	2.13	56	20.97	11.18
6	12	2.03	51	17.12	7.05
7	16	1.81	40	21.28	7.21

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.33	68	12.77	9.00
2	12	2.28	52	8.23	-1.61
3	21	1.62	48	6.68	-3.83
4	13	1.57	38	12.21	-2.34
5	29	1.77	43	18.17	5.22
6	12	1.42	40	13.93	0.46
7	16	1.68	48	20.82	8.87

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.51	92	8.77	-7.21
2	12	1.55	35	10.13	-4.71
3	21	1.77	41	11.10	-1.76
4	13	2.20	60	11.87	3.62
5	29	1.84	45	17.10	6.82
6	12	1.55	40	17.07	5.42
7	16	1.72	37	22.36	8.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	81	14.66	-2.55
2	12	2.26	33	15.64	-0.64
3	21	2.58	42	15.55	2.37
4	13	2.45	59	14.73	5.69
5	29	1.68	48	20.18	8.29
6	12	2.09	49	19.40	8.17
7	16	2.01	57	21.62	12.42



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.14	60	12.88	4.44
2	12	3.41	44	17.03	8.58
3	21	2.71	48	18.11	5.94
4	13	2.44	47	18.20	5.08
5	23	2.01	47	23.09	10.58
6	12	2.08	51	22.00	11.66
7	16	2.27	58	20.93	11.76



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	54	12.22	2.05
2	12	1.97	45	17.58	5.32
3	21	3.58	47	19.53	7.29
4	13	1.83	39	21.62	5.29
5	29	3.78	61	20.89	12.42
6	12	3.76	63	19.76	11.69
7	16	2.23	49	21.66	13.10

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	57	22.10	8.85
2	12	3.23	85	22.81	6.20
3	21	3.65	48	21.66	7.27
4	13	1.08	97	22.17	5.98
5	20	5.68	70	18.07	12.02
6	12	4.54	79	15.89	11.81
7	18	2.08	45	22.73	8.85



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.97	96	24.21	7.59
2	12	3.36	42	22.36	7.77
3	21	3.40	55	23.30	8.68
4	13	1.78	41	21.67	7.61
5	20	4.73	71	18.28	12.35
6	12	3.65	84	18.85	11.15
7	18	1.78	40	28.14	11.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.79	66	17.80	10.21
2	12	4.66	62	19.39	10.64
3	21	3.24	54	24.56	7.42
4	13	1.08	81	15.68	8.25
5	20	2.98	58	22.86	13.11
6	12	5.22	48	23.89	11.28
7	18	1.98	45	27.77	14.83



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.08	87	15.93	12.88
2	12	3.48	58	20.73	10.68
3	21	2.95	48	18.21	8.43
4	13	1.69	38	11.40	-2.77
5	20	2.10	73	26.88	10.68
6	12	2.33	48	25.32	13.46
7	18	2.03	82	21.83	10.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.10	68	18.96	10.21
2	12	2.37	70	11.10	5.55
3	21	1.01	58	9.12	-1.29
4	13	1.53	45	8.28	-4.09
5	20	2.06	55	19.59	8.66
6	12	1.62	68	14.30	2.32
7	18	1.70	32	17.14	-1.24



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	65	10.10	3.05
2	12	2.28	56	9.53	0.22
3	21	1.96	48	7.32	-3.09
4	13	1.57	80	16.66	-0.22
5	20	1.95	47	14.32	2.37
6	12	1.47	55	13.16	-2.21
7	18	1.86	26	19.92	-0.78

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.48	80	8.33	1.96
2	12	1.78	67	10.78	-0.68
3	21	1.85	49	13.38	0.63
4	13	1.93	37	13.78	-1.28
5	29	1.58	33	18.27	1.76
6	12	1.45	28	20.13	1.15
7	18	1.71	28	29.85	4.48

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.85	62	12.10	6.21
2	12	1.77	51	11.52	1.36
3	21	1.38	56	10.10	1.53
4	13	1.57	50	8.52	-1.23
5	29	1.67	38	21.33	6.22
6	12	1.88	38	20.59	5.32
7	18	1.81	87	24.30	8.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.45	43	8.10	-9.10
2	12	1.68	53	8.56	-0.92
3	21	1.88	49	8.75	-1.55
4	13	1.71	46	10.83	-1.18
5	29	2.06	43	18.25	5.36
6	12	1.77	58	17.49	2.95
7	18	1.82	42	22.87	8.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.98	62	7.21	-6.10
2	12	2.08	46	9.57	-1.71
3	21	2.21	41	13.80	0.15
4	13	1.78	39	17.80	9.67
5	29	2.68	42	17.21	6.21
6	12	2.09	42	17.21	6.25
7	18	1.98	46	21.87	8.02



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.69	46	19.88	2.66
2	12	2.59	41	16.26	2.72
3	21	2.43	35	21.15	4.99
4	13	2.35	47	17.77	5.33
5	23	2.20	39	19.80	5.26
6	12	2.28	42	19.07	5.68
7	18	2.34	57	22.84	13.67

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.19	53	16.32	8.68
2	12	3.01	58	21.36	6.26
3	21	2.80	56	21.21	5.47
4	13	2.83	54	16.32	8.27
5	29	2.45	41	22.96	8.34
6	12	2.23	42	20.45	7.17
7	16	2.36	60	21.41	14.82

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	39	22.21	7.39
2	12	4.58	48	21.14	6.88
3	21	4.50	52	18.48	7.64
4	13	2.77	64	14.99	7.58
5	28	2.38	45	23.32	10.32
6	12	2.28	52	22.35	11.68
7	16	2.51	64	22.04	15.61



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.90	48	18.88	5.55
2	12	3.58	45	18.81	7.03
3	21	4.05	64	18.84	11.58
4	13	4.18	58	9.88	1.70
5	28	2.36	52	22.98	12.18
6	12	3.06	75	19.48	14.71
7	16	2.41	62	23.50	15.30



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.98	60	17.88	8.86
2	12	7.08	68	15.36	9.36
3	21	2.87	68	11.68	5.78
4	13	3.08	68	9.88	1.53
5	28	2.48	58	21.71	13.25
6	12	2.81	72	19.25	13.88
7	16	2.08	82	25.08	16.18

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	47	10.55	-0.32
2	12	1.62	43	12.26	-0.55
3	21	1.99	50	12.24	2.03
4	13	2.53	48	16.48	5.21
5	29	2.18	50	21.50	10.58
6	12	3.61	58	18.48	10.98
7	16	1.86	47	25.30	12.36



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	58	8.09	-4.21
2	12	1.71	48	12.30	-1.20
3	21	3.35	61	16.10	2.82
4	13	2.48	57	16.23	7.43
5	23	2.51	58	20.58	9.11
6	12	3.14	51	21.15	10.41
7	16	2.23	48	24.82	12.73



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	53	12.22	-3.83
2	12	1.93	58	14.81	-0.87
3	21	3.87	43	13.75	5.64
4	13	2.25	62	15.55	7.09
5	29	2.32	48	19.70	8.22
6	11	2.66	51	21.25	10.38
7	16	2.01	55	24.50	14.57

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.55	51	10.55	-0.33
2	12	2.76	42	16.78	2.72
3	21	4.18	58	19.01	10.04
4	13	3.50	68	17.51	10.58
5	29	2.26	62	20.60	8.06
6	12	2.48	48	21.24	9.99
7	16	2.08	58	24.89	13.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	48	9.88	-0.56
2	12	3.14	48	16.50	4.02
3	21	4.68	58	21.39	10.58
4	13	4.73	76	18.84	8.84
5	29	2.42	67	20.32	11.10
6	12	2.50	50	21.80	10.92
7	18	2.26	65	29.06	19.12



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.84	58	10.55	-2.88
2	12	2.73	35	15.68	-0.60
3	21	4.77	48	21.21	9.17
4	13	3.64	68	9.62	3.60
5	29	2.63	46	21.52	8.11
6	12	3.02	48	22.58	11.08
7	18	2.42	73	17.87	12.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.27	57	10.77	1.77
2	12	6.29	65	12.35	5.64
3	21	1.95	55	13.91	4.94
4	13	4.61	67	9.65	2.03
5	29	2.07	44	23.82	10.01
6	12	2.39	44	22.51	9.78
7	16	2.92	70	17.77	11.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.93	60	10.55	2.48
2	12	2.03	66	9.76	3.61
3	21	4.31	69	11.05	5.01
4	13	4.29	87	12.64	6.53
5	29	2.29	91	20.39	6.06
6	12	2.74	40	20.04	5.42
7	16	2.22	54	19.93	9.93



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.65	73	11.21	2.55
2	12	3.65	58	12.89	4.07
3	21	7.17	67	13.67	8.02
4	13	6.47	82	14.05	5.09
5	29	3.38	92	20.74	7.17
6	12	6.08	56	17.88	8.09
7	16	2.08	58	19.75	10.72

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.09	44	19.55	1.55
2	12	3.10	60	13.14	5.31
3	21	0.45	65	15.52	8.89
4	13	2.60	60	15.20	7.00
5	20	4.38	58	19.40	10.70
6	12	4.10	84	17.03	9.65
7	18	1.08	51	21.45	10.50



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.36	47	14.21	2.06
2	12	8.26	64	13.83	6.20
3	21	4.65	58	18.51	9.41
4	13	2.03	66	15.20	8.04
5	20	5.22	48	19.61	9.46
6	12	8.08	57	16.05	9.02
7	18	1.78	61	22.80	11.97



REGION	# STNS	BEXT	RH	TEMPERATURE,C	DEWPOINT,C
1	5	7.27		7.88	3.77
2	12	6.36	53	16.84	7.03
3	21	8.42	61	17.11	9.20
4	13	6.27	70	14.81	7.60
5	20	6.43	41	21.73	7.08
6	12	6.56	52	20.08	9.71
7	18	1.84	55	22.75	12.94



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.27	81	5.46	1.69
2	12	6.32	62	16.10	8.51
3	21	2.61	58	20.76	9.75
4	13	5.28	67	14.26	7.94
5	20	3.79	41	23.05	8.70
6	12	2.68	53	21.29	11.28
7	18	1.08	57	23.12	13.74



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	12.81	78	10.93	7.52
2	12	8.32	59	18.37	8.78
3	21	2.31	54	19.04	9.26
4	13	2.53	61	10.29	1.62
5	20	2.67	47	23.84	11.52
6	12	2.17	60	22.28	14.16
7	18	1.01	56	21.90	9.16

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.03	49	17.21	5.09
2	12	1.66	46	17.72	5.09
3	21	1.74	49	14.65	3.72
4	13	2.82	55	10.76	0.42
5	20	2.01	52	23.94	13.25
6	12	3.57	58	21.70	11.01
7	18	2.23	62	23.10	7.88

Reproduced from best available copy.

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	59	9.21	-0.66
2	12	1.71	45	12.35	0.64
3	21	2.47	37	17.90	2.88
4	13	2.01	61	12.84	4.82
5	29	2.03	46	22.30	9.45
6	12	2.23	56	22.60	13.09
7	16	2.56	67	24.43	17.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	96	7.99	-7.77
2	12	3.37	50	14.96	3.18
3	21	8.08	75	17.11	11.10
4	13	3.60	68	5.68	-2.77
5	29	2.30	48	22.37	10.64
6	12	5.09	62	25.62	15.59
7	16	2.17	88	23.58	18.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.68	64	6.49	0.11
2	12	6.06	63	12.03	5.83
3	21	4.62	63	13.83	10.52
4	13	1.89	66	2.88	-2.47
5	29	2.28	58	23.18	16.51
6	12	3.08	75	21.95	17.35
7	16	3.89	76	21.89	15.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	93	4.54	-7.10
2	12	1.71	51	8.79	-1.06
3	21	2.44	75	8.52	0.34
4	13	1.08	58	5.63	-2.39
5	29	3.02	45	22.56	10.26
6	12	3.28	69	21.24	15.27
7	16	5.01	80	18.99	14.54



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.19	85	5.53	-3.21
2	12	2.79	86	7.02	-6.16
3	21	1.58	52	5.60	-3.59
4	13	1.71	58	0.67	-7.51
5	29	2.68	53	21.66	11.20
6	12	4.28	75	18.79	14.07
7	16	5.01	62	17.60	13.52



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.22	81	2.99	-3.03
2	12	8.86	91	5.22	3.08
3	21	10.01	84	3.18	-1.24
4	13	4.68	54	-2.73	-9.30
5	29	5.03	19	20.34	13.73
6	12	5.30	68	17.77	13.79
7	16	2.53	65	11.31	4.08

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	88	0.33	0.77
2	12	2.00	58	5.22	-2.59
3	21	5.38	70	-0.65	-5.52
4	19	1.89	52	-8.20	-12.81
5	28	1.84	61	15.47	7.86
6	12	1.64	58	8.05	-2.03
7	18	1.67	48	10.88	0.31



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.92	40	0.68	-8.21
2	12	2.43	46	2.77	-8.08
3	21	2.88	65	-7.51	-15.02
4	19	1.53	46	-8.38	-18.94
5	28	1.66	46	12.85	0.72
6	12	1.47	45	2.68	-7.95
7	18	1.58	45	5.62	-5.85

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	38	0.22	-12.88
2	12	1.54	43	-1.01	-12.07
3	21	1.88	55	-5.40	-11.42
4	19	1.57	47	9.71	-8.88
5	28	1.84	41	8.68	-4.64
6	12	1.55	37	3.29	-10.13
7	18	1.65	42	6.52	-8.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.36	48	1.55	-8.68
2	12	2.20	42	4.25	-6.05
3	21	1.97	52	5.55	-3.51
4	19	1.69	60	4.56	-3.11
5	29	1.06	39	13.23	-1.03
6	12	2.11	36	8.74	-6.43
7	18	1.62	42	11.10	-1.42



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	[illegible]	47	4.16	-8.21
2	12	[illegible]	51	0.65	-1.57
3	21	[illegible]	40	0.13	-5.07
4	19	[illegible]	68	[illegible]	-3.67
5	29	[illegible]	67	13.00	6.70
6	12	[illegible]	78	8.97	4.71
7	15	[illegible]	54	13.19	9.26



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.38	79	6.43	4.99
2	12	5.36	65	10.73	8.28
3	21	5.30	61	8.65	0.95
4	19	2.00	58	6.62	-2.60
5	29	4.02	81	17.23	13.82
6	12	5.44	63	9.53	6.57
7	15	2.37	42	[illegible]	2.77

CAPITA

Reproduced from best available copy.



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.58	92	12.85	11.39
2	12	6.05	78	11.52	7.72
3	21	3.04	89	6.47	1.33
4	13	1.08	81	-0.75	-11.39
5	29	1.71	84	17.42	7.84
6	12	2.48	83	14.25	7.55
7	18	2.48	87	18.49	7.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	48	8.11	-9.77
2	12	2.15	57	7.81	-0.37
3	21	8.16	77	8.39	2.51
4	13	7.48	76	-0.34	-4.91
5	23	2.47	52	18.29	9.02
6	12	2.27	62	18.14	10.59
7	19	2.54	63	21.94	13.67

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	61	9.77	-3.00
2	12	2.73	69	9.34	3.83
3	21	2.25	77	5.52	2.22
4	13	2.52	61	-7.17	-11.33
5	29	3.83	74	10.26	13.20
6	12	2.08	70	15.31	11.35
7	18	1.80	46	19.62	9.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.05	73	7.89	3.22
2	12	1.57	42	6.32	-5.62
3	21	4.74	64	-4.96	-10.52
4	13	2.16	64	-11.15	-15.38
5	29	1.74	42	16.54	2.32
6	12	1.50	48	12.17	-1.18
7	18	1.65	45	18.07	3.57



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	58	-0.33	-8.10
2	12	3.69	61	-1.49	-8.26
3	21	2.16	61	-6.34	-12.65
4	13	2.12	60	-11.61	-12.49
5	22	4.13	58	8.06	-0.45
6	12	1.68	54	-1.10	-9.43
7	19	1.62	45	8.20	-5.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.37	48	-4.88	-15.21
2	12	2.46	47	-3.69	-13.63
3	21	3.40	62	-5.02	-11.36
4	13	5.13	69	-4.95	-9.32
5	29	1.59	58	4.67	-7.88
6	12	1.69	45	1.71	-10.04
7	18	2.01	46	11.59	-0.06

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	80	-2.50	-10.02
2	12	2.05	68	-0.99	-8.32
3	21	7.71	77	-1.37	-9.00
4	19	7.48	76	-7.42	-8.00
5	20	2.07	40	11.12	-2.83
6	12	2.13	47	10.10	-1.20
7	18	2.12	60	16.04	0.67



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.68	70	-0.80	-4.80
2	12	6.58	66	3.00	-0.13
3	21	8.48	80	-0.70	-2.00
4	19	5.67	76	-0.37	-10.00
5	20	9.46	76	17.79	13.02
6	12	4.97	82	15.05	11.00
7	18	3.84	71	12.80	8.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.20	82	-2.60	-9.77
2	12	9.11	82	4.60	3.74
3	21	19.01	80	-0.84	-2.95
4	19	2.01	73	-0.92	-10.77
5	20	6.84	66	10.43	18.03
6	12	2.09	70	15.73	12.07
7	18	2.01	68	4.60	-1.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.01	82	-5.10	-0.10
2	12	11.56	68	1.06	-0.78
3	21	3.41	78	-4.41	-7.72
4	19	3.68	74	-0.73	-10.90
5	20	4.56	87	15.75	13.60
6	12	3.72	82	3.97	1.11
7	18	2.12	58	9.92	-3.80

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.51	65	-3.80	-5.00
2	12	3.08	70	-2.66	-7.63
3	21	4.90	71	-8.23	-10.66
4	19	3.74	60	5.38	[illegible]
5	20	2.51	63	0.55	[illegible]
6	12	2.09	66	1.81	[illegible]
7	18	2.14	54	5.24	[illegible]



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	71	-6.68	-11.10
2	12	3.05	63	-2.68	-8.87
3	21	6.54	77	-3.09	-5.63
4	19	2.09	71	1.23	6.10
5	20	2.53	53	7.46	1.76
6	12	2.11	49	4.54	-3.53
7	18	2.10	51	7.42	2.10

CAPITA

Reproduced from best available copy.



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.60	78	-0.32	-0.86
2	12	6.78	66	0.27	-5.56
3	21	7.03	77	-0.97	-4.56
4	13	8.68	76	-2.61	-0.74
5	20	2.37	47	10.58	-0.60
6	12	2.87	52	8.89	-1.01
7	16	2.28	48	8.82	-1.60



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.29	80	-4.18	-7.18
2	12	3.18	61	-6.18	-8.70
3	21	5.86	78	-2.37	-5.84
4	13	6.02	76	0.81	-3.84
5	20	2.60	48	12.29	1.61
6	12	2.38	48	11.88	0.32
7	16	4.80	84	10.37	9.12



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.18	64	-3.10	-0.21
2	12	6.00	64	0.60	-5.50
3	21	7.28	75	2.90	-1.02
4	13	8.01	68	1.02	-0.81
5	20	2.86	56	12.63	3.00
6	12	2.84	60	11.75	4.02
7	16	3.43	61	12.21	0.71



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.02	64	-1.33	-5.68
2	12	8.29	86	5.53	3.37
3	21	11.90	94	6.88	5.01
4	13	6.64	80	2.04	-0.81
5	29	3.04	67	16.81	10.55
6	12	4.03	66	14.57	12.17
7	16	3.21	63	19.29	5.88



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.97	94	5.99	5.10
2	12	12.77	95	8.19	7.44
3	21	7.16	68	8.92	4.73
4	13	1.75	68	0.63	-4.74
5	29	4.77	61	10.42	14.91
6	12	2.40	78	14.48	10.96
7	16	1.97	55	15.82	6.42



REGION	STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.38	88	9.21	1.44
2	12	8.63	61	8.56	5.36
3	21	3.67	76	1.77	-2.11
4	13	1.61	51	-1.45	-9.99
5	20	5.39	77	17.23	12.81
6	12	5.53	65	10.18	7.58
7	16	2.24	47	9.69	-2.01

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	42	4.10	-7.77
2	12	1.60	48	3.70	-6.67
3	21	3.55	61	-2.53	-6.71
4	13	1.73	53	-7.72	-11.50
5	29	2.17	48	11.41	0.25
6	12	1.41	37	8.60	-5.38
7	18	1.53	39	10.61	-4.32

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.45	48	-1.77	-11.55
2	12	2.96	53	-2.40	-11.01
3	21	1.98	65	-6.02	-12.00
4	13	2.03	58	-3.71	-8.30
5	29	1.72	35	8.57	-7.14
6	12	1.82	35	8.43	-8.14
7	18	1.58	53	12.21	-3.10

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	42	-5.77	-10.38
2	12	2.14	58	0.87	-8.65
3	21	1.91	52	6.00	-3.38
4	13	5.08	60	-9.18	-8.21
5	29	2.45	47	11.16	0.02
6	12	1.99	42	10.50	-2.08
7	18	1.78	47	17.11	5.24



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	[illegible]	70	4.[illegible]	-0.33
2	12	[illegible]	[illegible]	5.[illegible]	-0.27
3	21	5.13	[illegible]	-6.[illegible]	-8.21
4	13	2.83	52	-14.[illegible]	-100.00
5	29	3.59	75	15.73	11.20
6	12	2.27	78	11.75	7.62
7	18	2.41	60	9.99	0.85



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.[illegible]	[illegible]	-6.10	-14.[illegible]
2	12	2.86	55	-4.95	-12.[illegible]
3	21	3.66	62	-6.64	-12.65
4	13	1.53	48	-10.10	-16.60
5	29	1.68	49	7.69	-2.41
6	12	1.44	53	-3.70	-11.85
7	18	2.19	49	-2.81	-10.76



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	58	-2.99	-11.99
2	12	3.05	56	-2.35	-9.80
3	21	3.53	[illegible]	-6.82	-11.90
4	13	5.85	73	-6.70	-8.83
5	29	2.14	52	6.16	-3.06
6	12	2.20	56	1.43	-6.57
7	18	2.67	67	2.53	-3.12

CAPITA

Reproduced from best available copy.

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.99	77	-3.21	-8.06
2	12	7.18	84	-0.27	-2.68
3	21	2.08	71	-1.89	-6.31
4	13	2.38	69	-6.30	-10.56
5	29	7.74	85	0.03	-5.29
6	12	9.58	88	5.31	3.42
7	16	6.21	69	8.84	3.81

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.41	68	-6.88	-11.77
2	12	8.48	71	-0.87	-5.55
3	21	4.08	73	1.47	-2.90
4	13	2.58	69	-1.18	-6.69
5	29	8.43	76	0.61	-3.98
6	12	8.07	85	6.88	4.50
7	16	7.11	71	12.87	8.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.87	78	-4.33	-7.88
2	12	7.11	69	1.66	-1.06
3	21	10.27	87	1.05	-3.82
4	13	6.00	68	0.55	-1.27
5	29	9.11	72	9.82	6.46
6	12	5.42	86	10.08	7.77
7	16	6.50	85	15.79	8.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.40	77	3.46	0.00
2	12	6.37	78	8.50	1.01
3	21	10.08	91	7.50	6.21
4	13	6.17	70	4.87	0.27
5	29	6.00	78	12.63	8.08
6	12	2.54	75	17.80	12.95
7	16	3.25	59	19.64	10.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	13.06	64	4.99	0.21
2	12	8.06	90	9.20	7.58
3	21	8.07	90	9.01	7.46
4	13	2.09	64	-7.11	-11.41
5	29	9.[illegible]	70	19.64	13.30
6	12	1.73	63	22.58	15.27
7	15	1.06	48	20.20	7.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.27	81	12.44	11.10
2	12	6.68	84	12.72	10.13
3	21	0.55	29	0.00	-1.53
4	13	2.79	31	-0.37	-10.12
5	29	2.65	40	20.33	14.34
6	12	3.77	63	16.15	13.28
7	16	2.79	81	10.94	8.22

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	12.80	84	10.80	6.60
2	12	8.80	82	12.81	10.02
3	21	4.56	80	-1.11	-4.07
4	13	1.88	65	-4.80	-12.19
5	29	2.71	70	21.51	17.82
6	12	4.90	85	12.56	8.81
7	16	1.87	54	10.80	1.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	8.84	81	4.88	1.88
2	12	8.04	83	8.18	0.80
3	21	8.04	73	-1.78	-5.94
4	13	8.23	68	-5.87	-11.70
5	29	4.50	86	16.56	13.82
6	12	4.80	80	4.57	1.34
7	16	2.56	66	5.52	0.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	8.81	81	-8.88	-8.88
2	12	8.48	73	-0.78	-4.96
3	21	3.94	74	-1.18	-5.23
4	13	5.00	68	-1.98	-4.01
5	29	2.81	66	12.39	8.68
6	12	2.77	65	7.44	1.56
7	16	3.86	69	16.34	7.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	64	-2.99	-8.88
2	12	4.41	74	-1.43	-5.46
3	21	8.88	83	5.84	2.96
4	13	9.65	88	-0.21	-2.09
5	29	4.14	72	12.39	7.21
6	12	2.82	64	15.18	8.18
7	16	2.94	65	19.44	12.46



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.23	80	-0.44	-3.44
2	12	11.59	86	5.87	3.56
3	21	4.64	82	7.21	4.39
4	13	3.14	63	-1.15	-6.51
5	29	3.09	69	16.52	10.55
6	12	8.68	33	16.33	13.32
7	16	2.59	59	16.78	7.91



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.90	60	0.44	-8.66
2	12	1.76	56	3.42	-4.90
3	21	3.96	68	2.03	-3.27
4	13	3.23	72	-0.78	-5.32
5	29	2.16	45	16.37	3.69
6	12	3.22	63	13.58	8.47
7	16	3.95	72	17.25	12.04

CAPITA

Reproduced from best available copy.


REGION 1, QTR 1 1964
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 1, QTR 2 1964
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 1, QTR 3 1964
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 1, QTR 4 1964
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

COPITO


REGION 2, QTR 1 1964
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 2, QTR 2 1964
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 2, QTR 3 1964
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 2, QTR 4 1964
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 3, QTR 1 1964
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 3, QTR 2 1964
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 3, QTR 3 1964
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 3, QTR 4 1964
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 4, QTR 1 1964
100 15 30
RH
BEXT
TEMP
0 0 -20
JAN FEB MAR
REGION 4, QTR 2 1964
100 15 40
RH
BEXT
TEMP
0 0 -10
APR MAY JUN
REGION 4, QTR 3 1964
100 15 50
RH
BEXT
TEMP
0 0 0
JUL AUG SEP
REGION 4, QTR 4 1964
100 15 30
RH
BEXT
TEMP
0 0 -20
OCT NOV DEC

CAPITA


REGION 5, QTR 1 1964
100 15 30
RH BEXT TEMP
0 0 -20
JAN FEB MAR
REGION 5, QTR 2 1964
100 15 40
RH BEXT TEMP
0 0 -10
APR MAY JUN
REGION 5, QTR 3 1964
100 15 50
RH BEXT TEMP
0 0 0
JUL AUG SEP
REGION 5, QTR 4 1964
100 15 30
RH BEXT TEMP
0 0 -20
OCT NOV DEC

CAPITA


REGION 6, QTR 1 1964
100 15 30
RH
BEXT
TEMP
0 0 -20
JAN FEB MAR
REGION 6, QTR 2 1964
100 15 40
RH
BEXT
TEMP
0 0 -10
APR MAY JUN
REGION 6, QTR 3 1964
100 15 50
RH
BEXT
TEMP
0 0 0
JUL AUG SEP
REGION 6, QTR 4 1964
100 15 30
RH
BEXT
TEMP
0 0 -20
OCT NOV DEC

CAPITA


REGION 7, QTR 1 1964
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 7, QTR 2 1964
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 7, QTR 3 1964
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 7, QTR 4 1964
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


EUS MEAN, QTR 1 1964
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


EUS MEAN, QTR 2 1964
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


EUS MEAN, QTR 3 1964
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


EUS MEAN, QTR 4 1964
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.91	55	-4.77	-12.88
2	11	2.62	52	-1.61	-10.68
3	20	11.32	91	2.51	1.18
4	14	6.15	88	1.34	-0.12
5	20	9.12	84	12.60	9.04
6	12	4.47	76	16.52	11.80
7	16	2.69	76	10.89	15.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.26	48	-8.21	-18.06
2	12	10.08	84	-1.70	-6.31
3	20	2.68	89	3.10	0.89
4	14	1.86	73	-6.96	-8.51
5	20	2.38	70	16.71	11.01
6	12	6.52	84	16.52	15.86
7	16	9.01	78	14.49	8.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	58	-4.10	-11.86
2	12	1.54	58	-1.88	-8.02
3	20	1.97	88	1.41	-5.62
4	14	2.06	83	-2.59	-8.68
5	20	1.60	48	10.78	-0.78
6	12	1.72	58	5.38	-1.61
7	16	2.48	78	8.88	8.47

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	31	0.66	-14.32
2	12	2.06	55	0.41	-7.95
3	20	2.56	87	1.95	-3.49
4	14	1.97	64	1.94	-4.40
5	20	1.84	37	11.41	-3.50
6	12	1.84	42	8.58	-3.83
7	16	2.35	72	11.10	8.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.93	56	1.11	-6.77
2	12	3.20	65	3.19	-5.32
3	20	4.03	71	4.24	-0.55
4	14	3.25	70	-3.25	-4.54
5	20	1.93	36	14.20	-1.16
6	12	2.02	50	12.63	2.40
7	16	4.12	77	14.05	9.85



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	46	2.66	-8.21
2	12	2.25	53	3.51	-5.50
3	20	0.53	77	5.49	1.66
4	14	0.83	78	1.50	-2.81
5	20	2.60	48	13.73	9.27
6	12	3.02	68	14.99	7.21
7	16	3.56	88	10.50	12.28

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.48	48	-4.44	-12.89
2	12	3.66	58	2.45	-6.22
3	20	7.23	61	9.08	5.93
4	14	9.48	80	4.44	2.84
5	28	2.78	53	18.80	8.02
6	12	5.39	71	18.29	11.01
7	16	1.90	66	20.62	14.23



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	4.61	82	0.89	-2.83
2	12	8.29	90	6.42	4.86
3	20	5.20	87	14.38	12.18
4	14	8.02	71	-0.98	-8.88
5	28	2.33	66	18.80	8.72
6	12	1.98	89	18.78	11.57
7	16	2.02	71	20.58	14.75



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	3.81	84	7.44	0.77
2	12	1.88	88	6.81	0.80
3	20	1.90	68	-5.53	-9.94
4	14	1.80	84	-0.81	-12.21
5	28	2.42	62	18.18	11.26
6	12	4.79	81	12.65	9.39
7	16	3.12	76	8.17	1.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	5.52	88	-4.55	-9.99
2	12	11.01	82	-2.30	-6.06
3	20	2.40	65	-4.38	-9.48
4	14	2.98	58	-9.88	-10.71
5	28	6.74	73	13.56	8.17
6	12	2.52	79	2.88	-0.32
7	16	1.58	63	3.48	-2.91



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.48	57	-3.56	-8.60
2	12	5.28	73	-1.94	-6.18
3	20	3.63	68	-0.36	-5.57
4	14	3.94	58	-9.05	-8.85
5	29	2.81	66	7.67	1.55
6	12	2.40	60	5.08	-2.12
7	16	2.05	63	6.52	-0.24



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.05	56	3.10	-6.99
2	12	5.62	70	1.20	-3.08
3	20	3.23	62	-1.22	-7.55
4	14	4.18	61	-4.28	-7.88
5	28	2.72	63	10.08	3.25
6	12	2.80	61	8.70	1.61
7	16	3.78	64	10.20	3.50

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.01	68	1.89	-5.98
2	12	10.27	76	1.66	-2.07
3	20	5.06	65	-5.94	-8.89
4	14	1.71	56	-7.03	-11.66
5	29	3.02	61	12.54	6.36
6	12	4.52	72	8.90	5.08
7	18	9.26	66	11.69	9.34

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	38	-6.66	-15.87
2	12	6.04	56	-7.62	-16.05
3	20	2.10	51	-11.50	-18.82
4	14	4.53	68	-3.61	-8.32
5	29	1.98	41	8.77	-3.98
6	12	2.52	48	4.66	-8.19
7	18	9.06	61	11.68	6.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	37	-13.88	-100.00
2	12	3.18	56	-11.33	-15.18
3	20	12.72	77	-7.21	-10.55
4	14	9.38	68	-0.84	-4.38
5	29	9.02	67	5.68	-0.21
6	12	2.21	65	6.38	0.60
7	18	9.06	87	19.68	9.24



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.26	83	-15.18	-17.21
2	12	10.97	73	-10.92	-12.71
3	20	4.35	64	-9.54	-14.03
4	14	2.74	64	-10.08	-10.62
5	29	8.48	70	3.06	-0.76
6	12	9.33	70	-4.07	-8.68
7	18	1.58	44	3.33	-7.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.97	69	-10.98	-19.60
2	12	2.36	53	-11.20	-15.88
3	20	3.77	67	-10.07	-14.02
4	14	2.06	66	0.59	-5.51
5	29	2.23	57	-1.51	-8.28
6	12	2.50	59	-6.58	-13.32
7	18	1.58	38	5.66	-7.26

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.87	56	-9.68	-14.44
2	12	5.43	63	-6.43	-12.35
3	20	2.28	64	-8.41	-13.88
4	14	1.77	58	-5.63	-8.68
5	29	2.87	46	3.69	-7.31
6	12	2.03	53	1.80	-7.40
7	18	1.64	38	10.27	-3.08

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	86	-8.77	-15.46
2	12	9.22	58	-6.84	-13.61
3	20	2.58	84	-5.10	-10.98
4	15	1.86	88	0.89	-4.78
5	29	1.78	40	4.17	-8.63
6	12	1.73	48	5.19	-7.77
7	10	1.06	89	10.90	-0.96



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.66	78	-2.88	-8.88
2	12	6.67	68	-0.68	-6.05
3	20	5.48	87	-2.74	-7.57
4	14	1.63	85	-3.00	-9.01
5	29	2.15	43	11.62	-0.70
6	12	3.56	58	9.96	2.17
7	10	2.65	98	14.02	8.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	47	-6.44	-14.02
2	12	1.90	57	-0.60	-8.18
3	20	9.83	71	-0.41	-5.07
4	14	2.08	58	4.00	-3.68
5	29	2.36	46	13.48	1.48
6	12	4.20	63	12.54	5.58
7	10	8.80	84	14.29	11.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.34	50	4.44	-4.99
2	12	5.75	66	4.76	-1.34
3	20	11.34	90	5.18	3.66
4	14	7.08	83	-1.11	-0.73
5	29	2.80	50	18.15	7.46
6	12	2.99	57	17.40	8.51
7	10	2.82	73	18.41	11.31



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.85	53	-9.10	-10.27
2	12	11.65	86	-4.20	-6.10
3	20	13.16	93	1.77	0.75
4	14	7.69	80	-4.72	-6.70
5	29	5.32	77	17.44	13.15
6	12	4.32	92	15.64	14.59
7	10	2.42	58	11.38	1.91



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	11.21	78	-6.77	-8.52
2	12	5.43	69	-0.60	-2.12
3	20	3.77	68	1.02	-0.99
4	14	1.78	78	-5.90	-9.08
5	29	4.51	81	14.28	10.93
6	12	2.08	71	8.97	3.88
7	10	2.20	48	10.29	-1.45

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.08	71	-0.85	-5.30
2	12	3.38	70	1.24	-3.60
3	20	4.65	83	1.08	-0.98
4	14	5.85	80	-2.18	-6.25
5	29	1.80	65	13.63	6.48
6	12	1.50	56	15.20	5.63
7	18	9.72	89	17.25	7.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	9.96	76	-1.77	-6.77
2	12	6.14	78	0.83	0.86
3	20	5.35	82	5.41	0.61
4	14	1.86	70	-8.11	-10.92
5	29	3.76	67	10.11	11.47
6	12	7.28	45	10.62	1.94
7	18	9.28	86	10.90	-0.67



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.98	84	2.82	-4.10
2	12	3.25	58	0.68	-8.78
3	20	2.51	65	-8.91	-12.42
4	14	2.89	82	-2.77	-8.27
5	29	1.90	37	10.72	-3.58
6	12	1.53	48	4.46	-8.08
7	18	1.69	88	9.61	-3.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	52	-3.88	-10.68
2	12	4.36	56	-1.48	-9.48
3	20	2.33	57	-9.30	-12.92
4	14	2.70	54	-11.74	-16.72
5	29	1.69	31	10.36	-6.41
6	12	1.53	38	10.82	-3.97
7	18	1.04	34	12.63	-2.11



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.69	38	-9.89	-100.00
2	12	1.76	49	-8.37	-15.48
3	20	3.00	51	-13.74	-100.00
4	14	0.52	68	-9.72	-12.09
5	29	1.87	43	10.15	-1.70
6	12	2.28	58	3.57	-2.22
7	18	1.68	42	12.18	-0.93



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.36	84	-8.77	-100.00
2	12	4.22	50	-9.81	-15.43
3	20	2.58	56	-12.28	-16.45
4	14	2.20	58	-11.57	-11.86
5	29	5.91	68	6.99	1.52
6	12	3.56	63	0.09	-4.84
7	18	1.84	61	8.95	-1.07

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	51	-8.55	-12.81
2	12	3.43	56	-6.05	-10.07
3	20	5.39	83	-12.21	-14.71
4	14	4.84	86	-8.20	-7.61
5	20	1.08	44	0.67	-9.46
6	12	2.01	49	-6.35	-14.32
7	18	1.63	42	0.47	-2.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	55	-8.10	-12.81
2	12	7.51	66	-4.34	-10.06
3	20	8.41	76	-9.07	-10.96
4	14	1.60	67	-19.14	-14.71
5	20	2.07	46	7.80	-2.23
6	12	7.87	83	5.37	0.76
7	18	1.93	47	0.85	-2.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.21	54	-2.88	-10.55
2	12	6.05	61	-4.20	-10.73
3	20	5.06	62	-12.38	-14.36
4	14	1.60	80	-8.51	-14.69
5	20	1.72	60	6.80	-9.45
6	12	1.99	58	-5.38	-11.21
7	18	1.61	38	4.51	-8.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.09	48	-8.88	-14.85
2	12	3.20	51	-8.93	-16.52
3	20	2.69	58	-12.77	-15.64
4	14	1.84	58	-8.39	-14.59
5	20	1.67	38	4.80	-7.19
6	12	2.18	47	-1.48	-11.57
7	18	1.84	46	0.81	-2.60



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	40	-8.86	-100.00
2	12	2.03	45	-8.19	-16.77
3	20	3.33	54	-12.53	-18.66
4	14	1.73	59	-8.18	-10.62
5	20	1.64	30	7.62	-5.08
6	12	2.36	41	3.33	-9.02
7	18	4.34	60	8.32	0.07

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.14	43	-10.10	-100.00
2	12	4.33	47	-6.70	-15.66
3	20	2.37	61	1.91	-4.05
4	14	1.68	66	4.12	-1.00
5	20	1.06	43	8.06	-3.20
6	12	2.24	48	7.21	-5.78
7	18	2.60	69	11.88	3.67

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.43	69	-1.86	-7.84
2	12	3.66	64	6.62	-0.06
3	20	2.31	63	7.86	1.05
4	14	8.40	62	3.78	0.75
5	22	3.87	60	15.66	6.81
6	12	6.58	72	10.27	5.13
7	10	8.88	79	10.91	9.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.62	78	2.77	-1.22
2	12	8.66	88	6.70	6.01
3	20	13.84	93	8.13	7.16
4	14	6.31	79	-3.29	-6.72
5	29	8.55	87	17.91	15.05
6	12	5.14	90	14.25	12.72
7	10	8.92	80	18.17	12.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.01	88	7.88	6.08
2	12	8.08	86	10.22	7.86
3	20	9.95	79	1.88	-1.33
4	14	1.87	81	-4.68	-10.08
5	28	2.16	68	20.87	14.81
6	12	4.50	88	16.88	14.25
7	10	9.51	88	8.58	8.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	48	-0.44	-8.88
2	12	1.98	56	4.35	-3.93
3	20	10.70	88	2.72	1.05
4	14	10.54	88	-0.35	-2.16
5	29	3.12	69	18.15	12.18
6	12	4.54	82	19.25	18.01
7	10	3.67	79	11.55	8.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.22	78	-4.21	-4.85
2	12	6.26	88	4.96	3.23
3	20	1.63	71	9.38	8.47
4	14	3.13	78	-3.78	-6.74
5	29	5.79	75	18.09	13.15
6	12	2.53	77	17.68	13.37
7	10	3.38	70	14.08	8.53



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.84	61	5.55	-1.22
2	12	2.51	69	5.87	0.60
3	20	4.96	60	3.41	0.27
4	14	8.65	78	-10.47	-11.81
5	29	3.40	69	19.87	13.86
6	12	4.90	80	18.58	14.99
7	10	2.42	66	13.65	8.97

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	8.86	90	0.86	-0.77
2	12	10.42	88	8.18	6.18
3	20	8.84	70	-0.47	-5.95
4	16	1.58	81	-8.84	-13.78
5	20	3.43	75	10.47	14.46
6	12	1.84	88	11.18	9.52
7	18	1.84	88	4.50	-4.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.46	48	1.22	-9.86
2	12	3.16	53	0.84	-8.06
3	20	2.45	65	-3.60	-8.71
4	16	2.17	87	-10.87	-15.08
5	20	2.02	68	11.89	3.58
6	12	1.55	56	3.51	-4.58
7	18	1.67	94	4.97	-4.44

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.81	86	-7.77	-17.21
2	12	1.76	51	-3.60	-12.40
3	20	2.16	57	0.41	-7.10
4	16	2.17	68	-2.22	-7.48
5	20	2.22	78	7.10	3.46
6	12	3.26	55	3.76	-4.50
7	18	1.83	88	8.67	-0.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.48	45	-3.21	-11.66
2	12	2.38	46	1.70	-9.20
3	20	2.16	55	4.94	-3.55
4	16	1.68	81	-7.94	-10.82
5	20	2.66	66	7.95	1.36
6	12	2.63	48	6.98	-4.18
7	18	3.25	94	10.48	1.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.46	47	5.88	-6.55
2	12	3.53	57	4.16	-3.51
3	20	2.79	57	1.08	-8.49
4	16	1.84	62	-4.81	-9.81
5	20	5.44	68	10.64	4.87
6	12	3.75	64	7.72	0.83
7	18	5.58	81	7.49	4.23



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.89	36	-1.88	-15.44
2	12	2.02	46	2.88	-7.86
3	20	5.66	68	3.77	-2.02
4	16	1.93	64	1.22	-9.18
5	20	5.72	64	12.71	5.43
6	12	5.08	67	9.88	2.96
7	18	9.25	71	8.12	5.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.00	87	2.00	-3.00
2	12	1.07	45	4.30	-6.75
3	20	2.76	81	3.03	-4.00
4	14	1.00	84	4.31	-1.50
5	29	2.31	48	16.55	3.00
6	12	2.40	45	13.00	1.01
7	10	1.70	40	13.00	2.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.04	91	-7.96	-12.05
2	12	0.05	51	-7.12	-15.02
3	20	1.03	57	-5.41	-12.27
4	14	2.09	84	3.00	-3.46
5	20	1.01	30	12.00	-1.37
6	12	1.07	30	11.01	-2.13
7	15	1.04	40	10.10	0.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	97	-0.44	-10.00
2	12	1.00	00	-7.12	-10.00
3	20	2.02	59	2.50	-0.52
4	14	1.70	00	7.10	-1.10
5	20	1.07	32	0.00	-0.06
6	12	1.07	30	10.70	-5.02
7	10	1.02	44	10.00	0.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.02	93	-0.96	-11.66
2	12	2.75	51	5.95	-4.90
3	20	5.20	05	-4.71	-9.01
4	14	2.40	51	-0.03	-15.20
5	29	2.57	50	14.36	3.40
6	12	3.46	05	11.00	0.90
7	10	1.04	52	12.50	2.63



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.31	67	-7.00	-10.32
2	12	1.00	47	-7.02	-15.39
3	20	3.57	52	-10.05	-15.73
4	14	2.73	55	-0.14	-10.51
5	29	1.61	37	7.20	-6.70
6	12	1.40	43	1.20	-10.00
7	10	1.01	42	0.00	-3.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	97	-7.00	-100.00
2	12	2.05	44	-6.04	-10.77
3	20	4.04	59	-7.55	-13.20
4	14	7.30	67	-19.20	-11.77
5	20	3.57	40	0.30	-2.52
6	12	1.70	55	0.99	-4.90
7	10	0.41	60	11.21	0.03

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.36	47	-4.55	-11.10
2	12	2.10	61	1.24	-8.00
3	20	11.39	78	-4.35	-7.88
4	14	2.77	68	-11.22	-10.88
5	29	6.55	78	10.99	6.83
6	12	5.02	87	9.11	7.05
7	10	2.81	80	0.69	-0.60



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.10	80	2.44	1.08
2	12	10.00	82	6.83	6.52
3	20	9.15	73	-7.24	-10.90
4	14	1.76	60	-5.47	-10.60
5	29	2.00	54	6.26	-2.66
6	12	5.20	61	-5.37	-10.08
7	10	2.24	36	0.74	-8.24

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.60	56	-0.60	-8.10
2	12	3.00	52	-4.02	-12.63
3	20	2.98	58	-0.50	-14.21
4	14	1.60	64	0.11	-8.62
5	29	1.50	86	6.36	-0.15
6	12	1.71	49	4.39	-7.54
7	10	1.66	32	16.69	-1.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	43	-3.99	-14.77
2	12	3.07	58	-1.00	-11.01
3	20	2.29	83	3.24	-3.29
4	14	1.92	59	7.09	-0.35
5	29	1.63	31	13.30	-3.90
6	12	1.57	43	14.99	2.48
7	10	1.55	48	10.67	0.19



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	50	0.55	-8.66
2	12	2.76	58	4.99	-2.77
3	20	5.33	75	8.32	4.10
4	14	9.48	73	7.61	2.81
5	29	1.78	37	18.96	3.77
6	12	1.68	58	17.94	7.95
7	10	1.70	58	10.75	10.24



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.60	50	1.88	-5.55
2	12	1.77	45	4.53	-8.52
3	20	5.58	71	9.41	4.16
4	14	7.70	76	-3.04	-8.66
5	29	2.06	46	18.19	5.48
6	12	3.17	62	17.12	9.11
7	10	9.22	71	12.28	8.48

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.46	48	7.00	-2.77
2	12	1.95	50	7.66	-2.40
3	20	0.39	72	4.85	0.00
4	14	5.10	70	-0.60	-11.00
5	29	5.46	76	14.62	0.50
6	12	8.07	88	13.33	10.50
7	10	2.20	87	8.05	-4.12



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.59	58	0.00	1.10
2	12	3.41	80	0.00	0.73
3	20	12.40	91	1.50	0.41
4	14	8.02	71	-6.50	-11.00
5	29	6.05	76	13.75	0.34
6	12	8.85	84	9.30	6.80
7	10	9.01	89	9.83	-5.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.45	47	11.00	0.00
2	12	3.05	59	11.52	2.21
3	20	10.04	80	3.15	1.63
4	14	7.01	75	-5.20	-7.21
5	29	6.07	74	10.76	0.77
6	12	6.10	73	5.05	-1.47
7	10	1.00	39	4.97	-8.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	69	6.77	1.33
2	12	6.06	78	5.10	1.52
3	20	10.65	85	-1.90	-9.16
4	14	2.60	85	0.31	-5.08
5	29	2.99	57	7.96	-0.66
6	12	8.02	78	9.00	-2.28
7	10	1.69	33	10.03	-8.30



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.08	87	3.77	1.77
2	12	3.98	75	3.08	-0.10
3	20	4.51	83	1.13	-1.49
4	14	2.02	68	0.75	-4.51
5	29	3.17	67	7.02	-1.10
6	12	4.50	77	9.23	-0.60
7	10	1.04	31	12.07	-4.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.02	82	8.21	9.33
2	12	3.40	73	6.75	2.12
3	20	4.65	83	1.63	-0.06
4	14	1.01	62	1.48	-5.51
5	29	2.66	49	10.97	0.67
6	12	5.28	76	4.53	0.58
7	10	2.08	35	10.94	-4.69

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.47	81	7.00	-1.77
2	12	3.02	66	8.20	-0.06
3	20	4.40	78	2.32	-1.10
4	14	1.66	66	1.50	-4.47
5	20	2.37	62	10.10	0.30
6	12	3.51	87	5.50	-0.52
7	10	1.00	81	10.50	-1.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.66	88	6.00	-3.66
2	12	3.04	65	6.33	-0.36
3	20	5.58	80	1.50	-1.77
4	14	1.57	66	-2.07	-8.48
5	20	2.17	46	12.70	0.60
6	12	2.05	52	10.50	0.50
7	10	1.04	47	17.01	6.04

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.16	58	8.68	-1.00
2	12	5.13	68	3.85	-1.00
3	20	2.54	68	-1.00	-7.35
4	14	2.86	66	-0.63	-7.48
5	20	1.76	46	12.60	-1.26
6	12	1.94	48	7.17	-3.56
7	10	2.02	84	16.75	8.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	48	1.77	-8.10
2	12	1.63	42	0.13	-11.52
3	20	3.23	61	-0.05	-8.78
4	14	2.65	61	3.80	-5.15
5	20	1.83	37	10.87	-4.08
6	12	1.38	48	7.72	-4.25
7	10	3.00	73	13.40	9.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.30	35	1.11	-12.00
2	12	1.62	38	1.38	-11.33
3	20	3.59	70	1.44	-3.40
4	14	3.02	62	1.74	-5.03
5	20	4.53	66	10.30	3.40
6	12	3.12	77	8.20	4.16
7	10	3.11	73	14.61	9.51



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	28	4.84	-12.44
2	12	1.71	42	3.83	-8.42
3	20	3.48	63	2.89	-3.77
4	14	0.01	71	1.84	-9.00
5	20	2.03	57	11.12	2.14
6	12	3.10	65	9.48	2.95
7	10	3.32	72	12.35	7.08

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.82	34	8.04	-9.36
2	12	2.08	46	5.45	-5.78
3	20	4.82	76	2.05	-2.19
4	16	2.01	66	2.40	-4.06
5	28	2.22	61	14.58	6.06
6	12	2.89	88	12.12	6.07
7	18	8.48	88	10.68	8.68



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.58	41	1.77	-8.88
2	12	8.87	88	3.83	-1.57
3	20	4.08	78	5.30	-1.76
4	16	2.22	87	8.87	-4.88
5	28	1.78	41	15.87	1.88
6	12	2.08	47	14.56	2.77
7	18	2.63	58	18.18	10.66

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.77	58	9.77	-8.88
2	12	8.71	56	6.41	-2.06
3	20	1.62	56	5.52	-2.58
4	16	8.08	69	1.88	-4.88
5	28	1.82	26	18.87	2.87
6	12	1.85	42	18.58	5.15
7	18	2.63	69	20.78	12.48



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.31	25	4.68	-13.44
2	12	2.87	52	3.83	-5.32
3	20	3.88	88	4.85	2.22
4	16	8.31	78	-5.75	-6.41
5	28	5.86	78	15.78	10.68
6	12	4.59	88	17.63	14.86
7	18	2.88	46	17.63	8.46



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	3.42	72	2.21	-2.66
2	12	4.63	88	4.25	0.92
3	20	3.81	68	-3.88	-9.21
4	16	5.47	54	-8.88	-16.10
5	28	3.28	68	17.54	11.12
6	12	2.04	88	11.10	3.58
7	18	1.93	47	6.28	-6.37



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	8.20	78	9.32	-0.55
2	12	2.36	52	3.16	-5.02
3	20	5.18	61	-7.18	-13.48
4	16	1.72	48	-8.40	-16.20
5	28	2.06	48	15.64	6.65
6	12	1.57	48	4.38	-7.68
7	18	8.22	41	1.28	-10.63

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	7.86	67	-3.10	-10.00
2	12	13.33	81	-4.11	-6.00
3	20	2.50	55	-5.71	-15.66
4	14	1.01	48	-7.81	-15.06
5	20	5.76	73	7.31	2.30
6	12	1.03	48	0.07	-8.62
7	10	1.04	48	3.22	-8.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.17	48	-3.99	-19.99
2	12	2.45	48	-2.63	-12.48
3	20	5.36	85	-5.18	-9.86
4	14	1.88	81	-5.15	-11.81
5	20	1.68	38	6.62	-7.33
6	12	1.46	28	0.06	-11.66
7	10	2.33	96	13.97	-4.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.91	98	-1.77	-16.18
2	12	6.29	64	0.18	-8.42
3	20	1.83	50	5.30	-4.74
4	14	0.20	68	-3.21	-8.62
5	20	1.76	36	13.80	-1.37
6	12	1.50	20	13.28	-4.62
7	10	2.21	84	10.84	7.59



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.97	59	2.99	-4.84
2	12	7.01	65	6.30	-0.69
3	20	8.00	80	-1.30	-4.35
4	14	1.04	56	-13.10	-11.00
5	20	4.81	66	18.40	11.35
6	12	3.47	72	17.91	12.68
7	10	2.70	50	15.31	8.45



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	48	0.44	-7.77
2	12	4.76	66	1.98	-4.02
3	20	5.37	67	-4.55	-9.85
4	14	3.12	60	-9.78	-13.82
5	20	3.65	72	17.86	12.52
6	12	7.22	83	13.33	10.38
7	10	0.14	77	8.22	3.71



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	28	9.55	-13.44
2	12	2.57	55	2.81	-5.68
3	20	4.48	71	-2.74	-7.41
4	14	2.10	62	-7.81	-12.68
5	20	6.99	77	16.60	12.10
6	12	5.97	85	13.53	11.43
7	10	4.48	70	7.11	2.00

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	11.30	94	1.10	0.22
2	12	7.29	91	2.86	1.61
3	20	5.44	73	-2.55	-8.74
4	14	2.28	82	-5.27	-11.98
5	29	3.27	76	10.00	13.32
6	12	7.58	88	10.13	8.23
7	18	2.70	87	7.04	-0.69



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	43	2.58	-9.88
2	12	2.77	45	3.51	-7.63
3	20	2.10	60	-0.80	-7.80
4	14	5.08	78	0.16	-4.52
5	29	2.20	58	16.20	8.01
6	12	3.22	61	10.45	3.23
7	18	3.82	61	12.68	4.37



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	36	2.22	-11.88
2	12	2.28	48	7.81	-2.77
3	20	4.56	62	6.05	-1.02
4	14	6.01	79	3.14	-1.16
5	29	3.63	84	17.00	10.84
6	12	2.83	86	20.08	15.56
7	18	6.87	79	19.18	12.69



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	13.21	75	-2.88	-7.46
2	12	9.56	91	2.86	1.52
3	20	7.88	81	2.98	-0.02
4	14	3.67	88	-0.91	-5.98
5	29	3.58	73	20.89	15.66
6	12	3.61	84	17.82	14.58
7	18	8.21	75	16.80	11.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	47	0.68	-9.44
2	12	1.61	51	1.71	-7.35
3	20	2.60	62	2.30	-4.27
4	14	3.28	60	2.89	-4.32
5	29	2.16	53	18.17	8.23
6	12	8.55	72	12.05	7.12
7	18	8.88	79	11.93	8.12



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	34	-0.46	-14.44
2	12	1.68	58	1.67	-11.29
3	20	2.32	51	3.80	-5.77
4	14	6.89	84	8.01	1.11
5	29	6.87	59	12.48	3.84
6	12	3.79	58	13.89	6.39
7	18	6.67	76	15.88	11.91

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	25	4.00	-19.66
2	12	1.06	36	4.40	-0.60
3	20	0.58	67	8.30	-0.27
4	14	5.55	70	8.10	0.07
5	20	3.10	57	19.10	4.10
6	12	3.90	86	15.04	8.00
7	10	4.12	71	20.02	16.76



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.39	56	4.39	-10.56
2	12	3.08	66	2.60	-3.46
3	20	2.10	61	2.57	-4.19
4	14	5.04	78	4.71	0.71
5	20	2.40	48	16.05	5.46
6	12	2.92	55	17.60	7.72
7	10	3.36	71	22.11	18.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	27	5.00	-11.00
2	12	1.52	32	5.06	-0.00
3	20	2.15	46	4.60	-5.62
4	14	6.57	00	5.00	2.53
5	20	2.17	37	14.07	0.17
6	12	5.10	00	12.72	5.75
7	10	2.50	01	24.00	10.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	24	0.80	-10.55
2	12	1.60	27	0.02	-0.43
3	20	3.75	50	0.75	-1.00
4	14	6.90	01	0.42	3.05
5	20	3.03	54	16.30	5.57
6	12	3.52	79	17.63	15.79
7	10	2.16	65	25.03	17.60



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	10	12.00	-12.21
2	12	1.90	22	12.77	-0.06
3	20	6.43	04	10.35	2.52
4	14	7.95	00	7.20	5.51
5	20	3.02	52	20.21	0.00
6	12	2.70	71	22.26	16.75
7	10	2.45	50	23.50	19.99



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.90	30	10.00	-0.77
2	12	1.00	26	14.53	-5.60
3	20	4.09	75	17.40	12.30
4	14	9.05	71	0.04	3.44
5	20	3.04	59	22.27	13.40
6	12	3.21	70	23.51	17.50
7	10	3.71	64	23.00	12.00

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.18	48	7.82	-0.05
2	12	3.26	71	7.86	2.72
3	20	1.87	58	15.71	5.05
4	14	1.71	56	15.40	4.32
5	20	3.71	60	22.11	13.46
6	12	2.11	55	24.11	15.45
7	18	2.47	69	26.97	17.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.77	86	8.62	5.86
2	12	6.48	88	11.47	9.32
3	20	4.69	88	12.35	8.24
4	14	5.10	78	10.88	5.51
5	20	2.50	62	24.24	13.42
6	12	3.54	71	22.54	16.84
7	18	2.41	51	26.25	15.12



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.66	67	8.10	0.86
2	12	2.82	65	8.16	2.72
3	20	2.65	65	10.10	5.77
4	14	3.38	74	9.24	4.06
5	20	3.16	62	23.66	12.07
6	12	2.25	56	23.74	15.88
7	18	2.47	68	25.41	18.42



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.36	42	11.88	-0.55
2	12	1.66	41	13.90	0.06
3	20	4.02	62	11.96	4.74
4	14	4.81	69	13.36	7.13
5	20	2.92	51	20.47	9.95
6	12	3.10	57	22.07	13.19
7	18	2.20	63	25.58	19.67



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.36	40	10.55	-2.99
2	12	1.54	38	13.51	-0.50
3	20	4.28	76	10.60	13.74
4	14	5.84	81	11.81	9.01
5	20	4.88	67	20.74	14.24
6	12	2.81	62	26.10	18.19
7	18	2.46	44	24.33	9.37

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	12.47	93	4.44	3.44
2	12	4.37	61	15.18	6.75
3	20	1.89	67	10.48	4.88
4	14	1.57	69	7.77	0.88
5	20	2.16	46	26.68	12.38
6	12	2.72	40	25.13	9.71
7	18	2.72	61	23.48	11.78

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.20	86	5.77	1.33
2	12	2.20	60	6.88	-0.83
3	20	1.85	48	10.21	-0.94
4	14	1.60	51	11.70	2.02
5	20	1.72	36	21.60	6.06
6	12	1.87	45	18.76	8.52
7	16	3.16	58	25.64	16.56



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	48	0.77	-1.77
2	12	1.58	38	12.63	-1.66
3	20	2.13	45	10.41	-1.27
4	14	3.41	71	12.66	8.04
5	20	1.66	32	20.03	2.61
6	12	1.77	56	18.95	9.93
7	16	3.84	66	29.88	18.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	93	14.38	-1.98
2	12	2.88	68	10.59	4.62
3	20	7.91	88	10.55	8.77
4	14	1.83	85	9.00	2.48
5	20	2.07	60	19.61	11.22
6	12	2.78	72	21.80	18.88
7	16	2.70	48	22.59	8.76



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.98	88	12.21	8.55
2	12	1.91	60	10.69	2.91
3	20	1.65	59	8.48	-1.05
4	14	1.87	54	10.39	0.79
5	20	1.85	48	20.59	8.06
6	12	1.60	48	15.76	4.11
7	16	1.55	36	21.69	5.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	48	0.44	-2.55
2	12	3.11	53	9.11	-0.60
3	20	3.58	65	11.32	4.43
4	14	1.71	00	9.52	1.54
5	20	1.67	35	21.02	5.11
6	12	1.43	35	21.80	5.87
7	16	1.53	36	25.82	8.12

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.30	43	7.00	-4.55
2	12	1.97	62	6.61	-0.55
3	20	2.91	60	9.18	2.96
4	14	1.78	52	10.96	1.20
5	20	1.76	36	24.41	7.67
6	12	1.58	47	24.30	12.12
7	16	2.06	52	25.46	14.12



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.70	58	7.86	-1.44
2	12	2.27	65	7.07	0.60
3	20	2.43	51	12.86	2.81
4	14	1.64	38	14.00	-0.11
5	28	3.51	63	19.57	11.28
6	12	2.60	70	19.11	15.48
7	18	2.10	47	25.46	11.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.25	68	8.10	0.46
2	12	3.38	57	11.24	2.48
3	20	3.05	57	12.77	5.96
4	14	1.80	41	17.05	5.80
5	28	3.84	66	18.30	11.00
6	12	1.88	47	20.15	9.28
7	18	1.57	34	26.10	8.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	46	11.65	-0.22
2	12	2.68	48	16.76	5.46
3	20	3.55	49	19.88	8.85
4	14	2.36	38	17.61	7.48
5	28	2.88	56	21.52	11.48
6	12	1.52	46	24.48	11.10
7	18	1.68	35	28.32	10.56



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.77	43	13.39	1.22
2	12	2.08	48	15.87	4.48
3	20	3.38	59	16.85	8.71
4	14	2.08	52	20.47	9.98
5	28	2.43	50	25.09	13.60
6	12	2.30	54	24.99	14.95
7	18	1.68	42	28.12	12.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.06	50	8.77	-3.55
2	12	6.29	73	9.11	4.39
3	20	5.86	67	16.18	9.71
4	14	2.69	68	14.00	7.65
5	28	2.29	49	26.24	14.48
6	12	1.89	48	27.91	15.41
7	18	1.74	45	28.25	13.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	38	8.85	-8.88
2	12	1.59	42	9.11	-9.14
3	20	4.78	72	9.71	4.57
4	14	5.99	78	8.13	4.56
5	28	2.99	56	21.80	12.48
6	12	2.04	48	26.37	16.52
7	18	1.88	49	28.41	16.05

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.32	31	11.89	-4.98
2	12	3.07	52	10.27	0.32
3	20	10.12	89	9.71	8.00
4	14	2.48	74	7.87	3.40
5	28	3.68	68	18.10	13.07
6	12	3.20	87	24.18	17.35
7	18	1.78	81	23.41	19.36



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.01	82	5.55	4.10
2	12	5.88	84	9.43	6.88
3	20	2.48	77	7.18	3.41
4	14	1.67	68	12.68	3.44
5	28	2.37	72	22.87	17.38
6	12	2.07	72	21.01	15.68
7	18	1.84	88	17.84	11.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.36	81	7.68	4.88
2	12	6.77	81	9.53	6.33
3	20	2.56	53	12.60	3.02
4	14	1.87	58	0.97	-0.88
5	28	3.63	68	21.93	15.76
6	12	3.43	73	15.87	11.15
7	18	1.81	68	18.48	8.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.98	54	12.89	3.00
2	12	2.92	56	13.20	4.48
3	20	2.10	56	11.91	2.88
4	14	1.60	32	14.75	-9.17
5	28	2.98	58	18.98	10.31
6	12	2.68	51	18.06	5.82
7	18	1.56	41	18.67	5.08

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.31	27	17.68	-1.68
2	12	1.55	32	16.93	-0.27
3	20	1.71	37	17.05	2.10
4	14	1.54	30	23.52	4.18
5	28	2.12	38	19.38	4.50
6	12	1.93	48	16.56	5.50
7	18	1.58	34	21.76	4.96



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.55	30	19.88	1.77
2	12	2.03	37	21.01	5.31
3	20	2.18	44	21.82	8.88
4	14	1.63	27	24.87	3.78
5	28	1.77	30	23.07	4.65
6	12	1.99	36	22.49	8.89
7	18	1.53	29	24.57	6.27



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	39	10.21	-5.21
2	12	1.56	28	18.85	-0.68
3	20	2.42	55	24.24	9.27
4	14	1.80	38	26.66	8.38
5	20	1.86	33	25.80	8.48
6	12	1.58	38	28.06	9.30
7	18	1.87	54	25.68	8.71



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	27	15.00	-6.00
2	12	2.00	47	20.82	0.68
3	20	1.87	48	25.00	11.13
4	14	1.76	48	22.68	10.61
5	20	2.01	36	27.13	8.65
6	12	1.82	37	25.79	10.13
7	18	1.81	48	28.68	12.21

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.38	44	18.10	1.08
2	12	2.28	42	24.08	10.65
3	20	1.82	48	28.19	11.57
4	14	1.65	33	18.65	8.28
5	20	1.88	33	28.86	10.80
6	12	1.68	41	26.10	12.32
7	18	2.26	56	25.69	18.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	31	22.55	4.33
2	12	3.23	47	23.93	10.32
3	20	2.76	56	20.80	10.02
4	14	2.22	52	22.57	11.90
5	20	1.83	36	28.92	11.20
6	12	2.10	48	26.89	13.69
7	18	2.43	60	26.03	17.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.92	29	15.21	-5.44
2	12	1.76	48	15.87	3.93
3	20	6.41	71	20.99	14.82
4	14	2.68	66	20.78	13.72
5	20	2.52	46	26.62	13.76
6	12	2.36	46	27.21	14.67
7	18	2.58	57	25.27	14.12



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.92	30	17.96	-0.99
2	12	2.68	36	21.98	5.50
3	20	4.63	67	24.18	17.43
4	14	1.96	66	22.21	12.73
5	20	2.62	48	27.05	15.05
6	12	2.57	45	27.60	14.94
7	18	2.93	58	26.87	15.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.90	48	12.10	0.80
2	12	6.03	82	11.61	8.51
3	20	2.60	58	27.02	18.10
4	14	2.10	66	22.80	19.21
5	20	2.56	66	24.60	16.10
6	12	2.15	45	28.16	15.31
7	16	2.10	66	27.14	15.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	48	18.52	5.10
2	12	3.08	67	17.86	11.33
3	20	2.14	48	27.60	15.93
4	14	2.07	71	18.36	19.00
5	20	2.58	66	24.77	16.05
6	12	2.20	45	28.97	15.83
7	16	2.07	58	25.80	15.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.00	52	24.44	13.00
2	12	5.38	86	23.76	15.31
3	20	2.05	58	26.89	18.91
4	14	2.13	66	15.31	9.11
5	20	2.36	66	26.48	16.76
6	12	2.27	45	28.79	15.82
7	16	2.20	58	25.30	16.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.25	47	20.32	8.10
2	12	3.43	58	27.03	16.66
3	20	2.09	60	20.99	12.68
4	14	1.60	47	15.71	5.60
5	20	2.37	50	28.86	17.07
6	12	2.32	58	27.40	17.49
7	16	2.02	69	21.80	15.64



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.31	86	19.00	11.33
2	12	2.03	47	23.51	11.06
3	20	1.81	52	18.05	7.06
4	14	1.57	34	20.67	6.00
5	20	2.06	47	28.21	15.86
6	12	3.01	58	25.36	15.78
7	16	2.15	65	23.22	16.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	40	20.55	6.44
2	12	2.01	44	20.66	7.81
3	20	1.78	40	22.80	7.96
4	14	1.58	31	23.00	5.30
5	20	1.87	46	26.24	13.06
6	12	1.85	48	25.84	13.83
7	16	9.09	66	25.00	18.01

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.91	56	15.00	6.06
2	12	1.77	57	20.10	5.13
3	20	1.65	36	20.77	5.02
4	14	2.17	41	24.75	9.81
5	20	1.81	35	26.05	9.50
6	12	1.52	52	27.21	9.25
7	10	2.10	80	26.35	17.56



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	39	15.00	-0.50
2	12	1.62	27	18.20	-1.01
3	20	1.98	35	24.24	7.85
4	14	2.18	60	18.01	13.06
5	20	1.85	36	25.72	8.42
6	12	1.75	33	20.60	10.82
7	10	2.14	66	23.80	18.31



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.96	29	19.22	9.22
2	12	1.79	27	24.30	4.07
3	20	2.04	48	20.35	19.91
4	14	2.22	60	17.06	11.42
5	20	1.81	42	26.00	12.77
6	12	2.06	43	20.00	14.50
7	10	2.06	50	20.00	17.04

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.01	42	22.35	7.98
2	12	2.28	48	26.52	14.06
3	20	2.14	63	22.96	15.32
4	14	2.00	59	17.65	8.18
5	20	2.00	43	20.50	14.06
6	12	1.87	50	27.07	15.41
7	10	2.35	70	22.01	16.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.31	00	15.32	13.32
2	12	2.08	58	21.47	12.95
3	20	2.24	65	17.57	10.79
4	14	1.67	62	20.00	10.07
5	20	1.88	47	27.00	15.26
6	12	2.71	01	20.00	17.56
7	10	2.04	67	25.02	18.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	5.47	00	12.21	10.60
2	12	1.61	47	10.57	7.06
3	20	2.00	60	23.00	15.30
4	14	1.83	49	17.21	9.00
5	20	2.00	45	27.53	16.55
6	12	5.19	01	27.46	19.25
7	10	2.32	60	25.00	18.30

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	76	16.55	9.58
2	12	2.08	58	21.05	11.06
3	20	2.01	47	20.77	9.08
4	14	1.67	46	18.37	6.68
5	20	2.20	46	20.86	10.25
6	12	3.22	58	27.20	18.05
7	18	2.50	67	26.70	17.04

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.42	68	18.88	10.77
2	12	2.91	41	20.50	6.38
3	20	2.08	41	21.15	7.13
4	14	2.18	58	22.68	13.48
5	20	3.04	48	20.88	10.36
6	12	3.34	83	25.92	18.32
7	18	2.28	82	28.88	17.04

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.51	51	17.68	0.11
2	12	2.28	38	22.72	7.08
3	20	2.78	58	25.98	14.77
4	14	1.88	61	23.18	13.17
5	20	2.83	57	26.88	17.11
6	12	2.18	61	28.88	18.32
7	18	2.78	58	27.32	17.83

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.07	59	20.32	11.99
2	12	5.83	66	21.29	15.48
3	20	2.55	57	23.77	14.52
4	14	2.21	66	18.66	8.71
5	20	2.51	55	27.83	18.08
6	12	2.39	68	26.29	19.57
7	18	1.98	61	27.21	18.12



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	40	18.10	2.48
2	12	2.20	41	22.31	8.05
3	20	2.55	67	19.87	12.60
4	14	3.43	75	19.36	14.71
5	20	2.21	51	29.20	18.11
6	12	2.23	59	28.80	19.81
7	18	2.08	65	28.45	18.88

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	29	19.88	-1.11
2	12	1.95	48	19.76	6.95
3	20	3.58	67	24.30	17.63
4	14	2.62	76	21.82	18.88
5	20	2.86	58	26.98	17.98
6	12	1.91	51	29.78	18.58
7	18	1.82	57	28.55	15.88

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	70	22.00	5.10
2	12	5.08	90	23.07	14.00
3	20	2.09	63	27.13	19.46
4	14	1.01	62	21.46	13.04
5	20	3.10	50	28.13	19.04
6	12	1.97	59	30.22	19.50
7	10	1.77	55	20.53	17.04

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.00	41	20.59	14.10
2	12	2.65	47	30.27	17.77
3	20	2.07	70	24.74	18.77
4	14	2.06	69	15.15	8.32
5	20	2.11	50	30.50	19.10
6	12	2.00	55	25.99	20.04
7	10	1.65	57	20.66	16.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.03	83	20.55	12.00
2	12	2.70	50	27.45	10.20
3	20	1.67	56	10.00	3.57
4	14	1.57	56	11.14	2.02
5	20	2.30	66	29.50	19.77
6	12	2.20	70	24.07	19.44
7	10	1.71	62	20.22	16.90



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.30	58	24.77	8.32
2	12	1.64	37	23.23	7.00
3	20	1.03	51	14.10	4.00
4	14	1.54	40	12.60	2.02
5	20	1.82	60	20.70	16.02
6	12	1.91	67	24.02	17.35
7	10	1.90	65	24.30	10.70

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.90	72	18.10	10.00
2	12	2.20	62	15.60	8.23
3	20	1.67	56	12.21	2.16
4	14	1.63	50	10.02	0.26
5	20	1.84	64	25.60	15.41
6	12	1.47	48	22.72	11.33
7	10	1.62	56	25.15	10.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	41	17.21	3.77
2	12	1.56	43	15.32	2.68
3	20	1.77	47	17.05	0.30
4	14	1.00	40	21.42	10.19
5	20	1.00	47	20.60	12.30
6	12	1.50	41	24.90	10.03
7	10	1.91	55	27.94	17.73

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	40	10.00	4.66
2	12	1.84	38	21.52	6.66
3	20	2.24	48	25.19	11.27
4	14	1.87	68	23.82	18.15
5	20	2.08	48	26.46	14.08
6	12	1.58	39	27.81	12.68
7	18	2.04	68	27.84	17.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.90	52	10.86	2.46
2	12	2.42	48	21.62	8.30
3	20	2.73	60	24.71	18.21
4	14	2.00	70	21.86	18.34
5	20	1.90	46	28.50	15.78
6	12	1.67	57	29.85	13.56
7	18	1.77	64	28.62	17.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.00	78	15.77	10.32
2	12	0.26	86	18.00	15.31
3	20	0.50	83	18.82	15.88
4	14	0.39	88	20.60	16.49
5	20	2.02	46	29.43	16.62
6	12	2.31	51	29.87	18.46
7	18	1.81	67	29.86	18.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.62	71	13.21	7.66
2	12	1.59	39	17.86	3.46
3	20	2.93	58	18.93	10.38
4	14	3.43	81	23.52	15.19
5	20	3.24	60	25.57	16.58
6	12	2.73	59	28.80	19.84
7	18	1.86	57	29.30	18.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	41	20.21	6.21
2	12	1.52	38	20.31	5.58
3	20	2.54	50	22.10	10.08
4	14	3.41	79	20.63	15.58
5	20	2.45	55	24.38	16.42
6	12	3.29	58	28.85	18.93
7	18	1.78	55	28.38	18.15



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	27	26.32	5.99
2	12	1.60	33	24.53	7.45
3	20	3.99	62	25.71	17.74
4	14	3.47	72	20.82	15.39
5	20	2.36	52	25.51	16.77
6	12	2.87	63	27.77	19.99
7	18	2.20	62	24.33	15.27

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.30	29	27.89	7.00
2	12	2.61	51	26.80	15.07
3	20	2.99	62	27.27	19.27
4	14	2.72	69	18.47	12.06
5	20	2.07	58	28.20	17.93
6	12	3.08	86	27.30	20.50
7	10	1.80	84	28.50	17.58

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.55	47	28.35	17.49
2	12	3.31	52	28.93	18.34
3	20	2.50	70	22.41	18.52
4	14	1.69	88	28.48	16.71
5	20	1.85	60	20.30	19.61
6	12	3.29	76	26.20	19.82
7	10	1.80	85	20.84	18.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.00	59	28.48	18.86
2	12	2.42	66	28.37	18.32
3	20	2.80	85	25.49	18.49
4	14	1.64	81	20.81	8.81
5	20	2.00	72	28.54	20.06
6	12	2.13	61	27.07	18.11
7	10	1.82	84	28.89	18.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.09	82	25.88	17.00
2	12	2.63	56	27.35	17.60
3	20	2.03	52	24.55	15.62
4	14	1.98	62	21.80	13.52
5	20	2.25	70	26.49	20.48
6	12	2.19	59	28.37	19.57
7	10	1.76	51	30.70	18.53



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.10	55	26.52	18.44
2	12	2.20	47	27.49	15.36
3	20	1.99	52	25.21	14.48
4	14	2.30	66	21.81	16.51
5	20	3.03	61	29.12	20.78
6	12	2.50	63	28.65	20.59
7	10	1.71	58	28.00	19.05



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	52	22.00	5.33
2	12	1.61	35	23.93	7.49
3	20	2.54	58	25.88	16.71
4	14	2.07	58	25.47	18.38
5	20	3.48	70	26.70	20.47
6	12	2.92	76	28.15	21.24
7	10	1.85	58	27.94	18.25

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	56	24.52	7.58
2	12	2.01	37	26.15	10.46
3	20	1.91	45	26.77	13.79
4	14	1.82	69	25.36	18.00
5	20	2.01	70	26.04	20.76
6	12	2.58	71	28.34	20.88
7	10	1.77	64	28.61	17.80

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.70	68	19.10	9.55
2	12	1.52	41	18.20	6.25
3	20	1.57	45	20.49	8.07
4	14	2.52	87	20.59	19.04
5	20	2.11	53	28.15	17.30
6	12	2.14	58	28.55	18.48
7	10	1.85	64	29.81	18.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.30	78	11.60	8.10
2	12	1.93	60	18.90	8.08
3	20	1.87	48	20.55	8.82
4	14	1.89	86	23.42	19.06
5	20	2.06	68	26.56	17.01
6	12	2.05	67	25.87	16.93
7	10	1.72	66	28.82	18.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	61	16.21	8.44
2	12	2.03	64	16.80	9.95
3	20	2.04	48	21.30	9.65
4	14	2.07	53	22.25	11.62
5	20	4.80	78	22.39	18.28
6	12	4.48	80	23.05	19.39
7	10	2.02	58	29.82	19.61



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	49	20.39	8.66
2	12	2.88	55	18.05	8.00
3	20	2.75	51	21.16	10.63
4	14	1.98	56	22.21	12.49
5	20	2.70	77	20.80	16.60
6	12	3.09	73	24.21	19.02
7	10	1.93	55	29.88	18.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	41	20.89	8.99
2	12	2.92	54	18.09	7.86
3	20	2.17	47	21.86	9.69
4	14	2.31	51	23.48	10.98
5	20	4.26	73	21.30	16.22
6	12	3.04	67	24.21	17.49
7	10	2.61	66	29.10	19.33

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	47	21.88	8.77
2	12	2.38	56	20.88	10.60
3	20	1.87	58	23.85	8.77
4	14	2.73	48	23.72	11.83
5	20	2.57	58	23.60	14.53
6	12	2.45	48	25.41	12.88
7	16	3.06	84	20.80	16.36



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	51	23.88	12.77
2	12	1.86	48	23.76	11.06
3	20	1.83	35	26.80	9.13
4	14	3.20	84	20.28	16.36
5	20	2.32	48	25.86	13.26
6	12	2.01	48	25.58	11.58
7	16	3.48	82	20.68	17.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	49	20.82	16.77
2	12	1.72	52	20.20	10.66
3	20	3.08	48	20.88	15.88
4	14	2.44	58	23.28	14.58
5	20	2.00	38	20.66	12.97
6	12	1.79	42	27.40	13.85
7	16	2.10	48	30.66	18.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.05	38	30.77	16.55
2	12	2.82	46	28.80	15.09
3	20	2.46	58	25.24	16.10
4	14	1.73	48	25.03	13.13
5	20	2.33	48	29.32	15.53
6	12	2.57	47	28.85	16.38
7	18	1.99	53	30.20	19.46



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.62	39	27.99	12.77
2	12	2.78	38	29.71	13.79
3	20	2.85	50	28.91	17.19
4	14	1.73	58	25.31	16.14
5	20	2.73	48	30.09	18.24
6	12	2.88	49	29.62	17.91
7	16	2.76	58	28.85	18.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.36	58	30.55	16.77
2	12	4.12	46	30.82	17.63
3	20	3.86	65	25.45	19.27
4	14	1.67	52	24.88	13.46
5	20	2.96	61	30.53	19.26
6	12	2.93	52	29.18	18.48
7	18	1.71	85	30.82	20.41

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.08	88	29.10	12.77
2	12	2.23	85	22.50	18.00
3	20	1.71	94	29.10	10.21
4	14	1.00	40	29.05	10.60
5	20	3.06	83	27.83	20.15
6	12	4.15	78	27.85	20.92
7	10	1.01	86	29.96	10.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	51	21.55	9.00
2	12	1.52	71	22.49	6.30
3	20	1.58	48	22.50	8.00
4	14	2.07	58	23.48	16.51
5	20	2.17	58	25.00	17.05
6	12	2.40	51	27.51	16.70
7	10	1.70	56	29.52	10.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	29	22.00	2.77
2	12	1.50	30	24.00	5.22
3	20	1.73	40	26.02	11.35
4	14	2.00	60	22.91	10.10
5	20	2.22	50	25.65	10.56
6	12	2.13	57	20.76	10.40
7	10	1.05	52	30.72	10.37

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	29	26.00	7.33
2	12	1.76	33	26.26	8.03
3	20	2.01	50	30.60	19.30
4	14	2.70	61	28.60	17.93
5	20	2.25	60	28.00	16.20
6	12	2.10	61	28.23	20.10
7	10	1.77	52	30.51	19.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.74	49	29.92	15.44
2	12	2.30	47	30.06	17.30
3	20	2.57	55	30.55	20.35
4	14	1.57	62	29.80	19.11
5	20	1.66	57	29.35	18.00
6	12	1.63	62	28.92	21.10
7	10	1.68	59	31.00	20.27



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.04	60	28.55	18.55
2	12	2.00	65	30.60	17.21
3	20	2.11	58	26.57	18.48
4	14	1.60	65	22.73	15.76
5	20	1.62	62	31.06	20.15
6	12	1.79	57	30.59	21.15
7	10	1.60	49	31.45	19.47

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.01	82	22.10	19.77
2	12	2.77	69	21.00	15.66
3	20	1.93	58	22.32	13.57
4	14	1.87	83	22.67	19.27
5	20	2.58	58	29.73	20.62
6	12	2.08	68	29.66	22.17
7	10	1.80	48	31.80	19.76



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	28	24.77	5.32
2	12	1.68	27	25.45	5.36
3	20	1.73	40	25.62	9.58
4	14	2.37	65	24.75	17.49
5	20	1.87	62	28.89	17.01
6	12	2.08	52	29.36	18.56
7	10	1.84	47	31.77	18.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.47	51	26.06	8.10
2	12	1.68	31	27.07	8.56
3	20	2.15	68	24.96	17.80
4	14	1.72	55	24.87	15.03
5	20	2.42	51	28.11	18.76
6	12	3.07	58	30.60	20.52
7	10	1.76	43	32.81	18.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.54	80	19.21	15.68
2	12	2.58	67	25.55	16.29
3	20	1.96	47	25.98	13.74
4	14	1.68	45	28.30	13.52
5	20	3.38	63	28.94	20.57
6	12	2.25	78	27.96	21.98
7	10	1.66	48	31.56	18.18

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	48	24.88	12.68
2	12	1.55	38	27.35	11.08
3	20	1.72	44	27.48	14.02
4	14	1.94	59	27.25	18.86
5	20	2.33	55	30.63	20.33
6	12	2.35	65	29.11	21.89
7	10	1.58	47	31.45	18.32



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.17	94	23.77	15.73
2	12	1.86	61	25.64	17.07
3	20	1.89	58	24.98	15.98
4	14	1.68	57	24.80	14.98
5	20	2.70	63	29.38	21.74
6	12	2.48	66	28.58	21.52
7	10	1.55	48	31.87	18.28

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	91	21.77	6.22
2	12	1.60	36	24.02	7.81
3	20	2.36	56	24.77	14.48
4	14	1.83	66	22.81	16.66
5	28	2.01	56	28.38	19.05
6	12	2.08	58	30.08	21.10
7	16	1.61	51	30.83	18.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	80	22.77	8.10
2	12	3.52	50	24.00	15.73
3	20	3.02	75	22.00	18.07
4	14	1.57	83	27.01	18.50
5	28	3.47	63	28.20	20.50
6	12	1.87	65	28.85	21.47
7	16	1.78	48	31.77	18.85

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.63	55	28.10	10.21
2	12	2.50	40	27.91	16.24
3	20	2.31	54	27.88	17.32
4	14	2.81	63	28.18	18.52
5	28	2.16	61	28.86	20.74
6	12	3.19	69	27.95	21.68
7	16	1.67	48	30.12	18.57



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	39	28.10	12.09
2	12	3.37	47	30.32	17.01
3	20	2.64	69	28.18	19.79
4	14	1.67	60	24.50	18.22
5	28	2.08	60	30.31	21.64
6	12	1.91	63	29.71	21.94
7	16	1.50	43	33.00	18.50

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.02	78	25.21	19.60
2	12	2.23	58	26.66	17.72
3	20	1.66	51	24.41	13.69
4	14	1.68	58	23.68	16.07
5	28	2.06	67	28.56	21.66
6	12	2.72	75	27.17	22.35
7	16	1.63	48	33.12	18.57

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.97	56	23.33	13.06
2	12	3.41	62	21.19	12.49
3	20	1.64	48	25.41	12.05
4	14	1.73	61	25.18	18.04
5	28	3.08	76	26.44	21.22
6	12	2.77	62	29.62	20.96
7	16	1.61	43	33.47	18.78

CAPITA

REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	50	25.10	10.21
2	12	2.09	46	25.41	12.48
3	20	1.81	44	26.88	13.52
4	14	2.24	60	26.80	18.55
5	20	2.04	60	26.92	18.77
6	12	2.88	57	29.34	20.04
7	18	1.78	44	33.08	18.67

REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.34	42	27.21	12.88
2	12	2.15	44	27.81	14.11
3	20	2.58	50	29.88	18.19
4	14	1.80	58	27.67	18.78
5	20	2.03	67	27.87	21.24
6	12	2.47	62	29.02	21.01
7	18	1.84	43	33.08	18.60

REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.78	52	30.22	18.43
2	12	3.47	51	30.50	18.88
3	20	3.48	58	27.35	18.19
4	14	1.83	63	24.89	16.24
5	20	2.00	63	20.48	21.76
6	12	1.91	61	29.20	21.01
7	18	2.38	51	31.18	18.92



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.59	40	27.77	12.55
2	12	2.06	51	26.80	15.78
3	20	1.59	44	25.88	12.38
4	14	1.54	47	27.88	15.74
5	20	2.06	67	28.32	21.60
6	12	3.21	63	28.28	20.41
7	18	2.02	53	30.87	20.23

REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.92	38	28.88	10.66
2	12	1.74	37	27.63	11.03
3	20	1.78	53	26.99	16.18
4	14	1.70	54	28.32	18.84
5	20	3.02	62	28.72	20.72
6	12	2.38	54	28.79	18.42
7	18	1.88	47	31.84	18.28



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.28	55	28.10	15.88
2	12	4.53	54	27.95	17.72
3	20	2.24	60	25.63	19.35
4	14	1.70	52	28.40	17.41
5	20	2.83	58	29.60	20.35
6	12	2.88	55	29.81	19.77
7	18	1.78	47	32.74	18.57

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.32	56	28.21	19.33
2	12	5.75	57	30.18	20.64
3	20	2.68	59	31.88	22.88
4	14	1.80	66	28.22	18.62
5	28	3.68	58	31.16	21.95
6	12	5.78	65	31.24	23.55
7	16	2.24	42	33.76	18.77

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.89	48	28.44	16.77
2	12	2.87	56	29.62	19.00
3	20	1.81	47	27.30	15.13
4	14	1.56	60	26.68	18.43
5	28	2.65	60	31.26	22.47
6	12	3.14	66	28.89	22.17
7	16	2.87	45	32.87	18.81

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	51	26.68	8.55
2	12	1.58	55	28.85	11.24
3	20	1.75	45	28.10	14.94
4	14	1.77	66	25.83	18.26
5	28	2.01	56	29.83	19.75
6	12	3.36	64	29.39	21.70
7	16	1.97	48	32.11	19.61

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	38	25.00	8.77
2	12	2.21	48	24.71	12.58
3	20	1.93	48	27.48	14.80
4	14	2.41	68	25.11	16.18
5	28	2.33	61	29.28	20.02
6	12	5.63	68	29.11	21.09
7	16	1.88	44	33.57	16.33

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	40	24.77	10.21
2	12	1.77	46	24.30	11.94
3	20	1.64	45	25.10	12.38
4	14	1.67	47	25.75	13.56
5	28	2.83	63	28.25	20.23
6	12	3.58	68	29.53	20.78
7	16	1.97	50	31.63	19.37

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	38	24.10	8.33
2	12	1.72	45	23.46	10.55
3	20	1.68	47	22.83	10.52
4	14	1.54	45	26.84	13.72
5	28	2.68	67	26.80	18.32
6	12	2.88	68	27.63	18.63
7	16	2.08	52	29.44	18.32

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	39	29.35	8.56
2	12	1.71	41	24.71	10.73
3	20	1.82	44	24.49	11.52
4	14	1.88	59	24.79	15.78
5	28	2.99	63	27.31	19.46
6	12	2.03	49	27.03	15.08
7	16	2.06	43	30.08	15.96



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.39	41	24.10	8.77
2	12	2.27	41	25.52	11.08
3	20	3.21	57	23.88	13.71
4	14	2.19	62	22.37	14.32
5	28	3.09	62	27.25	18.16
6	12	2.19	49	27.77	15.01
7	16	1.99	45	30.55	16.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.68	42	25.88	11.55
2	12	2.45	62	22.91	14.99
3	20	4.44	71	22.18	16.35
4	14	1.84	44	28.50	13.25
5	28	2.49	70	27.13	21.10
6	12	2.38	56	27.40	18.42
7	18	1.82	45	29.65	16.03

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.47	79	18.77	15.55
2	12	2.48	71	23.60	17.95
3	20	2.17	53	20.52	11.32
4	14	1.60	69	26.70	19.21
5	28	2.01	53	28.36	17.91
6	12	1.67	47	27.58	15.45
7	16	1.58	39	30.80	14.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.59	63	22.99	16.66
2	12	1.69	54	21.61	11.56
3	20	1.78	53	22.57	12.21
4	14	1.62	49	28.13	15.67
5	28	1.88	47	28.49	16.06
6	12	1.81	42	28.23	14.20
7	16	2.08	39	31.45	14.96



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	55	24.77	8.32
2	12	2.06	46	24.16	11.43
3	20	4.05	70	22.03	16.42
4	14	1.65	52	28.05	17.01
5	28	2.74	55	29.10	18.92
6	12	2.47	54	29.11	18.42
7	16	1.93	45	31.14	17.04

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.84	39	25.88	10.29
2	12	2.76	52	25.64	14.75
3	20	3.33	57	29.35	20.18
4	14	1.95	56	26.21	18.06
5	28	2.57	58	26.15	18.95
6	12	2.40	57	25.11	19.39
7	18	1.95	49	31.38	18.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.33	36	29.98	13.21
2	12	4.48	58	28.79	19.71
3	20	2.73	51	31.18	19.98
4	14	2.49	58	25.98	18.96
5	28	3.02	58	28.77	20.86
6	12	2.06	58	29.39	20.22
7	18	1.88	55	33.04	20.36



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.54	49	32.11	18.10
2	12	4.22	59	31.28	20.36
3	20	3.14	72	25.80	20.24
4	14	2.35	64	23.18	15.90
5	28	2.23	60	29.81	21.22
6	12	1.55	68	28.79	21.70
7	18	2.80	64	30.72	20.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.10	53	27.66	18.68
2	12	3.11	68	27.44	21.06
3	20	4.20	81	25.27	19.89
4	14	1.63	62	24.94	18.32
5	28	1.94	65	29.29	21.08
6	12	2.33	73	26.80	21.66
7	18	2.55	68	31.45	20.74



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.62	83	27.22	21.21
2	12	3.15	71	27.44	21.47
3	20	3.57	85	22.68	18.99
4	14	1.54	68	27.57	19.38
5	28	1.96	65	28.75	21.29
6	12	2.14	80	28.17	19.01
7	18	1.67	93	32.18	17.70

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.18	63	27.77	20.10
2	12	2.65	63	25.50	17.58
3	20	1.54	85	21.13	18.13
4	14	1.64	46	27.77	14.25
5	28	1.91	68	26.74	19.61
6	12	1.74	59	27.95	17.54
7	18	1.70	48	31.00	17.70

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.98	63	21.10	13.21
2	12	2.06	56	23.65	14.48
3	20	1.93	59	24.05	15.02
4	14	2.08	43	30.51	15.48
5	28	2.63	60	27.59	19.02
6	12	1.84	51	28.79	17.43
7	16	1.88	47	30.72	17.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.40	85	28.21	10.89
2	12	2.33	43	27.54	13.97
3	20	2.23	50	27.39	16.77
4	14	1.73	46	32.30	16.86
5	28	2.36	57	29.48	20.03
6	12	2.09	56	29.71	19.87
7	16	1.88	42	31.21	16.06

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.79	80	27.10	15.77
2	12	3.97	60	25.84	18.80
3	20	2.49	58	29.77	19.27
4	14	1.78	43	32.88	18.05
5	28	1.98	54	30.61	20.27
6	12	2.11	63	29.48	21.70
7	16	1.81	48	30.72	17.46



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	4.72	60	26.43	17.71
2	12	4.24	60	27.69	18.25
3	20	2.83	52	31.24	20.38
4	14	1.77	41	34.20	16.59
5	28	2.62	53	31.50	20.66
6	12	1.98	58	31.29	21.66
7	16	1.79	58	29.85	19.30



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.70	48	30.77	17.99
2	12	3.35	55	30.18	19.62
3	20	2.59	51	33.96	20.68
4	14	1.71	45	37.67	19.60
5	28	3.28	53	33.84	20.72
6	12	1.89	53	32.45	21.70
7	16	1.71	62	29.91	20.56



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.16	50	30.68	19.21
2	12	3.29	51	30.50	19.35
3	20	3.23	56	29.35	19.85
4	14	1.68	57	29.89	17.45
5	28	3.05	55	31.40	21.26
6	12	2.81	54	33.05	21.52
7	16	1.67	58	26.33	20.09



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.32	80	26.77	19.94
2	12	3.62	56	30.50	20.66
3	20	2.79	70	27.47	21.15
4	14	1.60	48	29.10	17.28
5	28	4.38	66	31.76	21.01
6	12	3.55	53	35.01	22.51
7	16	1.83	48	31.49	18.12

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.70	66	27.66	20.21
2	12	3.83	64	28.83	21.33
3	20	4.42	73	25.83	20.24
4	14	1.77	62	24.75	16.82
5	28	5.27	66	32.12	21.72
6	12	5.29	58	32.15	22.12
7	16	1.67	47	32.32	18.66

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.08	78	24.95	20.35
2	12	4.08	68	26.57	20.27
3	20	2.04	65	23.68	18.00
4	14	1.70	50	25.23	19.04
5	28	2.43	57	30.83	21.36
6	12	3.19	67	28.98	21.98
7	16	1.87	48	32.22	18.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	98	24.21	12.77
2	12	1.58	93	24.20	10.78
3	20	1.84	49	23.82	12.35
4	14	2.92	58	23.68	16.04
5	28	2.26	55	29.86	19.49
6	12	2.61	59	29.85	21.10
7	16	1.87	53	31.62	20.06

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	98	22.21	9.80
2	12	1.65	96	24.93	11.15
3	20	2.03	54	23.52	13.35
4	14	3.78	72	20.31	14.87
5	28	2.88	63	28.36	19.69
6	12	2.37	63	29.25	21.47
7	16	1.80	49	31.84	19.54

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.70	88	18.99	15.32
2	12	4.67	78	20.88	18.05
3	20	3.35	68	24.38	15.91
4	14	2.93	58	22.33	13.44
5	28	2.75	64	25.68	21.80
6	12	2.99	68	23.11	22.28
7	16	2.12	53	30.72	19.51

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.93	48	23.88	11.88
2	12	2.28	53	23.50	13.42
3	20	1.91	51	22.88	12.13
4	14	2.13	63	23.96	18.06
5	20	3.18	60	30.88	21.36
6	12	4.88	69	28.09	21.88
7	18	2.08	58	30.36	20.36

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	58	23.88	8.88
2	12	1.88	48	24.11	11.05
3	20	2.28	45	24.85	11.55
4	14	3.15	68	24.84	18.38
5	20	3.77	61	28.64	20.28
6	12	3.72	68	28.33	21.15
7	18	2.02	68	28.48	18.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	57	21.48	12.33
2	12	2.02	65	25.08	18.08
3	20	5.53	79	22.68	17.52
4	14	2.58	68	25.89	17.78
5	20	2.93	68	29.36	20.82
6	12	2.28	58	30.27	21.33
7	18	1.77	58	32.38	20.48

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.18	88	17.21	15.48
2	12	4.18	75	23.87	19.29
3	20	1.72	63	26.30	18.68
4	14	2.17	59	25.76	18.78
5	20	2.38	59	30.89	21.66
6	12	2.43	56	30.38	20.02
7	18	1.71	48	33.90	18.82

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.18	58	25.21	17.21
2	12	2.55	68	27.72	19.38
3	20	1.53	63	25.93	18.52
4	14	1.68	58	28.82	12.48
5	20	1.91	53	31.68	20.68
6	12	2.38	61	30.98	22.17
7	18	1.72	48	33.54	20.03

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.29	54	27.55	17.68
2	12	1.93	58	24.25	15.58
3	20	1.57	52	18.07	8.27
4	14	1.54	47	19.48	8.05
5	20	1.85	55	30.19	20.23
6	12	2.31	68	26.90	18.48
7	18	1.59	53	30.91	18.58

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.38	81	14.66	6.46
2	12	1.78	56	18.70	8.36
3	20	1.61	48	17.66	6.65
4	14	1.66	67	16.66	11.66
5	28	2.06	68	25.66	12.83
6	12	1.46	48	25.27	12.72
7	16	1.66	64	20.00	10.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.51	57	14.66	5.33
2	12	1.55	32	18.33	1.66
3	20	2.66	69	18.51	11.25
4	14	8.56	76	18.61	15.50
5	28	1.76	48	25.61	13.66
6	12	2.35	53	28.16	17.66
7	16	1.76	48	23.70	16.75

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.56	46	15.66	6.66
2	12	1.88	50	20.55	8.81
3	20	7.29	86	20.62	17.41
4	14	3.16	66	16.38	11.66
5	28	1.86	66	27.63	17.66
6	12	2.46	66	25.53	20.52
7	16	1.86	81	21.66	18.52



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	9.50	91	17.99	16.55
2	12	6.41	78	21.01	16.80
3	19	1.56	56	20.55	11.46
4	14	1.56	46	20.53	8.17
5	28	1.96	61	28.66	20.17
6	12	2.66	72	24.25	18.88
7	16	1.66	55	27.11	17.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.38	46	21.66	10.33
2	12	1.56	50	21.66	11.01
3	19	1.75	51	22.56	11.63
4	14	1.56	46	23.41	11.00
5	28	2.06	66	25.35	16.76
6	12	1.91	56	25.16	16.29
7	16	1.76	56	27.70	16.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.52	47	23.10	9.46
2	12	1.93	42	23.88	12.03
3	20	2.25	52	23.57	13.07
4	14	1.71	38	23.78	10.00
5	28	2.43	60	25.55	17.06
6	12	1.96	66	26.29	19.58
7	16	1.76	53	20.66	16.91

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.53	48	21.60	0.00
2	12	2.37	51	25.37	12.77
3	20	5.58	70	24.32	18.38
4	14	3.10	68	21.96	15.03
5	20	1.80	60	26.25	17.70
6	12	2.10	65	28.23	19.31
7	10	1.74	47	32.11	16.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.36	81	21.96	18.82
2	12	1.00	66	22.90	16.00
3	20	2.04	87	22.15	19.57
4	14	1.02	68	16.70	8.98
5	20	1.06	81	20.62	18.40
6	12	1.07	88	20.86	20.22
7	10	2.06	94	21.07	20.10

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.83	80	23.80	18.80
2	12	2.20	66	29.20	19.76
3	20	2.69	70	27.10	19.55
4	14	0.60	61	17.20	10.00
5	20	2.54	60	28.76	17.70
6	12	0.56	80	28.10	19.85
7	10	1.67	84	31.30	20.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.56	54	22.77	12.99
2	11	2.29	52	25.36	14.89
3	20	7.18	72	24.16	18.08
4	14	2.92	77	18.89	13.86
5	20	2.20	52	26.89	16.08
6	12	2.48	53	28.51	18.05
7	16	1.68	53	30.83	20.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	5.58	86	19.72	16.10
2	12	6.42	67	24.11	17.17
3	23	5.38	77	21.35	18.58
4	14	2.06	75	20.82	15.90
5	20	3.58	51	29.22	16.74
6	12	2.65	48	29.63	17.40
7	16	1.77	47	31.17	18.43



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.47	62	20.65	10.10
2	12	6.51	70	23.37	17.58
3	20	5.00	84	28.55	21.57
4	14	2.14	62	25.35	17.21
5	20	2.68	56	29.50	19.57
6	12	1.54	48	30.18	17.77
7	16	1.73	44	31.70	17.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.19	84	20.56	19.77
2	12	6.03	54	20.62	10.30
3	20	3.35	85	24.91	17.80
4	14	1.75	65	18.70	7.20
5	20	2.12	68	30.65	21.76
6	12	1.76	58	30.31	21.00
7	18	2.00	67	31.07	17.35

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.47	90	20.21	9.00
2	12	2.09	95	21.61	12.03
3	20	2.25	88	17.10	10.00
4	14	1.60	80	10.30	10.79
5	20	2.00	82	20.67	21.40
6	12	2.40	85	23.82	21.01
7	18	1.96	83	20.07	10.50



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	81	10.63	8.10
2	12	2.20	73	17.60	12.64
3	20	6.43	70	20.90	16.90
4	14	6.80	80	17.20	15.00
5	20	3.06	72	26.54	20.00
6	12	2.13	70	28.50	21.00
7	18	1.70	60	31.00	18.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.75	82	13.80	10.33
2	12	9.57	89	16.06	14.38
3	20	9.49	73	22.94	17.60
4	14	3.17	75	18.92	14.52
5	20	6.48	67	27.35	20.51
6	12	3.42	71	28.24	20.45
7	18	1.64	42	33.50	18.50



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	74	15.33	10.77
2	12	4.26	69	21.26	15.27
3	20	4.78	73	23.32	18.16
4	14	5.50	77	18.26	14.75
5	20	3.37	63	27.51	19.53
6	12	2.43	60	28.18	19.67
7	18	1.83	38	34.37	18.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.84	83	17.10	14.33
2	12	8.10	81	21.83	18.00
3	20	1.71	69	19.60	12.80
4	14	1.54	60	15.50	7.57
5	20	2.41	63	28.06	21.06
6	12	2.70	60	29.53	20.98
7	18	1.90	42	32.00	17.56



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	78	20.80	0.77
2	12	1.61	64	28.82	11.47
3	20	2.39	79	15.21	11.57
4	14	0.19	88	12.17	8.09
5	20	2.26	61	30.62	20.30
6	12	2.78	85	29.39	21.81
7	10	1.84	90	32.81	10.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	85	10.06	7.44
2	12	2.29	65	21.88	15.22
3	20	4.94	89	20.07	21.00
4	14	4.25	78	11.94	7.08
5	20	2.03	60	27.59	21.06
6	12	2.11	59	30.15	21.38
7	10	2.04	60	27.60	10.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.00	88	21.77	18.21
2	12	6.87	64	27.84	21.39
3	20	5.20	85	25.13	21.00
4	14	5.38	70	18.08	11.26
5	20	2.65	66	29.16	21.64
6	12	1.87	62	29.16	21.39
7	10	1.72	58	28.04	20.23



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.66	78	15.89	11.10
2	12	5.22	71	26.93	20.59
3	20	2.82	62	29.24	21.35
4	14	3.48	77	14.52	9.05
5	20	2.07	57	30.23	20.71
6	12	1.53	61	29.82	20.38
7	10	1.97	64	28.22	20.27



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.07	87	26.82	19.77
2	12	8.35	71	25.96	20.85
3	20	2.58	78	26.96	20.89
4	14	5.86	75	14.87	8.83
5	20	2.91	68	29.81	21.29
6	12	1.48	57	30.04	20.78
7	10	1.63	61	28.84	20.49



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.84	59	29.86	20.64
2	12	4.39	62	28.87	20.92
3	20	1.75	66	26.54	19.69
4	14	4.22	73	13.68	8.78
5	20	2.40	57	30.35	20.96
6	12	1.62	55	30.05	20.45
7	10	1.76	60	24.89	18.36

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.10	87	20.08	20.38
2	12	6.58	88	20.36	20.38
3	20	2.57	73	20.94	15.57
4	14	1.08	64	19.29	8.20
5	28	2.48	68	20.67	20.61
6	12	2.45	87	20.97	19.48
7	16	2.88	88	84.71	16.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.48	88	27.10	18.88
2	12	2.67	68	25.64	19.38
3	20	2.28	58	18.91	10.52
4	14	1.68	67	8.96	0.07
5	28	2.66	63	28.17	19.83
6	12	3.07	72	25.58	20.04
7	16	2.87	68	25.88	17.07

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.96	79	22.21	17.10
2	12	4.47	83	19.07	16.01
3	20	1.80	67	12.24	8.27
4	14	1.64	67	12.59	8.81
5	28	3.13	71	26.78	20.07
6	12	2.38	72	19.46	13.97
7	16	1.81	68	20.82	12.42



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	69	17.68	10.44
2	12	1.58	48	17.26	5.32
3	20	1.71	58	16.52	5.59
4	14	1.67	48	14.99	3.49
5	28	1.98	63	23.01	13.01
6	12	1.83	47	18.23	6.80
7	16	1.88	58	21.17	12.86

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.45	58	18.32	8.77
2	12	1.68	47	18.83	7.35
3	20	2.12	65	12.49	5.55
4	14	1.66	59	7.07	-0.38
5	28	2.08	53	23.58	14.83
6	12	2.03	52	21.08	10.78
7	16	2.58	62	22.81	14.05

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	42	10.21	-1.99
2	12	1.52	42	12.45	-0.09
3	20	2.07	60	12.77	4.59
4	14	5.17	68	9.78	7.49
5	29	3.07	64	21.97	14.74
6	12	2.78	66	23.09	14.94
7	16	1.95	55	25.48	13.87

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.91	48	13.77	0.00
2	12	1.66	48	15.82	5.27
3	20	3.86	62	19.41	12.02
4	14	3.88	77	14.96	9.83
5	28	4.52	71	21.14	15.53
6	12	2.87	59	25.57	14.57
7	10	2.32	56	26.24	10.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.97	83	14.88	7.77
2	12	4.20	67	17.77	11.10
3	20	5.23	82	22.91	15.21
4	14	5.04	82	14.55	11.14
5	28	3.15	66	23.52	16.79
6	12	3.12	80	25.58	17.12
7	10	2.47	57	26.45	10.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.32	45	12.89	1.22
2	12	3.53	64	18.42	11.26
3	20	7.09	78	21.19	17.13
4	14	2.06	71	11.26	5.87
5	28	3.48	70	24.99	19.06
6	12	3.51	69	25.28	20.27
7	10	2.71	59	20.51	10.13

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.44	90	13.89	12.49
2	12	6.22	85	18.30	16.00
3	20	1.98	63	13.32	7.05
4	14	1.57	42	18.48	4.81
5	28	3.17	78	25.96	21.78
6	12	2.55	72	21.61	18.38
7	10	1.94	46	20.30	7.95

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	42	15.32	2.49
2	12	1.52	50	16.47	5.83
3	20	1.48	51	18.91	8.71
4	14	1.57	38	20.81	4.48
5	28	1.60	55	24.67	15.25
6	12	2.57	61	20.41	12.58
7	10	2.34	51	20.27	8.60

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.82	65	14.77	7.99
2	12	1.68	52	16.47	6.70
3	20	1.59	53	13.55	4.07
4	14	1.04	48	14.06	2.65
5	28	1.80	47	25.63	13.31
6	12	1.81	48	22.50	10.98
7	10	2.07	57	20.23	10.37

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	47	5.77	-4.88
2	12	1.52	42	8.19	-4.07
3	20	1.78	54	10.24	1.24
4	14	1.71	46	10.18	5.15
5	28	1.65	40	20.94	6.86
6	12	1.53	45	10.00	0.00
7	18	2.16	80	17.80	11.62

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	42	5.10	-8.00
2	12	1.52	38	7.12	-6.34
3	20	1.82	50	11.57	1.55
4	14	1.60	54	10.01	0.25
5	28	1.78	48	10.56	0.58
6	12	2.20	53	17.83	7.77
7	18	2.46	87	10.80	11.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	58	7.80	-7.21
2	12	1.70	46	11.10	-0.78
3	20	2.12	49	10.94	0.07
4	14	1.80	47	10.60	0.14
5	28	2.54	63	21.30	10.80
6	12	3.79	70	19.36	15.20
7	18	2.81	67	10.82	12.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	50	15.60	2.98
2	12	2.05	70	14.76	9.25
3	20	5.42	79	15.02	11.27
4	14	2.13	43	18.21	3.54
5	28	3.05	78	23.62	17.35
6	12	2.98	78	18.11	14.16
7	18	1.77	45	25.72	12.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.02	73	15.80	10.68
2	12	1.98	65	16.94	9.98
3	20	1.98	65	13.80	7.02
4	14	1.60	42	16.58	2.65
5	28	1.72	46	24.20	11.80
6	12	1.48	39	23.19	8.42
7	18	1.66	38	27.98	11.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	51	17.46	8.77
2	12	1.71	63	16.08	7.91
3	20	2.28	76	12.52	8.38
4	14	1.60	42	18.80	4.40
5	28	1.65	41	24.10	9.79
6	12	1.43	59	22.91	8.09
7	18	1.77	43	28.76	14.05

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.09	70	15.21	0.77
2	12	1.96	68	13.87	8.00
3	20	1.78	61	14.21	8.71
4	14	1.70	42	10.41	0.34
5	20	1.72	47	22.66	10.56
6	12	1.85	48	21.19	9.43
7	16	1.77	46	20.71	14.37

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	61	14.88	8.00
2	12	2.06	68	14.01	7.03
3	20	4.79	62	14.44	8.49
4	14	1.54	38	13.00	-1.50
5	20	1.97	48	23.10	11.04
6	12	1.84	48	23.51	11.15
7	16	2.38	50	25.23	13.48

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.90	78	13.49	8.10
2	12	1.76	52	14.49	6.38
3	20	1.81	43	12.88	0.27
4	14	1.57	34	15.29	-0.01
5	20	2.02	48	23.54	11.70
6	12	1.84	48	20.00	7.08
7	16	2.26	48	20.70	8.78

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	42	12.44	-0.10
2	12	1.55	40	14.48	0.83
3	20	2.00	42	15.01	2.05
4	14	1.63	38	16.22	2.06
5	20	3.08	51	22.23	11.20
6	12	2.28	44	22.17	9.20
7	16	2.30	55	25.65	15.55

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	48	13.00	2.44
2	12	2.36	53	17.03	7.17
3	20	2.45	47	19.63	7.96
4	14	2.27	56	17.93	8.41
5	20	3.93	65	23.07	15.08
6	12	2.28	53	25.41	15.13
7	16	2.18	54	27.04	16.98



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.91	78	17.21	13.21
2	12	3.37	72	18.96	14.62
3	20	3.12	64	20.43	13.30
4	14	2.44	55	18.85	8.59
5	20	2.38	60	25.61	17.23
6	12	1.91	57	25.73	16.66
7	16	1.88	58	26.58	18.88

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.90	48	12.77	2.21
2	12	2.24	68	16.52	9.59
3	20	3.04	65	21.05	14.32
4	14	4.11	70	18.66	13.04
5	20	2.30	84	26.00	15.06
6	12	1.96	58	28.83	15.50
7	16	1.76	60	27.07	16.46



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	47	10.82	-0.77
2	12	1.76	67	14.20	3.08
3	20	3.02	58	23.24	14.18
4	14	3.25	66	21.08	15.72
5	20	2.65	84	22.35	12.63
6	12	2.23	48	27.48	13.08
7	16	1.81	58	28.28	17.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.14	58	10.86	2.44
2	12	3.61	67	16.61	6.00
3	20	5.54	67	24.69	12.58
4	14	2.97	62	20.15	11.78
5	20	3.02	62	19.86	11.58
6	12	2.27	67	25.62	11.39
7	16	2.86	68	21.94	14.23



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.90	48	23.80	12.21
2	12	3.39	49	20.59	7.31
3	20	2.89	53	20.91	11.07
4	14	3.26	72	18.74	11.58
5	20	2.71	64	22.80	15.47
6	12	2.23	65	21.30	14.20
7	16	2.13	66	22.32	14.75



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.42	58	21.32	12.54
2	12	3.12	48	21.09	10.82
3	20	4.64	78	18.48	14.55
4	14	1.68	58	14.60	5.63
5	20	2.67	64	23.58	16.08
6	12	2.88	73	21.58	16.42
7	16	2.09	58	22.84	12.91



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.27	58	20.77	11.77
2	12	5.16	62	20.04	12.40
3	20	6.66	68	14.49	12.48
4	14	1.67	47	12.59	0.71
5	20	3.66	73	22.81	17.71
6	12	4.60	70	19.85	13.93
7	16	1.82	58	19.78	5.44

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.72	82	9.10	6.21
2	12	7.25	88	15.50	13.46
3	20	6.75	83	11.71	8.77
4	14	1.88	42	14.87	1.18
5	20	3.67	71	21.62	15.84
6	12	2.25	64	15.79	8.93
7	10	1.84	34	10.10	2.56

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.05	80	14.00	11.49
2	12	2.32	63	15.13	7.05
3	20	1.88	63	9.84	3.02
4	14	1.57	40	11.68	-1.68
5	20	1.01	62	18.00	6.76
6	12	1.88	48	17.49	5.82
7	10	1.81	34	23.76	8.58

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.45	55	12.21	3.10
2	12	1.88	58	9.67	1.01
3	20	1.81	57	8.67	-2.13
4	14	1.56	48	11.38	-0.87
5	20	1.56	41	16.35	2.08
6	12	1.56	56	13.80	-1.80
7	10	1.55	36	10.84	3.05

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.93	42	8.90	-9.52
2	12	1.58	46	9.36	-1.80
3	20	1.70	48	13.05	1.52
4	14	1.94	30	10.96	1.56
5	20	1.66	30	15.25	1.48
6	12	1.63	36	13.51	-1.00
7	10	1.53	34	10.60	3.60

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	47	19.80	2.10
2	12	2.35	48	16.02	2.05
3	20	1.99	53	13.80	4.24
4	14	1.58	57	15.67	0.87
5	20	1.89	36	19.53	3.86
6	12	1.53	33	17.91	1.20
7	10	1.58	34	21.17	4.85



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.30	51	7.35	-2.06
2	12	1.71	46	12.07	0.23
3	20	1.78	47	13.46	2.02
4	14	1.69	38	16.31	1.22
5	20	2.01	36	20.10	6.41
6	12	1.98	36	19.82	2.83
7	10	1.71	34	21.10	6.46

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.45	48	5.46	-5.85
2	12	3.68	48	6.75	-5.73
3	20	2.62	48	7.21	-6.43
4	14	1.71	61	13.82	-1.08
5	20	1.82	37	10.30	4.08
6	12	2.01	31	15.08	1.29
7	10	2.14	36	22.11	6.46

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	89	8.89	-0.77
2	12	1.69	69	6.22	-7.58
3	20	1.80	64	8.05	-5.57
4	14	1.68	48	18.68	2.87
5	20	1.67	38	14.65	-0.01
6	12	1.52	35	15.22	-0.83
7	10	1.99	36	21.52	6.61

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.96	28	15.98	-7.46
2	12	1.82	58	19.18	-4.20
3	20	2.29	43	18.48	5.68
4	14	1.87	38	19.81	6.71
5	20	2.26	42	18.26	6.08
6	12	2.08	57	17.56	2.72
7	10	1.84	57	22.18	8.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	45	14.21	1.99
2	12	2.08	48	18.18	3.23
3	20	1.75	45	14.35	2.55
4	14	1.87	35	14.80	-1.48
5	20	2.25	46	21.06	8.62
6	12	2.08	48	21.38	7.08
7	10	1.70	38	22.67	7.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.92	41	6.21	-8.21
2	12	1.58	62	9.35	-3.05
3	20	1.61	48	12.38	-0.98
4	14	1.57	34	15.11	-0.88
5	20	1.73	38	10.32	2.91
6	12	1.51	28	15.02	0.29
7	10	1.97	38	22.26	8.60



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	92	0.68	-14.10
2	12	1.73	41	4.57	-8.08
3	20	1.87	58	15.57	1.25
4	14	1.65	40	16.78	4.40
5	20	1.71	35	10.20	2.26
6	12	1.72	29	19.71	0.92
7	10	2.98	50	20.65	9.26

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	48	8.88	-0.98
2	12	2.36	46	15.36	9.76
3	20	2.48	42	83.44	7.10
4	14	1.88	41	15.67	2.96
5	28	1.88	37	22.31	6.42
6	12	1.52	36	21.43	8.52
7	18	5.88	68	18.64	12.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	86	12.77	-2.24
2	12	1.65	33	14.67	-1.47
3	20	1.88	48	10.41	-0.13
4	14	1.54	47	8.32	-1.48
5	28	1.84	41	23.26	8.32
6	12	2.82	53	20.58	10.75
7	18	5.38	88	18.67	14.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	38	8.82	-12.88
2	12	2.12	34	8.46	-6.68
3	20	3.58	58	14.48	5.88
4	14	2.48	63	15.88	8.22
5	28	2.16	45	10.89	7.67
6	12	2.73	53	20.38	10.88
7	18	4.34	77	18.84	14.97



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.68	49	12.55	2.89
2	12	3.46	53	14.85	5.22
3	20	7.49	78	18.91	11.98
4	14	2.38	63	13.44	6.38
5	28	2.81	62	19.79	12.06
6	12	2.45	53	21.08	10.52
7	18	2.62	69	20.58	14.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.30	72	9.10	4.22
2	12	6.27	76	14.25	9.48
3	20	9.38	79	15.85	11.29
4	14	4.10	73	11.85	7.10
5	28	2.33	48	23.11	11.02
6	12	2.58	58	22.31	11.29
7	18	9.18	73	20.58	15.44

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.69	76	8.10	2.10
2	12	5.58	63	11.10	8.37
3	20	3.08	78	14.45	10.83
4	14	2.37	65	4.07	-1.22
5	28	3.14	55	22.87	12.11
6	12	3.70	60	20.27	11.84
7	18	5.74	78	19.37	15.48

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.89	48	4.77	-5.66
2	12	1.64	51	8.26	-3.62
3	20	1.70	58	4.24	-3.02
4	14	2.08	60	9.39	-4.66
5	28	2.47	51	20.35	8.67
6	12	4.66	65	17.62	11.01
7	10	2.97	73	16.78	12.11



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.46	43	2.88	-9.21
2	12	2.63	53	5.86	-3.28
3	20	3.75	65	6.18	-0.41
4	14	2.62	65	5.80	-0.27
5	28	3.76	67	16.26	9.77
6	12	6.58	75	15.87	11.15
7	10	6.76	76	17.60	13.22



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.24	66	6.59	-1.06
2	12	5.26	76	7.31	2.12
3	20	5.24	66	9.35	3.48
4	14	6.54	65	7.59	4.71
5	28	5.48	76	16.16	11.66
6	12	6.22	65	16.61	9.90
7	10	6.62	71	19.57	13.60



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	87	2.86	1.88
2	12	3.43	68	10.59	6.88
3	20	8.87	79	12.82	9.32
4	14	9.17	72	8.22	1.18
5	28	6.16	76	16.50	12.13
6	12	5.48	82	16.20	12.95
7	10	2.07	94	23.91	10.17



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.20	98	9.32	8.77
2	12	6.29	82	10.82	7.86
3	20	1.77	59	5.52	-1.08
4	14	2.35	57	3.39	-4.52
5	28	3.55	77	18.03	13.60
6	12	3.10	69	16.24	10.36
7	10	2.13	57	19.09	10.48

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	39	6.10	-7.10
2	12	1.62	58	6.93	-6.38
3	20	1.67	51	5.07	-8.18
4	14	1.70	55	2.97	-5.07
5	28	2.50	52	18.06	7.53
6	12	2.26	52	16.33	5.92
7	10	2.53	65	19.82	12.70

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	41	2.11	-0.00
2	12	2.00	50	4.40	-5.00
3	20	6.40	78	8.80	4.80
4	14	5.62	80	11.40	6.47
5	28	2.16	50	17.71	8.80
6	12	3.00	81	18.40	10.55
7	18	1.80	60	23.87	14.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.04	69	8.10	5.58
2	12	7.33	84	10.82	8.32
3	20	4.48	78	13.52	9.35
4	14	1.80	50	2.87	-8.88
5	28	2.25	60	20.82	12.77
6	12	3.65	72	19.20	13.95
7	18	2.39	60	29.16	11.91



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.22	77	8.21	2.21
2	12	5.53	64	4.21	-2.48
3	20	3.20	58	1.10	-8.35
4	14	1.60	53	0.04	-8.90
5	27	1.77	43	15.44	1.00
6	12	1.54	41	8.84	-4.20
7	18	1.71	50	15.44	1.21

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.71	60	-0.77	-7.77
2	12	1.52	47	5.00	-5.73
3	20	2.10	55	3.10	-4.10
4	14	1.69	56	5.89	-2.53
5	28	1.76	39	12.70	-1.64
6	12	1.77	44	8.19	-3.58
7	18	2.20	51	10.30	7.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.69	50	3.99	-5.60
2	12	3.30	58	5.80	-1.08
3	20	3.60	63	5.49	-1.21
4	14	2.65	63	6.40	-0.55
5	28	2.08	38	15.39	0.93
6	12	3.18	37	14.62	-0.63
7	18	4.00	82	20.69	11.73

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.22	60	1.56	-0.44
2	12	2.30	64	7.40	-1.47
3	20	3.38	59	9.27	1.58
4	14	2.09	61	7.97	0.31
5	28	2.29	41	16.90	3.39
6	12	3.21	47	17.40	5.58
7	18	4.22	67	20.98	19.78

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.73	66	6.10	0.50
2	12	6.36	67	8.22	2.48
3	20	7.60	81	6.05	5.02
4	14	8.22	66	7.00	1.22
5	28	6.26	65	16.62	9.01
6	12	5.89	77	18.89	12.56
7	18	3.01	66	20.16	12.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	11.55	62	2.60	1.08
2	12	8.25	91	6.80	5.50
3	20	8.76	85	7.96	6.66
4	14	2.49	56	6.15	-0.76
5	28	6.18	78	18.14	12.11
6	12	2.92	85	15.45	8.88
7	18	2.22	48	20.15	8.76

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.04	77	4.44	0.22
2	12	5.58	76	6.70	2.72
3	20	2.25	88	4.80	-0.97
4	14	1.71	59	8.22	-2.88
5	28	2.06	47	17.38	5.73
6	12	5.79	55	15.08	5.45
7	18	2.08	48	22.14	10.90



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.01	81	3.88	-2.88
2	12	2.05	67	6.43	0.41
3	20	3.68	88	4.99	-0.38
4	14	4.04	71	7.29	2.08
5	28	1.98	43	15.61	2.61
6	12	3.08	57	13.23	4.85
7	18	1.68	51	23.85	12.98

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.08	54	5.10	-3.55
2	12	2.68	62	6.75	-0.04
3	20	7.03	77	8.80	4.76
4	14	3.08	75	1.82	-2.33
5	28	2.33	63	14.73	7.57
6	12	3.88	74	15.52	11.01
7	18	2.25	58	24.81	14.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.15	87	8.77	0.33
2	12	2.80	62	9.76	2.58
3	20	9.62	91	11.05	9.68
4	14	8.43	83	1.98	-0.59
5	28	2.90	62	19.06	11.36
6	12	3.19	69	21.15	15.27
7	18	2.67	48	24.30	11.73

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.00	81	6.77	3.95
2	12	2.30	68	11.85	5.27
3	20	1.58	55	2.02	-6.24
4	14	2.20	67	-1.27	-8.46
5	20	1.79	46	20.05	7.73
6	12	1.57	58	12.91	-0.87
7	18	1.71	32	17.21	-0.24



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.59	58	6.68	-5.21
2	12	4.04	45	7.40	-6.76
3	20	5.08	68	-2.30	-8.89
4	14	2.81	58	-2.68	-8.47
5	20	1.63	35	16.54	0.51
6	12	1.80	58	12.88	-1.98
7	18	1.84	41	15.89	2.18

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.08	54	1.82	-7.77
2	12	4.01	61	1.43	-8.00
3	20	2.74	68	-1.69	-7.27
4	14	1.78	69	-4.80	-10.11
5	20	1.78	41	11.62	-2.36
6	12	1.57	68	5.50	-0.10
7	18	1.85	57	12.48	-2.63



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	58	1.10	-6.10
2	12	2.01	55	1.38	-6.52
3	20	2.74	71	-0.89	-5.38
4	14	1.68	67	0.89	-7.68
5	20	1.75	42	8.13	-6.65
6	12	1.77	68	3.65	-2.30
7	18	1.84	54	13.48	-2.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.68	56	2.99	-0.10
2	12	2.25	53	3.51	-5.45
3	20	2.33	53	4.82	-4.91
4	14	1.67	48	0.78	-5.60
5	20	1.88	38	8.46	-4.76
6	12	2.03	43	5.50	-8.06
7	18	2.02	68	12.79	2.39



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.33	54	4.68	-3.77
2	12	2.68	48	6.38	-3.83
3	20	3.52	64	8.32	-0.11
4	14	3.18	64	4.32	-2.02
5	20	2.38	36	16.22	-1.30
6	12	2.92	41	10.08	-2.82
7	18	4.62	76	11.62	8.98

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.61	84	5.82	-1.11
2	12	2.67	63	7.82	1.15
3	20	2.52	72	8.65	1.99
4	14	1.68	62	7.66	-2.61
5	28	2.05	42	15.76	2.36
6	12	5.70	67	10.22	4.16
7	16	3.88	72	13.09	7.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.58	77	6.39	4.44
2	12	2.28	60	6.66	-0.50
3	20	2.72	68	1.77	-3.99
4	14	1.68	64	7.66	-2.87
5	28	2.01	45	14.55	2.22
6	12	1.55	46	10.52	-1.96
7	16	2.31	46	16.28	1.49

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	56	3.68	-4.21
2	12	1.87	55	4.53	-3.79
3	20	2.21	62	7.35	0.41
4	14	1.56	48	0.08	-6.41
5	28	1.66	27	14.56	-0.45
6	12	1.41	32	10.15	-0.89
7	16	1.79	34	18.18	1.79



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.75	76	2.68	-2.99
2	12	5.08	62	4.81	-2.31
3	20	3.56	65	0.88	-4.99
4	14	1.71	56	1.30	-7.08
5	28	2.08	41	15.01	0.35
6	12	1.72	38	10.67	-5.68
7	16	1.68	38	18.78	1.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	48	-1.10	-10.99
2	12	1.61	48	0.73	-8.48
3	20	2.16	59	1.91	-5.30
4	14	1.57	46	7.49	-4.29
5	28	1.78	38	9.24	-4.32
6	12	1.82	42	5.98	-0.08
7	16	1.84	39	12.84	-1.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.90	52	0.94	-8.10
2	12	3.47	56	2.91	-5.41
3	20	2.48	59	6.68	-1.48
4	14	3.04	60	5.94	-1.04
5	28	1.91	16	13.22	-2.03
6	12	3.21	35	10.98	-4.02
7	16	2.09	52	15.79	5.79

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.46	58	2.22	-6.10
2	12	3.31	58	5.36	-2.26
3	20	6.01	69	8.13	0.88
4	14	7.10	76	4.28	0.08
5	28	2.74	57	14.75	0.10
6	12	5.62	58	14.67	0.27
7	18	2.06	60	10.74	12.56



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.56	58	8.48	-2.88
2	12	4.08	58	6.93	-0.73
3	20	11.42	69	8.49	3.77
4	14	12.54	82	4.20	5.05
5	28	9.46	40	16.40	2.80
6	12	4.69	48	15.45	4.71
7	18	3.88	77	10.60	15.27

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.06	82	-1.38	-7.00
2	12	12.28	88	3.60	1.08
3	20	10.84	91	-10.49	9.13
4	14	7.40	90	7.81	8.28
5	28	3.62	51	17.77	8.88
6	12	3.48	48	16.49	5.18
7	18	2.93	71	10.78	14.12



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.18	70	-3.55	-8.44
2	12	10.24	87	4.81	2.54
3	20	6.64	85	11.38	8.80
4	14	5.13	80	2.93	-0.15
5	28	4.49	61	18.44	10.19
6	12	4.27	81	16.01	12.72
7	18	2.92	58	18.52	7.28



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.28	87	0.39	-1.44
2	12	9.01	81	6.98	5.59
3	20	4.28	65	4.21	1.94
4	14	4.51	74	-0.18	-4.24
5	28	4.42	75	18.18	13.38
6	12	1.88	65	19.00	8.38
7	18	1.83	61	14.30	6.87

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.08	68	0.99	-0.68
2	12	5.30	61	6.18	3.18
3	20	3.90	77	1.27	-2.30
4	14	3.88	75	-2.89	-8.74
5	28	2.52	67	14.40	8.24
6	12	4.16	70	9.81	4.39
7	18	3.45	77	14.47	10.34

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.48	64	0.89	-1.89
2	12	2.08	66	5.32	-0.60
3	20	5.60	78	0.18	-5.21
4	14	2.14	72	-4.64	-8.78
5	28	3.77	68	14.36	8.23
6	12	10.52	90	9.30	7.95
7	10	4.86	81	8.82	5.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.00	82	9.44	0.77
2	12	3.56	78	4.62	-0.36
3	20	4.44	78	-1.38	-5.15
4	14	2.31	74	-2.85	-7.06
5	28	6.06	76	14.81	10.43
6	12	12.98	90	9.25	7.72
7	10	4.61	78	8.28	5.72



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.17	80	1.38	-1.68
2	12	6.62	74	3.88	-0.27
3	20	2.84	73	-0.19	-4.52
4	14	1.78	68	-2.18	-7.17
5	28	2.25	63	14.81	7.83
6	12	5.46	71	8.05	5.05
7	10	5.51	78	10.78	8.42



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	66	0.77	-5.10
2	12	4.13	59	2.31	-5.32
3	20	2.82	69	-0.11	-5.18
4	14	2.72	70	-1.54	-6.34
5	28	2.38	60	10.90	3.29
6	12	4.77	75	5.50	1.24
7	10	4.21	63	8.95	6.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.14	69	-1.68	-8.21
2	12	1.91	53	0.00	-8.79
3	20	2.18	63	-0.91	-7.07
4	14	1.07	68	0.63	-4.59
5	28	3.26	66	9.34	2.97
6	12	2.52	61	5.68	-1.36
7	10	1.91	62	8.29	1.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.82	50	-6.77	-14.99
2	12	2.74	54	-2.82	-11.06
3	20	8.44	62	-0.69	-9.46
4	14	2.58	61	4.20	-3.17
5	28	2.43	53	7.27	-1.70
6	12	2.34	55	8.84	-1.80
7	10	1.67	45	12.00	0.24

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.68	48	-1.88	-11.66
2	12	2.30	62	-0.18	-6.28
3	20	5.98	77	0.65	-3.05
4	14	2.07	87	6.47	-0.41
5	20	2.55	62	9.58	-0.26
6	12	2.10	49	8.80	-1.88
7	15	1.06	42	14.89	1.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.46	80	1.77	-7.77
2	12	2.05	66	2.58	-6.27
3	20	5.35	86	8.52	0.49
4	14	2.01	88	4.52	-1.22
5	20	2.31	62	11.05	-0.61
6	12	1.52	42	15.52	0.55
7	16	2.72	62	16.70	7.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	3.27	81	4.44	-2.44
2	12	6.56	69	8.88	-0.55
3	20	5.09	71	9.35	4.13
4	14	8.48	88	4.60	1.78
5	20	2.68	48	15.41	3.17
6	12	2.07	43	14.30	1.88
7	16	2.88	78	16.69	10.60



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.04	80	8.33	3.10
2	12	9.68	54	10.59	1.61
3	20	7.15	80	9.38	5.77
4	14	4.97	81	-1.46	-4.20
5	20	2.23	56	16.87	7.95
6	12	2.18	60	17.09	9.20
7	16	2.16	59	11.35	3.12



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.42	91	8.33	4.89
2	12	8.72	93	8.69	7.68
3	20	3.71	78	-0.55	-3.99
4	14	2.00	74	-3.68	-7.81
5	20	2.27	70	16.48	10.78
6	12	2.11	64	5.32	-0.32
7	16	1.60	55	7.94	-0.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.14	61	-6.77	-11.80
2	12	2.73	51	-3.65	-12.16
3	20	1.83	69	-2.98	-7.48
4	14	4.12	73	-4.28	-8.33
5	20	1.53	42	8.68	-3.54
6	12	1.47	52	4.95	-3.97
7	16	2.09	60	9.23	1.58

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.68	60	-4.44	-19.88
2	12	1.96	52	-3.70	-12.30
3	20	3.72	74	-2.27	-6.35
4	14	1.67	61	-8.65	-11.24
5	28	1.83	41	0.38	-3.23
6	12	1.89	43	8.65	-3.51
7	16	4.52	74	8.25	3.57



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.01	65	-2.11	-10.99
2	12	1.68	54	1.80	-6.61
3	20	3.41	72	-2.10	-8.55
4	14	4.29	75	-1.50	-5.71
5	28	1.08	45	12.07	0.38
6	12	2.74	49	9.18	-1.29
7	16	3.73	66	9.75	3.57



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.26	66	1.77	-8.21
2	12	2.62	51	4.67	-4.43
3	20	4.49	74	4.41	0.08
4	14	4.10	73	6.30	1.90
5	28	2.52	50	13.58	3.35
6	12	2.40	51	14.90	4.[illegible]
7	16	2.00	65	16.09	8.06



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.11	65	2.09	-9.32
2	12	4.52	50	8.00	0.41
3	20	4.12	80	11.10	7.63
4	14	4.97	70	6.00	3.13
5	28	2.80	54	10.01	8.42
6	12	2.68	69	17.95	10.27
7	16	2.15	68	19.69	19.29



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.30	61	12.60	4.99
2	12	3.71	61	14.90	7.35
3	20	2.88	75	13.21	8.88
4	14	2.20	69	0.07	-5.38
5	28	2.08	59	20.39	11.91
6	12	2.51	67	18.51	12.21
7	16	2.05	74	19.98	16.20

CAPITA


REGION 1, QTR 1 1965
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 1, QTR 2 1965
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 1, QTR 3 1965
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 1, QTR 4 1965
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

COPITO


REGION 2, QTR 1 1965
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 2, QTR 2 1965
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 2, QTR 3 1965
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 2, QTR 4 1965
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 3, QTR 1 1965
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 3, QTR 2 1965
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 3, QTR 3 1965
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 3, QTR 4 1965
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

202

CAPITA


REGION 4, QTR 1 1965
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 4, QTR 2 1965
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 4, QTR 3 1965
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 4, QTR 4 1965
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

COPITA


REGION 5, QTR 1 1965
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 5, QTR 2 1965
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 5, QTR 3 1965
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 5, QTR 4 1965
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 6, QTR 1 1965
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 6, QTR 2 1965
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 6, QTR 3 1965
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 6, QTR 4 1965
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

COPITO


REGION 7, QTR 1 1965
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 7, QTR 2 1965
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 7, QTR 3 1965
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 7, QTR 4 1965
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


EUS MEAN, QTR 1 1965
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
EUS MEAN, QTR 2 1965
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
EUS MEAN, QTR 3 1965
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
EUS MEAN, QTR 4 1965
100 15
30
RH
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	90	19.77	-0.56
2	12	1.66	65	13.75	2.63
3	20	2.43	76	5.87	1.00
4	14	7.06	81	0.85	-1.08
5	28	2.10	68	20.27	12.71
6	12	3.15	70	17.85	13.76
7	16	2.20	74	16.23	14.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.92	56	-3.11	-9.21
2	12	6.61	80	1.88	-1.15
3	20	8.10	90	5.13	3.76
4	14	9.62	84	-1.67	-5.88
5	28	3.78	73	10.25	12.87
6	12	4.20	80	17.56	13.80
7	16	2.80	65	13.48	4.08

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.62	90	1.22	-0.10
2	12	4.38	77	4.38	0.41
3	20	1.81	59	1.27	-5.98
4	14	1.88	51	-1.11	-7.37
5	28	2.26	66	16.10	8.38
6	12	2.01	84	7.81	1.26
7	16	2.04	48	0.69	-2.42

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	40	3.22	-10.98
2	12	1.66	52	3.89	-5.16
3	20	2.00	55	4.30	-4.48
4	14	2.72	58	1.11	-9.08
5	28	2.77	57	12.85	3.13
6	12	3.65	60	9.82	1.25
7	16	2.45	67	7.00	0.83



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.99	50	4.33	-5.08
2	12	5.31	42	5.87	-6.24
3	20	5.41	61	5.49	-1.80
4	14	6.02	87	-0.25	-4.21
5	28	6.21	78	11.96	8.03
6	12	8.12	92	10.08	8.79
7	16	9.82	84	10.65	9.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.32	91	1.88	0.55
2	12	10.76	90	6.36	3.93
3	20	8.00	79	0.45	-2.72
4	14	2.18	60	-7.88	-11.10
5	28	5.03	85	14.24	11.78
6	12	5.37	76	10.81	8.24
7	16	1.81	57	11.17	2.60

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.63	82	0.77	-5.77
2	12	6.31	70	5.00	-1.00
3	20	8.06	75	-4.77	-9.00
4	14	3.17	66	-8.14	-11.00
5	20	2.50	67	13.44	6.01
6	12	4.70	58	8.89	2.48
7	18	2.52	64	19.88	9.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.21	81	-4.00	-8.84
2	12	2.84	56	-6.89	-16.71
3	20	3.58	63	-9.38	-14.49
4	14	1.76	64	-7.67	-11.77
5	20	1.62	58	5.00	-6.06
6	12	1.68	49	-0.09	-9.48
7	18	1.72	52	10.50	1.21

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	81	-8.88	-14.81
2	12	1.52	46	-6.88	-16.38
3	20	1.91	57	1.33	-8.48
4	14	1.79	52	3.88	-8.46
5	20	1.66	37	8.21	-5.05
6	12	1.58	52	7.83	-8.58
7	18	1.92	64	15.00	9.41



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	86	-0.22	-7.00
2	12	2.17	46	4.00	-6.01
3	20	5.08	52	-5.35	-9.09
4	14	1.58	47	-4.44	-12.68
5	20	2.39	48	13.06	2.71
6	12	2.87	61	8.71	2.35
7	18	2.19	52	14.67	4.29

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	48	-4.43	-13.77
2	12	6.22	48	-4.20	-13.53
3	20	2.85	55	-6.91	-13.81
4	14	2.07	57	-6.15	-8.92
5	20	1.08	38	10.29	-4.22
6	12	1.87	41	7.62	-6.95
7	18	5.82	84	14.92	7.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	44	-12.55	-100.00
2	12	1.55	42	-8.05	-17.58
3	20	5.18	68	-5.88	-9.10
4	14	8.29	71	-0.39	-5.65
5	20	1.72	40	8.13	-4.06
6	12	1.32	40	9.53	-3.57
7	18	2.26	59	15.41	7.08

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.07	48	-0.88	-14.44
2	12	6.56	53	-3.69	-12.17
3	20	5.49	80	-1.49	-6.48
4	14	2.72	70	-5.17	-8.08
5	28	2.48	66	6.87	0.85
6	12	7.98	84	7.05	6.46
7	18	2.26	88	0.58	2.11

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.05	84	-0.68	-0.48
2	12	2.22	58	0.88	-6.52
3	20	8.78	74	-1.68	-5.65
4	14	2.08	80	-2.05	-4.91
5	28	6.90	69	10.11	4.38
6	12	8.45	85	4.25	1.57
7	18	2.27	84	0.81	-0.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.56	48	-2.99	-8.56
2	12	3.64	60	-1.06	-8.08
3	20	5.80	70	-3.68	-8.56
4	14	9.14	72	-3.98	-7.60
5	28	8.78	78	9.10	6.38
6	12	8.54	81	4.34	1.11
7	18	2.33	42	10.85	-2.79



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.85	48	-19.32	-100.00
2	12	3.88	53	-8.32	-16.18
3	20	4.00	80	-7.65	-13.18
4	14	3.22	63	-9.19	-11.52
5	28	2.18	61	6.05	-1.25
6	12	3.85	84	4.07	-2.22
7	18	3.22	85	0.28	0.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.41	58	-1.88	-9.48
2	12	5.13	61	-0.76	-7.81
3	20	5.29	68	-6.05	-10.73
4	14	2.91	63	-11.80	-14.12
5	28	1.08	43	6.32	-5.57
6	12	2.15	47	1.81	-8.89
7	18	3.15	64	9.12	-3.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.69	60	-0.11	-7.21
2	12	4.63	58	-1.34	-8.56
3	20	4.72	68	-0.80	-12.03
4	14	5.36	67	-0.52	-12.58
5	28	2.20	43	6.18	-5.71
6	12	5.26	58	0.84	-6.66
7	18	5.92	76	5.22	-1.07

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.00	78	-0.11	-4.00
2	12	6.73	71	-1.00	-6.00
3	20	4.21	66	-5.55	-10.89
4	14	3.07	60	-8.20	-15.00
5	20	2.16	43	5.01	-6.66
6	12	2.20	56	-0.74	-5.02
7	10	3.70	68	2.04	0.60



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.05	78	2.22	-2.10
2	12	3.66	65	1.00	-4.30
3	20	7.52	75	-3.52	-7.30
4	14	8.23	67	-8.63	-12.48
5	20	3.43	58	6.20	-1.60
6	12	5.33	62	1.00	-5.56
7	10	5.01	83	2.48	-0.20



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.10	71	1.44	-9.52
2	12	9.10	67	1.44	-9.00
3	20	7.17	75	-2.30	-8.91
4	14	4.78	66	-10.64	-11.83
5	20	2.44	58	8.76	0.70
6	12	5.37	55	4.10	-4.21
7	10	8.60	86	0.00	-1.20



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.90	68	0.68	-5.10
2	12	4.17	69	0.09	-5.06
3	20	12.23	80	-2.91	-5.43
4	14	2.81	62	-18.38	-19.05
5	20	9.45	88	7.61	5.71
6	12	8.54	90	1.29	-0.18
7	10	2.40	89	-2.04	-0.97



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	13.21	82	-0.33	-2.98
2	12	12.00	89	-0.27	-1.85
3	20	8.43	89	-7.52	-8.24
4	14	1.81	58	-11.82	-19.33
5	20	3.20	60	6.70	-1.54
6	12	5.06	85	-0.73	-8.56
7	10	2.58	84	-0.72	-8.52



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	11.17	82	-0.88	-3.44
2	12	1.67	58	-1.86	-8.97
3	20	3.70	60	-10.76	-14.51
4	14	3.83	58	-11.45	-12.81
5	20	3.45	48	4.83	-5.17
6	12	4.67	67	-2.51	-7.08
7	10	7.85	82	2.36	-0.41

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	81	-9.11	-9.88
2	12	1.91	56	-4.71	-12.95
3	20	4.29	64	-7.35	-15.05
4	14	3.93	62	-12.07	-18.72
5	28	4.96	64	5.07	-1.30
6	12	3.12	78	-0.37	-3.88
7	18	8.41	95	1.77	-0.76



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.13	55	-7.88	-19.48
2	12	3.35	81	-8.02	-16.18
3	20	5.08	85	-7.32	-12.88
4	14	5.01	88	-6.32	-12.11
5	28	10.18	85	1.80	-0.23
6	12	6.58	73	-0.57	-4.87
7	18	2.98	68	2.88	-4.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.17	71	-5.68	-7.91
2	12	5.73	68	-4.71	-10.68
3	20	5.87	59	-10.84	-12.77
4	14	2.62	58	-12.69	-11.64
5	28	1.96	47	3.61	-6.88
6	12	3.13	53	1.94	-6.84
7	18	2.25	58	7.42	-1.79

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.33	48	-10.55	-19.99
2	12	1.76	45	-12.49	-25.00
3	20	2.41	50	-14.95	-100.00
4	14	2.28	51	-14.30	-100.00
5	28	2.21	48	4.76	-4.97
6	12	3.53	51	2.40	-5.83
7	18	8.10	78	3.84	0.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	48	-5.99	-14.02
2	12	2.73	55	-9.81	-16.73
3	20	8.19	55	-14.31	-17.77
4	14	3.50	51	-16.84	-100.00
5	28	10.00	81	1.60	0.66
6	12	8.55	77	-7.54	-8.02
7	18	1.85	57	-4.72	-9.71



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	14.07	84	-1.77	-3.99
2	12	14.85	82	-8.83	-10.80
3	20	8.52	60	-13.55	-15.63
4	14	1.88	58	-13.81	-100.00
5	28	3.71	48	-5.77	-11.75
6	12	1.98	45	-12.82	-18.68
7	18	1.64	58	-2.70	-10.15

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.20	86	-6.40	-11.10
2	12	6.63	88	-7.17	-12.03
3	20	4.30	85	-8.07	-14.65
4	14	9.54	82	-10.89	-13.38
5	28	1.74	38	1.36	-11.41
6	12	2.36	58	-4.78	-11.80
7	18	8.85	75	7.95	2.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.17	81	-2.44	-8.88
2	12	3.65	84	-3.74	-8.67
3	20	7.88	77	-8.71	-10.13
4	14	9.41	88	-10.88	-15.88
5	28	2.78	64	8.11	-1.20
6	12	7.58	84	5.78	3.00
7	18	2.14	55	5.88	-3.89



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	84	-0.55	-8.10
2	12	5.43	76	-2.87	-5.88
3	20	6.28	70	-5.48	-8.16
4	14	2.62	88	-8.20	-13.48
5	28	5.80	68	7.55	1.88
6	12	3.70	78	-0.87	-5.73
7	18	1.80	88	1.80	-5.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.84	82	-0.88	-3.44
2	12	4.35	76	-1.10	-5.18
3	20	4.00	70	-4.15	-8.83
4	14	3.98	71	-8.05	-11.57
5	28	2.55	53	4.99	-4.02
6	12	2.78	57	0.27	-7.12
7	18	1.78	54	5.20	-3.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.11	78	-0.77	-3.88
2	12	7.10	69	-2.12	-7.21
3	20	4.84	68	-6.57	-11.39
4	14	1.87	59	-9.31	-12.83
5	28	2.62	47	3.76	-6.84
6	12	3.22	58	0.27	-7.31
7	18	2.04	48	9.05	-1.82

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	85	-0.88	-8.44
2	12	4.67	69	-3.37	-8.71
3	20	5.93	64	-6.85	-12.55
4	14	2.57	62	-2.37	-7.84
5	28	2.18	40	2.89	-8.68
6	12	2.41	48	0.48	-10.18
7	18	2.01	48	12.73	2.22

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	83	-9.00	-12.10
2	12	3.15	68	-5.27	-12.40
3	20	5.78	67	-1.11	-8.57
4	14	9.97	68	9.33	-3.25
5	28	2.22	88	7.25	-6.76
6	12	2.57	82	8.19	-4.07
7	10	2.77	84	14.25	7.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	81	-4.00	-10.46
2	12	4.30	61	-4.25	-10.60
3	20	10.41	79	5.80	0.08
4	14	7.05	83	1.11	-1.54
5	28	3.27	48	10.00	-0.01
6	12	2.87	87	11.15	5.06
7	10	2.25	88	10.25	12.11



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.01	66	-2.77	-12.77
2	12	6.69	53	0.64	-8.10
3	20	11.43	68	5.71	3.99
4	14	8.29	86	6.42	4.20
5	28	4.35	64	13.66	3.82
6	12	3.08	58	14.48	5.36
7	10	3.27	76	17.28	12.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.37	57	-1.11	-8.55
2	12	5.28	59	3.78	-3.56
3	20	3.04	78	10.94	6.77
4	14	4.58	81	8.01	2.97
5	28	4.40	60	12.95	5.21
6	12	2.38	58	17.66	9.39
7	10	3.64	73	15.09	8.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.84	80	6.55	-0.68
2	12	4.37	72	7.21	2.35
3	20	11.25	89	8.57	8.98
4	14	3.03	74	0.43	-3.84
5	28	2.82	66	16.99	10.31
6	12	3.72	79	15.69	11.84
7	10	2.11	93	19.12	9.12

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.09	68	10.99	5.10
2	12	6.18	85	8.69	6.18
3	20	5.45	81	4.85	1.97
4	14	1.82	87	-1.70	-7.09
5	28	6.45	77	17.43	13.01
6	12	3.85	88	14.82	11.19
7	10	2.90	82	11.41	9.93



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.99	49	7.85	-0.00
2	12	2.74	62	7.63	0.60
3	20	2.92	69	5.85	-0.85
4	14	2.12	69	5.06	-2.77
5	20	6.00	83	15.27	12.21
6	12	8.48	91	11.84	10.50
7	10	3.10	61	11.10	3.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	11.56	85	1.88	-0.46
2	12	10.32	89	5.83	2.63
3	20	4.52	73	4.91	-0.24
4	14	2.46	65	-7.19	-11.43
5	20	4.07	76	15.60	11.38
6	12	2.43	77	10.06	6.19
7	10	1.76	68	12.77	2.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	57	9.43	-2.46
2	12	3.36	62	6.81	-1.10
3	20	4.21	69	-1.05	-6.13
4	14	2.66	62	-5.18	-10.80
5	20	2.05	63	16.36	6.63
6	12	2.85	59	13.58	5.41
7	10	2.00	62	8.65	-0.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.79	57	-0.80	-8.33
2	12	2.25	62	3.70	-3.08
3	20	2.85	63	1.50	-5.05
4	14	3.05	58	-2.87	-5.87
5	20	8.72	78	13.80	9.04
6	12	8.63	82	8.09	5.22
7	10	5.52	75	7.73	2.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.03	60	0.68	-8.46
2	12	8.06	88	1.96	0.23
3	20	9.03	71	1.19	-3.76
4	14	2.92	53	-7.20	-12.48
5	20	8.58	85	14.26	11.52
6	12	8.69	91	11.26	9.81
7	10	9.08	86	7.18	0.58

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	50	-2.60	-13.33
2	12	1.67	48	-3.75	-11.47
3	20	2.48	48	-0.30	-15.64
4	14	1.69	48	-1.81	-8.84
5	20	1.70	45	11.70	-0.01
6	12	1.58	42	5.73	-8.45
7	10	1.60	45	8.12	-9.00

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.40	57	-8.33	-15.88
2	12	6.65	62	0.69	-8.37
3	20	8.98	57	-0.56	-8.03
4	14	1.78	81	-4.81	-6.69
5	28	9.05	64	11.84	1.62
6	12	2.76	48	7.72	-9.53
7	10	1.84	45	12.65	0.91



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	7.62	56	-0.88	-8.62
2	12	2.87	60	-5.06	-8.70
3	20	3.39	59	-9.10	-15.07
4	14	2.41	52	-9.04	-10.96
5	28	2.56	61	12.57	1.76
6	12	3.16	47	9.80	-1.47
7	10	2.18	56	12.60	1.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.58	36	-12.96	-100.00
2	12	6.03	48	-8.80	-18.19
3	20	1.81	45	-8.96	-15.82
4	14	8.36	48	-13.10	-12.40
5	28	2.02	62	8.86	-2.37
6	12	2.58	48	5.80	-6.38
7	10	2.20	62	10.12	2.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	4.01	67	-8.77	-10.36
2	12	3.88	55	-3.78	-11.68
3	20	2.61	49	-5.88	-12.79
4	14	2.21	47	-10.69	-12.88
5	28	2.26	48	8.24	-2.58
6	12	2.01	48	6.84	-5.52
7	10	5.51	67	7.77	1.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.59	60	-0.22	-9.43
2	12	3.10	55	-0.60	-8.76
3	20	2.47	59	-2.74	-9.91
4	14	9.01	43	-6.58	-13.56
5	28	3.28	48	8.89	-1.36
6	12	2.98	36	7.96	-6.89
7	10	5.03	66	2.19	-9.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.03	84	0.21	-8.30
2	12	1.01	51	2.83	-7.17
3	20	4.08	64	-0.49	-8.80
4	14	2.41	51	-2.89	-12.19
5	28	3.65	66	7.53	1.08
6	12	3.58	50	7.77	-2.98
7	10	9.25	81	9.12	-4.18

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	81	3.11	-7.50
2	12	0.42	68	1.80	-2.76
3	20	7.43	88	0.11	-5.29
4	14	2.16	90	1.62	-0.01
5	28	9.36	88	6.28	4.68
6	12	9.10	90	5.65	2.37
7	10	2.42	67	8.86	-4.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	19.09	86	-0.88	-2.46
2	12	7.70	76	3.76	-1.86
3	20	5.76	84	1.65	-4.88
4	14	2.77	80	-0.08	-7.97
5	28	2.48	80	10.30	2.85
6	12	3.45	58	7.88	-0.52
7	10	2.26	44	10.80	-1.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	58	3.69	-8.21
2	12	1.87	66	3.60	-6.06
3	20	5.38	62	1.84	-4.82
4	14	2.48	66	2.88	-5.58
5	28	2.27	46	11.12	-1.08
6	12	2.72	45	8.89	-2.56
7	10	5.88	76	10.72	8.76



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	42	4.88	-7.55
2	12	3.06	55	4.30	-3.93
3	20	8.19	83	3.18	-3.27
4	14	6.21	78	2.05	-1.88
5	28	3.61	61	10.41	2.88
6	12	7.18	82	8.20	5.03
7	10	5.82	84	10.27	7.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.89	47	5.39	-4.89
2	12	6.30	73	4.67	0.18
3	20	11.57	85	3.85	1.52
4	14	5.17	72	4.59	-0.59
5	28	8.36	88	12.07	10.35
6	12	8.39	86	11.01	8.11
7	10	2.24	53	14.28	4.02



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.71	79	7.77	4.21
2	12	2.66	60	7.69	-0.06
3	20	2.08	59	5.80	-1.66
4	14	1.57	53	5.47	-3.82
5	28	1.66	42	15.23	2.24
6	12	1.70	49	12.81	2.51
7	10	1.50	41	18.66	3.15

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.30	43	8.85	-5.21
2	12	1.68	33	8.65	-7.04
3	20	2.42	48	10.59	-0.08
4	14	0.00	86	6.79	-0.71
5	20	1.95	35	17.81	1.95
6	12	1.78	43	16.52	3.51
7	10	2.07	56	18.38	8.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	35	0.10	-0.00
2	12	2.33	35	11.04	-9.14
3	20	3.60	68	12.58	7.15
4	14	0.64	70	5.60	-1.08
5	20	4.00	69	17.81	11.56
6	12	3.58	81	17.30	13.87
7	10	2.34	39	18.05	2.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	80	5.77	-1.00
2	12	10.16	85	0.00	5.73
3	20	2.52	51	7.74	-2.24
4	14	10.45	68	-0.00	-10.82
5	20	4.00	70	10.53	15.00
6	12	4.10	57	15.31	0.41
7	10	9.00	23	0.00	-0.24



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.10	92	3.32	2.21
2	12	7.59	85	6.83	4.07
3	20	8.01	64	-1.19	-7.48
4	14	8.69	87	-5.50	-11.14
5	20	2.30	47	13.62	1.72
6	12	2.45	43	4.54	-7.56
7	10	2.26	22	8.78	-11.25



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.40	81	4.10	1.10
2	12	6.41	68	1.24	-6.81
3	20	6.93	69	-5.65	-8.40
4	14	1.60	80	-7.33	-19.00
5	20	2.23	41	6.74	-5.80
6	12	2.40	52	1.66	-7.43
7	10	1.01	25	8.85	-9.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.30	47	2.60	-7.44
2	12	2.00	51	0.55	-8.60
3	20	3.20	59	-2.99	-10.07
4	14	1.60	48	-2.37	-12.21
5	20	1.03	30	6.80	-6.52
6	12	1.07	42	3.20	-8.78
7	10	1.61	51	12.11	-4.00

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.96	48	-0.39	-10.44
2	12	1.98	61	-0.78	-9.81
3	20	2.52	58	-0.19	-7.48
4	14	1.85	84	6.69	-5.82
5	28	1.77	90	7.65	-5.76
6	12	1.89	58	5.87	-7.65
7	18	2.00	84	19.12	5.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	48	0.00	-9.44
2	12	2.35	43	3.60	-7.77
3	20	3.07	58	6.88	-2.00
4	14	2.74	88	7.88	1.74
5	28	2.32	87	10.78	-3.58
6	12	2.04	31	11.67	-5.22
7	18	2.48	58	18.41	6.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.45	56	0.33	-6.10
2	12	2.81	38	10.18	-6.36
3	20	4.07	[illegible]	9.41	1.48
4	14	4.87	[illegible]	10.68	3.86
5	28	2.61	46	14.83	-0.47
6	12	2.25	52	14.85	-1.86
7	18	2.76	58	17.88	8.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.68	42	0.88	-11.21
2	12	3.08	56	6.15	-2.56
3	20	4.43	62	12.41	4.49
4	14	5.81	68	10.81	4.83
5	28	2.78	35	18.78	2.38
6	12	2.48	41	18.74	4.48
7	18	2.52	62	18.33	11.14



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.97	78	-0.55	-4.88
2	12	7.86	78	5.82	1.80
3	20	10.71	88	10.98	9.05
4	14	9.03	58	8.00	0.43
5	28	2.52	42	21.06	7.00
6	12	2.97	49	20.83	9.36
7	18	2.81	86	17.68	10.65



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.52	82	1.22	-1.46
2	12	6.47	75	6.41	1.38
3	20	6.85	68	7.05	1.46
4	14	2.81	58	9.81	-0.03
5	28	9.27	63	10.56	11.18
6	12	6.57	65	10.42	11.20
7	18	9.43	55	17.88	7.95

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.41	60	9.77	-5.00
2	12	2.57	68	7.40	-3.56
3	20	6.73	54	10.85	1.41
4	14	3.48	66	12.41	2.83
5	20	5.12	70	16.86	10.86
6	12	5.06	72	16.83	11.58
7	10	2.79	66	10.29	3.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.82	40	-2.77	-19.66
2	12	1.59	35	7.40	-7.56
3	20	5.16	56	10.27	1.22
4	14	3.84	56	14.10	8.48
5	20	5.09	70	16.10	8.65
6	12	5.00	76	17.12	12.21
7	10	2.40	82	20.66	8.70

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	88	5.77	-0.89
2	12	1.54	85	6.19	-0.38
3	20	2.87	65	10.52	-1.05
4	14	6.50	65	16.66	8.08
5	20	2.43	48	13.88	2.87
6	12	3.51	62	17.91	10.56
7	10	2.34	62	22.77	11.63



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.80	40	8.55	-0.55
2	12	2.02	31	10.64	-6.01
3	20	3.54	49	19.49	0.82
4	14	3.79	64	14.78	4.46
5	20	2.06	42	15.76	2.53
6	12	2.47	58	18.82	9.85
7	10	1.96	51	22.73	11.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.82	52	10.88	0.88
2	12	2.95	41	17.17	3.76
3	20	2.69	68	11.49	5.16
4	14	2.92	46	7.83	-4.67
5	20	1.08	49	20.76	8.34
6	12	2.84	58	19.18	10.41
7	10	2.30	37	18.67	2.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.82	57	13.44	5.92
2	12	3.35	57	11.70	2.86
3	20	2.30	60	5.94	-1.98
4	14	1.89	50	7.14	-5.84
5	20	2.23	48	10.06	7.08
6	12	1.48	27	19.02	-1.10
7	10	2.19	42	21.45	6.58

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.58	68	9.10	3.89
2	12	1.73	58	8.23	-0.78
3	20	2.08	58	8.35	-1.55
4	14	1.70	45	12.77	2.08
5	28	1.71	38	18.02	1.02
6	12	1.88	42	18.93	5.41
7	18	1.81	69	23.74	12.77

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.59	47	8.68	-2.10
2	12	2.14	48	9.16	-1.43
3	20	3.33	53	15.32	5.63
4	14	2.32	54	19.17	6.29
5	28	2.16	38	20.31	5.33
6	12	2.08	47	24.11	11.80
7	18	1.64	48	23.84	10.03



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.88	52	8.88	-0.55
2	12	4.00	59	13.23	5.08
3	20	7.73	73	14.83	9.52
4	14	6.77	72	6.96	1.90
5	28	2.06	38	24.97	9.96
6	12	1.91	45	24.18	11.38
7	18	1.67	47	23.50	9.78



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	65	8.83	2.68
2	12	4.27	68	15.58	7.56
3	20	2.78	71	11.71	8.21
4	14	2.38	68	-4.20	-8.59
5	28	2.25	43	23.88	10.35
6	12	3.75	67	18.23	11.53
7	18	1.81	41	11.88	-2.48



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.79	78	8.98	3.68
2	12	8.84	81	8.05	5.08
3	20	7.52	66	-2.69	-8.93
4	14	1.54	54	-4.75	-12.38
5	28	2.48	66	15.96	6.18
6	12	1.86	42	8.89	-5.84
7	18	1.58	28	10.96	-7.49



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.31	89	6.68	-1.44
2	12	2.65	91	0.82	-8.18
3	20	3.49	85	-0.33	-8.57
4	14	1.57	93	9.48	-5.99
5	28	1.61	36	11.68	-9.43
6	12	1.56	31	8.37	-7.72
7	18	1.86	54	14.37	-2.08

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.59	41	5.88	-8.44
2	12	6.58	61	4.48	-2.82
3	20	4.10	69	-0.10	-6.35
4	14	1.68	54	1.34	-8.10
5	28	1.06	40	14.60	0.41
6	12	1.96	48	12.49	0.87
7	10	2.80	53	10.55	5.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.05	50	1.66	-9.44
2	12	2.84	68	-0.50	-10.73
3	20	1.80	47	0.55	-9.55
4	14	1.68	51	4.48	-5.80
5	28	1.68	36	12.68	-1.06
6	12	1.95	48	10.76	-2.26
7	10	3.80	63	10.70	11.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	48	-1.55	-11.00
2	12	1.57	61	0.50	-11.00
3	20	1.71	41	2.11	-10.02
4	14	1.76	48	0.84	-1.94
5	28	1.77	24	11.62	-6.06
6	12	1.78	56	9.53	-5.45
7	10	5.06	62	10.09	9.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	58	0.99	-11.00
2	12	1.65	37	4.84	-8.11
3	20	4.14	58	8.50	-2.27
4	14	1.84	48	11.80	-1.00
5	28	2.08	36	13.27	-2.96
6	12	2.11	42	13.33	-5.46
7	10	9.71	57	15.68	5.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.87	58	5.55	-2.21
2	12	3.13	61	7.17	-0.36
3	20	2.37	52	8.07	-1.09
4	14	1.68	35	18.48	0.18
5	28	2.02	37	18.50	2.54
6	12	2.50	38	16.29	1.60
7	10	1.82	31	20.98	2.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.11	71	4.52	-0.78
2	12	1.61	45	6.70	-4.76
3	20	1.95	51	6.41	-5.05
4	14	2.29	41	10.17	2.28
5	28	1.78	26	16.12	-0.06
6	12	1.62	32	17.21	0.52
7	10	1.73	25	20.78	6.61

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	43	8.10	-5.88
2	12	3.06	60	7.60	0.08
3	20	2.85	84	7.32	0.08
4	14	1.80	95	11.74	-4.18
5	28	2.02	24	22.63	5.76
6	12	1.98	30	19.99	2.17
7	18	2.47	50	29.15	6.23



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.07	70	5.00	0.55
2	12	1.81	55	8.61	-1.04
3	20	1.74	58	6.98	-1.60
4	14	1.70	38	12.41	-2.02
5	28	1.90	37	16.54	0.47
6	12	1.80	28	15.87	-3.42
7	18	2.60	26	23.25	2.11



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.68	42	7.68	-4.77
2	12	2.03	62	7.85	-1.08
3	20	4.50	72	5.10	0.27
4	14	1.82	64	7.17	-1.66
5	28	1.94	32	20.86	3.11
6	12	2.04	50	19.39	7.98
7	18	1.98	44	22.70	8.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.01	48	7.32	-9.77
2	12	2.43	62	5.86	-0.97
3	20	1.73	53	4.41	-4.41
4	14	2.08	55	4.52	-4.08
5	28	3.53	73	17.83	11.04
6	12	3.05	59	11.10	3.09
7	18	1.81	37	18.94	7.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	38	7.43	-5.55
2	12	2.08	48	7.21	-3.08
3	20	3.20	67	3.98	-1.08
4	14	1.82	54	9.50	-4.81
5	28	2.32	41	13.78	0.18
6	12	1.81	38	11.98	-1.93
7	18	1.67	30	15.68	-1.83



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	42	8.99	-3.55
2	12	2.78	55	7.63	-1.34
3	20	3.47	65	4.52	-1.77
4	14	2.22	42	7.80	-5.18
5	28	1.68	33	14.79	-1.72
6	12	1.67	34	13.23	-2.77
7	18	1.59	26	21.21	0.51

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.62	68	10.10	-1.22
2	12	1.98	63	8.83	-0.78
3	20	2.38	62	5.60	-2.24
4	14	1.85	68	6.00	-2.60
5	28	1.78	32	18.62	1.36
6	12	1.58	58	16.56	0.16
7	18	1.84	35	25.71	9.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.05	88	7.52	0.55
2	12	1.88	68	7.26	-0.37
3	20	2.55	58	5.98	-2.13
4	14	1.85	81	6.70	-0.68
5	28	1.87	38	18.86	9.05
6	12	3.23	61	14.90	5.92
7	18	2.08	85	80.42	6.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.22	57	6.60	-1.00
2	12	2.03	60	7.63	-2.58
3	20	2.38	58	5.98	-1.71
4	14	1.54	68	6.74	-6.07
5	28	2.08	46	16.16	8.06
6	12	1.68	66	12.91	6.55
7	18	1.91	63	10.55	6.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.05	68	7.33	-1.00
2	12	2.11	67	8.83	-2.03
3	20	2.46	56	7.56	-0.76
4	14	2.38	67	8.85	-1.22
5	28	1.71	36	14.53	-0.48
6	12	1.88	56	13.37	-2.26
7	18	2.32	48	22.87	8.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.45	68	0.80	-2.92
2	12	2.08	63	0.25	-3.18
3	20	3.40	60	7.08	0.15
4	14	4.56	70	6.69	1.54
5	28	2.05	36	17.87	2.34
6	12	3.37	43	17.07	3.08
7	18	1.96	52	24.28	12.11



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.36	48	8.68	-1.00
2	12	1.91	40	10.00	-3.00
3	20	4.35	58	8.32	-0.36
4	14	5.83	87	6.76	0.43
5	28	3.58	58	19.53	10.07
6	12	4.04	69	19.87	13.42
7	18	2.68	52	29.60	11.55

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	52	7.00	-1.00
2	12	2.02	60	7.54	-0.23
3	20	2.42	58	9.49	0.55
4	14	2.71	58	8.64	0.01
5	28	3.08	72	17.05	12.07
6	12	5.03	70	18.65	13.60
7	10	3.07	65	16.81	11.56



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.46	44	9.66	-2.21
2	12	1.60	36	11.70	-3.37
3	20	2.57	41	12.07	-0.86
4	14	2.36	46	12.57	0.31
5	28	2.83	68	15.88	7.38
6	12	5.75	72	15.80	7.85
7	10	3.35	68	15.90	8.02



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.70	55	12.90	-3.66
2	12	1.76	52	13.23	-3.16
3	20	2.84	40	12.89	-0.76
4	14	1.66	46	13.00	1.46
5	28	2.47	62	16.56	6.09
6	12	3.46	56	16.01	8.52
7	10	2.69	47	10.90	7.75



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.84	53	11.99	2.93
2	12	2.08	35	13.60	-1.08
3	20	2.38	37	15.57	-0.77
4	14	2.04	44	15.88	3.60
5	28	2.41	44	18.33	5.48
6	12	2.50	38	18.79	4.62
7	10	2.12	36	25.87	8.43



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	42	12.88	-0.66
2	12	1.93	39	14.61	-1.80
3	20	2.48	58	15.44	0.47
4	14	2.06	61	11.50	3.76
5	28	2.60	57	20.57	6.03
6	12	2.40	58	21.61	5.87
7	10	2.08	56	23.53	12.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.47	28	13.68	-4.77
2	12	2.81	37	15.96	1.06
3	20	4.03	51	20.58	5.68
4	14	7.57	25	5.43	1.91
5	28	2.09	43	22.69	9.20
6	12	2.41	48	25.75	11.29
7	10	3.46	72	21.10	14.85

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	94	13.10	-2.56
2	12	2.97	47	14.16	2.06
3	20	6.10	78	16.80	13.21
4	14	7.00	86	7.14	3.72
5	28	3.08	81	21.68	10.06
6	12	3.48	86	21.70	16.99
7	18	5.13	88	28.68	12.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.36	52	0.00	-0.00
2	12	3.01	73	11.06	7.17
3	20	5.25	70	17.77	11.00
4	14	1.00	82	2.79	-4.00
5	28	3.25	61	22.65	14.30
6	12	2.22	62	25.62	15.69
7	18	2.06	62	17.35	0.61

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.05	65	15.21	0.00
2	12	5.04	71	16.80	11.20
3	20	2.08	65	3.25	2.44
4	14	1.57	44	0.51	-2.99
5	28	2.36	62	24.32	16.00
6	12	2.62	74	18.74	15.03
7	18	2.30	48	16.62	4.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	58	14.94	-0.10
2	12	1.01	62	14.20	4.21
3	20	2.08	47	14.60	3.58
4	14	2.41	83	13.40	3.40
5	28	4.41	70	21.93	15.73
6	12	5.35	73	21.84	16.86
7	18	6.84	83	17.48	14.40



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	96	15.10	-1.99
2	12	2.48	55	17.07	7.58
3	20	9.75	85	13.52	11.05
4	14	2.41	64	15.15	7.88
5	28	3.58	58	23.19	14.38
6	12	2.70	61	24.68	18.52
7	18	9.14	78	21.48	17.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.07	82	7.88	6.77
2	12	8.17	67	13.83	11.75
3	20	6.18	75	17.57	12.74
4	14	1.73	38	10.32	6.52
5	28	2.21	48	26.82	13.96
6	12	2.58	60	24.20	15.78
7	18	9.72	80	20.17	18.58

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.16	58	17.44	8.77
2	12	1.88	68	17.21	8.38
3	20	1.57	57	19.85	5.98
4	14	1.88	48	18.52	6.08
5	20	2.48	58	23.30	16.26
6	12	2.15	64	22.21	16.85
7	18	2.88	78	20.88	17.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.81	22	10.10	-10.44
2	12	1.62	38	14.58	0.04
3	20	2.35	55	15.83	5.91
4	14	2.48	58	19.48	6.08
5	20	3.28	57	22.18	12.76
6	12	2.53	71	22.20	18.88
7	18	2.58	88	22.04	15.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.51	28	6.88	-12.88
2	12	2.38	46	6.75	-8.18
3	20	0.62	85	8.31	6.80
4	14	3.83	70	9.88	5.84
5	20	4.07	71	20.61	14.51
6	12	2.18	72	22.46	17.12
7	18	1.78	57	28.62	16.76



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.28	80	2.77	-4.84
2	12	4.66	80	6.20	3.00
3	20	3.40	69	13.32	7.48
4	14	1.08	48	7.65	-2.81
5	20	3.72	76	18.10	14.30
6	12	2.29	69	24.95	18.93
7	18	2.18	84	20.30	13.50



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.18	78	8.88	1.99
2	12	3.18	61	11.88	4.48
3	20	2.08	51	14.45	6.27
4	14	3.63	68	9.48	2.65
5	20	4.21	74	19.32	14.26
6	12	2.67	74	21.52	18.66
7	18	3.28	75	22.86	17.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.48	48	13.88	2.10
2	12	6.25	77	12.26	8.08
3	20	7.14	84	15.05	10.48
4	14	2.10	82	6.84	-3.17
5	20	3.68	72	21.12	16.20
6	12	3.38	79	25.51	18.52
7	18	4.12	72	21.80	15.08

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	58	15.00	7.21
2	12	2.57	61	13.60	6.06
3	20	1.92	55	8.77	0.11
4	14	1.65	43	8.48	-2.00
5	28	2.57	66	24.67	17.78
6	12	7.02	82	19.95	16.56
7	10	9.10	88	15.51	12.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	28	10.33	-8.00
2	12	1.62	60	10.36	-2.62
3	20	1.82	48	10.83	-0.02
4	14	1.70	44	14.83	1.00
5	28	3.36	68	19.28	12.67
6	12	3.04	78	16.26	11.80
7	10	2.41	75	17.90	12.11



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	37	10.21	-2.00
2	12	1.92	48	14.81	2.40
3	20	1.77	42	11.89	-1.08
4	14	1.54	37	14.32	-0.07
5	27	2.07	58	21.65	11.64
6	12	2.05	49	21.55	10.04
7	10	2.82	58	20.55	11.55

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	50	9.21	-0.86
2	12	1.58	43	10.73	-1.33
3	20	1.63	38	11.91	-2.38
4	14	1.76	32	22.65	4.99
5	28	1.78	39	21.60	6.62
6	12	1.69	39	21.63	7.12
7	10	2.60	58	21.69	12.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	28	15.77	-9.00
2	12	1.76	35	18.20	2.26
3	20	1.95	58	29.55	9.68
4	14	1.54	28	26.48	5.07
5	28	1.98	46	23.28	8.87
6	12	1.72	43	25.15	11.47
7	10	2.33	61	22.77	16.23



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.49	46	14.65	2.77
2	12	2.48	52	18.30	8.32
3	20	1.70	53	19.13	2.18
4	14	1.87	32	22.06	4.52
5	28	2.01	48	26.20	14.02
6	12	2.62	55	24.59	14.25
7	10	2.31	62	23.43	15.08

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	28	7.46	-10.00
2	12	1.52	35	11.19	-3.51
3	20	2.07	43	17.76	6.76
4	14	1.64	36	23.04	8.76
5	28	1.86	48	23.72	11.58
6	12	2.01	45	25.79	12.08
7	18	1.80	53	26.58	16.71



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.29	75	7.49	3.00
2	12	2.27	63	13.00	5.07
3	20	2.58	61	9.80	1.84
4	14	2.57	48	14.35	2.61
5	28	2.17	58	25.88	16.66
6	12	1.86	52	27.28	18.52
7	18	1.63	48	27.42	16.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.54	87	3.88	1.88
2	12	0.71	78	4.85	1.20
3	20	1.07	47	5.41	-5.30
4	14	1.01	41	8.93	-4.08
5	28	3.18	65	22.23	14.79
6	12	2.26	58	20.87	11.81
7	18	2.07	54	22.48	12.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
2	5	1.38	48	7.65	-4.55
2	12	1.56	37	8.02	-6.13
3	20	1.70	58	8.71	-4.57
4	14	1.95	48	9.88	-1.54
5	28	2.26	40	16.52	2.48
6	12	1.45	38	14.30	-0.69
7	18	2.16	62	19.44	11.76



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	23	13.21	-7.21
2	12	1.81	36	11.70	-3.68
3	20	5.33	81	8.27	5.18
4	14	5.82	88	7.65	6.38
5	28	2.36	46	20.31	7.08
6	12	2.05	48	20.92	9.25
7	18	2.35	57	24.08	16.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	41	10.77	-2.88
2	12	0.14	81	10.32	7.07
3	20	4.84	68	10.58	8.55
4	14	2.33	69	7.39	1.58
5	28	2.65	58	23.13	16.47
6	12	5.03	77	21.80	17.43
7	18	1.84	67	23.38	16.84

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.32	77	10.10	5.06
2	12	1.65	84	13.08	6.67
3	20	5.35	78	9.57	5.44
4	14	2.93	86	8.85	2.97
5	28	2.78	61	24.71	18.40
6	12	4.80	85	20.45	17.48
7	18	2.09	81	18.75	11.80

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	29	10.62	-0.22
2	12	1.04	51	14.86	4.88
3	20	3.48	62	13.80	6.46
4	14	2.10	54	10.48	0.98
5	28	3.68	68	21.60	15.48
6	12	4.03	70	19.55	13.83
7	18	2.31	82	24.85	18.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.92	31	20.68	2.06
2	12	1.69	38	19.34	6.43
3	20	8.33	67	16.52	8.85
4	14	8.97	62	17.21	8.82
5	28	2.58	48	24.60	13.07
6	12	2.98	53	23.28	13.28
7	18	1.87	56	28.70	17.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	39	17.54	2.33
2	12	2.08	60	17.12	6.10
3	20	2.38	57	20.10	10.88
4	14	1.87	36	22.85	6.70
5	28	2.80	52	24.61	13.72
6	12	4.01	70	22.82	17.06
7	18	1.92	57	29.82	18.19



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.59	53	14.72	4.84
2	12	2.75	63	16.66	9.68
3	20	3.57	61	20.18	12.08
4	14	2.07	57	19.71	10.09
5	28	3.25	58	24.95	16.20
6	12	2.15	67	24.95	18.51
7	18	1.96	56	30.69	18.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.69	56	17.21	8.32
2	12	4.51	77	16.98	12.82
3	20	3.50	65	20.27	12.62
4	14	1.80	42	18.05	4.68
5	28	2.81	65	25.25	18.11
6	12	3.54	79	22.54	18.65
7	18	2.48	61	26.21	18.58

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.01	84	19.80	19.10
2	12	5.40	72	19.16	13.36
3	20	1.57	44	19.76	7.07
4	14	1.57	41	18.82	1.88
5	20	2.40	60	26.62	18.07
6	12	2.70	65	22.35	16.99
7	18	2.27	64	24.20	16.92

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.89	69	19.09	12.10
2	12	4.21	68	22.81	10.68
3	20	1.81	45	20.55	8.07
4	14	2.04	59	18.58	8.06
5	20	1.82	52	27.11	16.26
6	12	1.88	56	25.32	16.59
7	18	2.52	63	28.60	18.81

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	58	22.68	7.77
2	12	2.36	63	21.10	10.87
3	20	1.58	60	18.91	11.58
4	14	1.08	47	24.08	10.60
5	20	2.23	56	27.80	17.87
6	12	3.04	70	26.96	19.02
7	18	1.99	64	28.38	18.32



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	46	19.46	0.92
2	12	2.46	66	20.22	10.86
3	20	2.27	50	22.18	11.18
4	14	2.23	51	24.98	13.46
5	20	2.62	64	25.20	17.77
6	12	2.66	65	25.52	18.42
7	18	1.99	56	30.80	19.49



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	25	26.55	6.77
2	12	1.83	36	26.08	8.37
3	20	3.35	52	25.63	15.02
4	14	2.21	50	17.61	8.45
5	20	2.62	57	25.00	15.67
6	12	2.08	55	28.56	18.79
7	18	2.33	53	29.98	17.94



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	28	27.46	7.68
2	12	1.81	40	24.80	10.36
3	20	1.98	55	21.38	11.68
4	14	1.54	29	21.66	2.68
5	20	4.36	71	22.77	16.00
6	12	2.94	64	25.76	18.53
7	18	1.82	48	26.48	15.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.06	62	22.66	12.66
2	12	3.07	58	22.12	13.42
3	20	1.57	58	23.24	7.13
4	14	1.54	28	28.70	8.22
5	28	3.68	73	24.00	18.64
6	12	2.28	56	24.90	16.01
7	18	1.76	48	28.21	14.02

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.05	48	22.77	9.10
2	12	2.90	49	24.11	10.36
3	20	1.78	55	25.57	9.10
4	14	1.58	31	28.16	8.40
5	28	2.74	67	26.00	18.17
6	12	3.10	62	24.30	16.01
7	18	1.82	48	28.17	13.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.64	50	28.77	11.46
2	12	2.48	55	25.18	14.81
3	20	1.80	41	27.07	12.62
4	14	1.54	30	29.66	8.01
5	28	3.00	73	24.67	18.26
6	12	2.64	63	25.52	17.31
7	18	2.02	48	28.84	14.92

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	0.21	86	17.59	14.88
2	12	5.11	70	21.75	15.73
3	20	2.03	48	20.76	9.32
4	14	1.54	38	21.76	8.02
5	28	1.06	63	26.60	18.60
6	12	2.40	50	28.16	16.98
7	18	2.08	47	28.19	16.17

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	3.04	51	20.55	8.77
2	12	1.62	48	18.18	6.88
3	20	1.57	47	19.71	9.49
4	14	1.57	36	21.08	5.51
5	28	2.18	50	27.83	16.54
6	12	2.55	48	28.50	15.18
7	18	2.13	49	28.69	15.65



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.40	38	18.10	9.21
2	12	1.60	48	15.60	6.85
3	20	1.57	41	15.91	2.52
4	14	1.67	38	20.10	5.31
5	28	2.04	48	25.17	13.60
6	12	1.80	41	24.62	9.96
7	18	2.07	47	29.28	16.24

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	52	17.00	1.22
2	12	1.96	61	14.67	6.38
3	20	1.57	38	18.15	1.71
4	14	1.00	36	21.00	5.55
5	20	2.10	52	21.70	10.02
6	12	1.41	53	21.05	6.10
7	10	2.11	48	27.04	15.50



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	48	18.00	6.00
2	12	1.04	48	16.55	5.62
3	20	1.57	56	18.21	2.69
4	14	1.01	41	25.04	8.00
5	20	1.05	43	21.40	9.11
6	12	1.56	35	22.05	6.00
7	10	1.01	47	27.14	14.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	48	18.77	6.00
2	12	1.76	87	16.88	6.07
3	20	2.00	58	22.15	5.19
4	14	2.54	66	22.48	14.78
5	20	2.01	48	28.89	8.30
6	12	1.61	55	24.30	7.17
7	10	1.69	44	27.88	15.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	31	24.80	0.60
2	12	2.08	32	24.11	6.75
3	20	2.32	45	24.77	11.99
4	14	2.13	60	25.70	15.47
5	20	2.31	42	25.80	11.80
6	12	2.15	39	27.12	11.90
7	10	1.80	46	28.84	15.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	43	27.21	19.10
2	12	2.60	48	27.81	12.95
3	20	2.48	43	28.43	14.83
4	14	3.04	68	22.10	15.15
5	20	3.10	48	27.31	14.87
6	12	2.58	45	27.87	14.95
7	10	1.62	48	28.05	16.10

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.78	58	25.55	18.10
2	12	3.10	43	29.44	15.27
3	20	5.02	53	27.71	17.50
4	14	2.93	68	23.58	16.16
5	20	2.54	58	27.71	16.16
6	12	2.55	50	28.05	18.66
7	10	1.87	48	29.82	18.37

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.07	87	26.00	17.00
2	12	3.68	68	27.68	17.12
3	20	2.84	57	25.27	10.05
4	14	1.00	55	20.36	0.06
5	00	0.00	01	07.00	10.00
6	12	2.92	56	27.65	17.72
7	10	1.04	62	29.57	17.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.02	50	20.77	17.00
2	12	0.50	65	24.02	17.00
3	20	1.75	42	25.13	11.50
4	14	1.05	04	10.00	11.70
5	00	0.41	00	07.07	10.04
6	12	3.53	57	27.00	10.42
7	10	2.00	52	00.20	10.22

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.03	55	29.05	10.52
2	12	2.02	40	26.42	10.03
3	20	2.02	55	22.00	15.05
4	14	2.07	07	10.42	0.00
5	00	0.00	00	00.10	10.74
6	12	2.31	50	29.39	20.22
7	10	1.75	40	00.01	17.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	48	20.77	0.58
2	12	2.55	66	24.30	10.25
3	20	5.30	75	20.10	15.10
4	14	1.04	03	17.01	7.05
5	20	2.00	00	20.05	20.35
6	12	2.10	57	29.70	20.41
7	10	1.75	04	27.60	17.52



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	11.00	01	12.00	11.05
2	12	2.40	07	20.55	10.20
3	20	1.01	40	10.52	7.41
4	14	1.57	50	20.01	0.70
5	20	2.71	70	20.05	20.00
6	12	2.70	05	24.20	17.07
7	10	1.05	04	20.15	17.07

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.90	55	19.00	0.00
2	12	1.50	45	10.57	7.40
3	20	1.70	40	21.30	0.55
4	14	1.00	00	25.00	10.11
5	20	2.32	01	25.43	10.22
6	12	0.00	55	24.40	10.90
7	10	1.04	47	00.44	17.50

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.91	48	30.92	8.21
2	12	1.58	45	22.03	8.36
3	20	2.08	52	25.81	14.57
4	14	1.78	57	29.60	18.80
5	28	2.16	51	26.62	14.67
6	12	2.47	47	28.55	10.89
7	10	1.88	51	30.65	10.05



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	4.30	78	19.44	16.00
2	12	3.84	81	20.40	15.68
3	20	2.67	58	20.52	17.15
4	14	1.83	47	22.28	10.19
5	28	2.21	53	20.88	17.63
6	12	3.12	56	29.25	18.78
7	10	1.94	56	28.71	18.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.48	67	25.00	18.30
2	12	3.05	68	24.86	17.77
3	20	1.57	52	22.99	12.55
4	14	1.63	48	21.78	8.78
5	28	2.63	68	27.85	19.08
6	12	2.72	64	28.08	18.42
7	10	1.88	58	30.17	17.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.38	48	25.88	10.98
2	12	1.88	53	23.88	10.37
3	20	1.81	58	21.80	12.60
4	14	1.88	56	21.18	11.70
5	28	2.05	60	28.54	16.66
6	12	1.78	48	28.80	15.36
7	10	1.81	48	30.98	10.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	3.11	71	20.43	14.55
2	12	3.47	68	21.86	15.08
3	20	1.84	63	20.71	13.27
4	14	1.54	48	21.74	8.04
5	28	2.18	58	28.68	18.46
6	12	2.85	65	27.58	20.13
7	10	1.84	58	28.78	18.57

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.01	54	22.77	13.21
2	12	2.14	58	23.14	12.03
3	20	1.69	45	23.24	10.13
4	14	1.57	48	23.28	10.15
5	28	2.43	68	25.37	18.18
6	12	2.18	58	26.81	16.47
7	10	2.64	60	27.01	18.18

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	87	25.59	9.66
2	12	2.58	61	24.67	10.96
3	20	1.78	62	24.80	11.05
4	14	1.62	62	25.45	11.62
5	28	2.60	65	26.21	17.56
6	12	2.22	53	25.66	15.27
7	16	2.36	63	28.14	18.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.48	48	29.88	12.82
2	12	3.46	47	24.76	12.48
3	20	1.81	48	28.60	11.89
4	14	1.80	62	27.21	12.87
5	28	2.66	63	24.81	17.01
6	12	1.82	46	27.58	15.93
7	16	2.35	61	28.80	18.05



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.05	48	27.88	12.77
2	12	2.48	41	27.68	12.72
3	20	1.78	58	28.38	15.18
4	14	1.88	48	28.84	18.88
5	28	2.37	62	26.87	16.82
6	12	2.33	48	28.51	15.08
7	18	2.17	64	28.48	18.04

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	42	25.59	11.55
2	12	1.96	44	28.18	14.16
3	20	3.19	43	29.18	15.44
4	14	2.08	58	27.78	18.02
5	28	2.38	46	29.16	15.38
6	12	2.86	41	29.11	14.38
7	16	2.34	54	28.74	18.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	30	29.99	8.10
2	12	1.79	30	25.65	10.36
3	20	3.33	33	30.49	15.05
4	14	2.73	46	29.08	15.47
5	28	2.90	47	28.36	16.08
6	12	3.31	41	30.06	15.41
7	18	2.38	54	28.74	18.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.01	51	27.77	18.93
2	12	3.11	43	29.62	16.50
3	20	5.55	50	30.57	15.05
4	14	2.07	58	26.78	18.98
5	28	2.83	45	29.60	16.30
6	12	3.09	40	30.46	15.52
7	18	2.02	55	29.51	18.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.99	50	28.10	17.00
2	12	4.00	38	32.22	16.10
3	20	4.41	37	31.05	15.41
4	14	2.16	66	27.21	17.05
5	20	3.56	46	31.22	17.10
6	12	3.55	42	30.90	16.66
7	16	1.72	56	30.10	18.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.72	70	17.80	10.00
2	12	5.06	45	30.60	17.00
3	20	5.60	57	32.44	15.90
4	14	1.69	81	27.65	18.50
5	20	4.47	45	31.70	17.07
6	12	4.42	40	32.40	17.20
7	16	1.73	54	30.60	20.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.00	70	20.55	10.10
2	12	5.31	53	20.10	17.20
3	20	2.55	49	31.11	10.71
4	14	1.00	51	24.05	19.04
5	20	0.60	51	30.31	10.72
6	12	0.10	43	32.07	10.70
7	16	2.34	54	30.27	10.54



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.95	47	32.11	10.55
2	12	5.01	42	31.09	16.00
3	20	2.53	49	29.49	17.55
4	14	1.00	59	20.94	10.01
5	20	6.00	40	31.30	10.30
6	12	7.30	43	33.15	10.97
7	16	2.01	40	30.03	10.25

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.42	40	30.10	15.21
2	12	3.66	46	30.00	16.56
3	20	4.73	67	25.99	10.30
4	14	2.12	67	29.10	10.40
5	20	6.00	56	30.03	20.33
6	12	7.00	46	33.01	19.16
7	16	3.47	47	30.03	17.00

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.06	48	29.00	17.00
2	12	4.52	40	29.30	17.12
3	20	3.02	53	29.21	10.57
4	14	2.30	61	33.34	19.20
5	20	5.31	55	30.05	19.61
6	12	7.30	52	31.02	20.50
7	10	3.04	44	31.14	17.25

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	38	27.77	12.44
2	12	2.08	38	30.18	14.36
3	20	3.15	45	30.80	18.57
4	14	2.21	48	30.78	18.08
5	28	4.62	60	29.34	20.06
6	12	8.42	50	31.38	19.06
7	18	4.52	48	30.69	18.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	36	28.88	8.88
2	12	1.76	36	29.25	11.68
3	20	5.48	58	32.08	18.52
4	14	3.58	61	30.91	18.12
5	28	4.20	68	28.78	20.28
6	12	5.42	81	28.65	20.08
7	18	3.72	46	31.67	18.36



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	42	31.66	17.89
2	12	2.06	31	34.01	16.27
3	20	4.13	37	33.55	18.93
4	14	3.01	53	30.47	19.71
5	28	2.76	58	29.60	19.81
6	12	2.58	60	29.02	20.22
7	18	3.67	47	31.70	18.91



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.85	39	35.00	19.22
2	12	2.16	30	36.43	16.06
3	20	3.81	35	34.16	18.30
4	14	3.80	60	28.80	20.07
5	28	2.56	52	32.02	20.70
6	12	2.60	58	29.95	20.04
7	18	2.62	50	31.58	19.40



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.59	38	28.77	13.10
2	12	3.51	42	32.26	17.12
3	20	4.06	60	28.69	19.58
4	14	2.32	56	30.18	19.95
5	28	2.42	53	31.78	20.64
6	12	2.89	81	29.82	21.15
7	18	1.84	48	32.15	19.64



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	30	28.32	11.55
2	12	3.43	49	28.55	16.52
3	20	3.09	57	29.80	20.32
4	14	2.12	52	29.84	18.80
5	28	3.62	58	30.23	21.28
6	12	2.90	61	29.95	21.52
7	18	1.99	52	31.69	19.78

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.66	74	23.44	18.44
2	12	5.05	61	28.32	18.85
3	20	1.98	55	29.13	19.13
4	14	1.88	48	27.63	15.58
5	28	4.13	62	29.83	21.76
6	12	2.77	58	31.71	21.96
7	16	1.68	55	31.58	21.10



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.68	58	27.88	18.21
2	12	2.31	48	28.78	16.98
3	20	1.83	44	27.63	14.27
4	14	1.57	48	27.57	15.68
5	28	2.13	52	31.40	20.27
6	12	1.58	58	31.89	22.12
7	16	2.92	57	31.04	21.07

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.94	41	28.98	11.88
2	12	1.76	42	27.28	12.96
3	20	1.73	41	28.48	13.88
4	14	1.73	54	30.11	18.28
5	28	1.97	48	31.26	18.86
6	12	2.38	52	30.78	19.71
7	16	1.81	55	32.04	21.68



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.92	36	28.99	10.44
2	12	1.68	34	28.55	11.15
3	20	2.97	52	30.58	19.07
4	14	1.54	50	31.74	18.40
5	28	2.54	47	31.08	17.88
6	12	2.52	52	32.63	21.43
7	16	1.76	51	32.95	21.31



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.58	58	28.68	17.06
2	12	2.40	48	30.63	18.07
3	20	1.85	52	32.64	21.46
4	14	1.54	48	33.45	20.27
5	28	2.21	52	31.48	20.03
6	12	2.44	48	33.70	21.61
7	16	1.87	51	32.43	20.62



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.94	44	28.88	15.58
2	12	2.01	47	29.90	16.10
3	20	1.99	63	28.55	20.71
4	14	1.57	50	32.81	20.70
5	28	1.91	48	32.56	19.78
6	12	2.28	53	32.08	21.24
7	16	1.87	48	33.38	20.72

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.90	48	30.33	18.21
2	12	2.26	46	32.65	18.76
3	20	3.00	62	30.02	21.48
4	14	1.63	46	32.61	19.28
5	28	2.17	53	31.88	21.06
6	12	2.80	50	34.12	22.20
7	16	1.68	45	33.40	19.82

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.21	55	31.00	20.33
2	12	2.78	50	32.12	19.98
3	20	2.57	55	31.08	20.82
4	14	1.79	60	28.17	19.12
5	28	2.02	62	30.55	21.07
6	12	3.04	52	34.48	22.95
7	16	1.01	48	32.77	18.75



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	56	27.77	18.43
2	12	2.09	62	28.88	18.67
3	20	3.17	64	27.05	18.32
4	14	1.61	59	27.65	18.32
5	28	2.47	63	32.77	21.64
6	12	2.70	68	35.37	22.83
7	18	1.70	49	33.29	21.08

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	38	24.32	9.22
2	12	1.61	41	25.45	10.68
3	20	2.02	48	25.49	13.69
4	14	2.98	64	24.71	17.21
5	28	3.67	66	28.60	21.46
6	12	3.28	55	32.69	22.12
7	18	2.61	47	33.61	20.27



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	32	25.55	7.66
2	12	1.52	32	25.96	8.18
3	20	1.77	41	26.30	11.98
4	14	2.29	61	27.77	19.44
5	28	2.66	58	28.08	18.82
6	12	3.82	65	29.18	21.80
7	18	2.06	58	32.63	20.69

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.94	52	29.21	18.77
2	12	1.67	53	28.96	18.50
3	20	2.11	60	29.05	19.10
4	14	3.17	58	31.00	20.43
5	28	2.46	58	28.28	18.62
6	12	3.76	70	28.05	21.60
7	18	1.78	52	32.53	21.07

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.02	44	28.66	14.89
2	12	2.08	43	30.32	15.02
3	20	3.18	45	31.60	19.76
4	14	1.84	48	31.80	18.85
5	28	2.48	53	30.35	18.67
6	12	3.59	65	30.73	25.08
7	18	1.70	50	33.40	21.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.24	81	27.93	16.84
2	12	5.88	78	26.38	20.08
3	20	2.31	55	28.60	18.71
4	14	1.83	56	28.05	17.87
5	28	3.22	63	31.68	21.02
6	12	3.23	86	30.92	29.85
7	18	1.78	46	34.30	20.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.36	56	21.21	11.21
2	12	1.62	86	29.66	7.86
3	20	1.57	40	25.45	8.86
4	14	1.62	64	25.07	14.83
5	28	2.36	62	29.70	18.30
6	12	2.47	59	29.67	20.55
7	16	1.87	59	32.18	21.00

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	38	21.77	7.10
2	12	1.52	36	24.62	7.58
3	20	1.59	37	24.85	9.30
4	14	2.64	52	25.88	14.89
5	28	2.54	49	27.93	15.62
6	12	2.08	51	28.83	17.72
7	18	2.37	52	32.43	20.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	49	24.88	13.10
2	12	1.96	37	27.81	11.47
3	20	1.89	38	28.63	10.52
4	14	4.24	67	29.44	18.14
5	28	2.10	50	28.68	16.70
6	12	2.97	51	29.94	18.60
7	18	2.58	52	32.29	20.72



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.85	48	27.88	18.21
2	12	2.31	38	28.48	12.81
3	20	2.93	43	27.43	15.48
4	14	3.58	63	25.55	17.37
5	28	1.91	47	28.58	15.88
6	12	2.52	48	30.48	18.48
7	18	2.07	56	31.80	21.38

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	47	28.10	16.89
2	12	2.07	43	27.06	13.46
3	20	4.38	50	29.02	17.27
4	14	2.62	59	28.40	19.71
5	28	1.84	64	28.56	17.97
6	12	1.95	46	30.41	18.58
7	16	2.13	60	30.89	21.69



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.09	44	30.10	18.39
2	12	3.67	47	29.62	17.07
3	20	4.15	50	30.97	19.27
4	14	2.82	62	29.58	21.42
5	28	2.08	60	28.86	18.98
6	12	1.81	45	31.38	18.05
7	16	1.92	57	31.68	21.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.65	56	28.88	17.92
2	12	3.50	53	29.67	18.51
3	20	4.13	51	30.88	19.46
4	14	3.38	64	27.65	21.18
5	28	2.37	56	30.72	20.47
6	12	1.82	50	31.98	19.90
7	16	1.91	64	32.28	21.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	30	24.55	9.32
2	12	3.01	58	26.66	17.21
3	20	8.55	69	27.55	21.16
4	14	2.47	68	26.80	20.47
5	28	2.56	69	31.62	20.43
6	12	2.11	49	33.19	20.92
7	16	1.81	47	32.99	20.13



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.00	90	19.80	18.21
2	12	8.94	84	24.80	21.08
3	20	4.87	65	28.71	20.98
4	14	1.87	59	28.62	19.01
5	28	2.58	56	31.60	21.26
6	12	2.24	50	33.05	21.52
7	16	1.74	50	32.89	20.79

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.97	59	24.88	15.88
2	12	1.89	43	27.26	16.76
3	20	1.79	50	24.88	15.57
4	14	1.81	58	25.27	16.30
5	28	3.02	61	30.55	21.04
6	12	4.22	66	30.19	22.77
7	16	1.86	58	33.08	21.17

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.84	47	24.21	12.21
2	12	1.52	56	23.00	11.00
3	20	1.63	49	25.10	11.00
4	14	1.02	69	27.67	18.00
5	20	4.12	72	24.05	19.45
6	12	2.28	69	25.70	20.58
7	10	1.71	55	32.74	21.09

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.30	43	28.44	11.00
2	12	1.62	38	26.66	11.61
3	20	1.69	48	26.80	12.24
4	14	1.68	55	29.16	18.12
5	20	1.62	53	27.08	16.42
6	12	2.38	53	28.89	18.23
7	10	1.76	48	33.47	21.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.30	57	28.88	12.77
2	12	1.95	36	29.58	12.90
3	20	2.58	48	27.99	15.02
4	14	1.88	62	27.25	18.04
5	20	2.01	60	28.88	18.05
6	12	2.70	49	30.13	18.52
7	10	1.80	46	34.75	20.72



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.05	60	29.00	17.66
2	12	4.73	75	23.76	18.79
3	20	3.29	64	22.55	15.19
4	14	1.54	58	25.47	14.48
5	20	2.67	66	28.26	19.32
6	12	3.78	64	27.95	20.22
7	10	2.11	58	30.79	21.42

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	45	22.55	8.09
2	12	1.52	38	23.83	8.07
3	20	1.57	45	25.05	10.38
4	14	1.56	48	28.18	14.55
5	20	2.81	62	27.43	18.00
6	12	3.79	68	28.58	19.95
7	10	1.81	58	29.68	18.81

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	58	26.77	9.85
2	12	1.69	40	26.15	11.52
3	20	1.79	41	25.21	10.54
4	14	1.74	51	26.93	15.08
5	20	3.42	70	25.82	18.57
6	12	2.48	64	28.47	19.07
7	10	2.21	58	30.13	18.01

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.83	46	28.21	10.95
2	12	2.76	45	27.87	16.02
3	20	2.38	42	28.71	12.88
4	14	2.08	51	28.30	17.17
5	28	3.03	66	26.60	18.73
6	12	2.81	39	27.91	10.97
7	16	2.29	64	30.66	19.71

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.78	57	28.08	11.21
2	12	2.83	42	29.25	16.98
3	20	5.78	42	28.87	14.18
4	14	1.98	54	28.38	18.08
5	28	2.80	68	28.62	19.68
6	12	2.95	57	28.76	19.58
7	16	2.06	61	31.56	20.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.00	46	30.00	17.21
2	12	3.02	43	29.87	16.58
3	20	3.38	48	28.18	15.18
4	14	1.83	62	24.08	18.10
5	28	3.16	68	26.86	20.27
6	12	3.15	61	28.23	19.96
7	16	2.04	64	31.84	20.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.39	83	25.33	17.68
2	12	2.64	50	28.46	16.66
3	20	3.52	52	28.80	17.91
4	14	2.12	84	20.87	13.56
5	28	2.78	66	28.30	20.06
6	12	3.25	80	29.40	20.78
7	16	2.29	48	31.78	18.61



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.53	81	26.92	17.88
2	12	4.66	61	28.23	19.76
3	20	2.33	56	24.31	14.82
4	14	2.23	87	19.32	12.81
5	28	2.87	72	27.68	21.05
6	12	3.03	63	29.18	21.43
7	16	2.26	47	32.18	19.46



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.87	68	24.88	18.48
2	12	6.38	57	28.28	18.03
3	20	5.42	71	22.13	18.41
4	14	2.88	88	20.43	19.38
5	28	2.26	63	29.84	21.88
6	12	6.17	78	27.55	21.88
7	16	2.34	82	31.35	18.98

CAPITA

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.60	60	20.77	20.55
2	12	3.60	62	20.37	20.00
3	20	2.62	65	21.76	16.00
4	14	1.66	58	22.70	16.60
5	20	1.00	66	20.46	21.06
6	12	2.32	60	27.65	21.01
7	10	2.17	61	20.59	20.00

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.79	48	25.00	16.46
2	12	2.02	56	24.53	16.46
3	20	1.63	50	25.27	12.50
4	14	2.00	65	22.81	16.00
5	20	2.62	63	20.15	20.23
6	12	3.68	75	26.29	21.29
7	10	1.80	64	20.53	20.03



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.94	41	23.00	8.00
2	12	1.62	50	23.61	8.70
3	20	3.44	61	22.71	16.59
4	14	6.15	70	18.70	15.11
5	20	2.56	65	27.33	18.07
6	12	3.90	75	26.96	22.17
7	10	1.90	67	20.00	22.07



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.94	41	24.21	10.10
2	12	2.30	60	23.00	16.16
3	20	0.29	70	23.35	19.27
4	14	1.71	64	24.32	17.17
5	20	2.57	60	20.25	21.00
6	12	2.61	73	20.09	22.72
7	10	1.04	50	30.41	21.24



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.71	72	20.77	15.92
2	12	7.13	77	23.70	19.43
3	20	3.80	65	20.18	21.02
4	14	1.88	61	25.11	18.66
5	20	2.21	68	20.00	22.67
6	12	1.98	68	29.50	29.00
7	10	1.80	55	31.07	21.78



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.10	70	21.00	18.21
2	12	6.63	75	25.27	20.60
3	20	2.00	63	25.49	17.94
4	14	1.57	52	28.10	17.21
5	20	2.26	63	30.33	22.67
6	12	1.99	65	31.08	23.74
7	10	1.74	61	32.71	21.27

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.05	68	24.68	17.52
2	12	1.01	61	26.10	15.22
3	20	1.99	53	27.32	17.10
4	14	1.04	61	28.04	18.24
5	20	2.15	67	30.11	20.64
6	12	3.21	66	29.21	22.31
7	10	1.80	48	32.80	20.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	44	28.80	10.10
2	12	1.01	48	29.82	15.78
3	20	2.55	57	27.98	18.77
4	14	1.00	66	23.97	18.81
5	20	2.52	58	30.65	21.30
6	12	2.59	64	29.57	22.28
7	10	1.76	47	32.10	19.26

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.20	48	29.98	17.86
2	12	3.54	62	28.78	17.68
3	20	2.48	58	24.27	15.38
4	14	8.03	84	21.88	16.83
5	20	2.55	68	30.98	21.48
6	12	2.78	66	29.25	22.40
7	10	2.00	56	30.80	20.89

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	41	24.43	10.46
2	12	1.66	48	25.68	13.83
3	20	2.63	57	24.77	15.46
4	14	4.31	78	20.39	16.56
5	20	2.35	57	30.61	21.16
6	12	2.28	69	29.29	23.09
7	10	1.76	57	31.87	21.52



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.87	47	24.48	12.55
2	12	2.31	53	27.03	16.66
3	20	5.69	77	25.80	21.19
4	14	3.37	77	18.17	13.86
5	20	3.16	60	30.53	21.95
6	12	1.78	65	30.08	22.81
7	10	2.65	58	30.88	21.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.77	85	19.10	16.46
2	12	7.71	73	26.89	21.75
3	20	3.02	73	23.26	18.18
4	14	1.62	68	16.88	10.23
5	20	2.98	61	30.61	22.07
6	12	2.15	78	29.11	25.05
7	10	1.81	68	28.35	19.84

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.00	00	18.00	17.21
2	12	3.63	85	26.15	18.03
3	20	1.81	57	18.05	11.10
4	14	1.04	86	18.02	0.05
5	20	2.23	67	30.23	20.76
6	12	1.80	58	28.01	17.17
7	10	1.01	00	28.26	18.70

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	59	22.77	12.77
2	12	1.61	62	22.60	12.21
3	20	1.57	54	21.21	11.41
4	14	1.57	57	20.79	11.70
5	20	2.61	50	26.40	17.17
6	12	1.71	54	26.89	16.58
7	10	2.01	66	23.71	16.41

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	46	24.21	11.89
2	12	1.73	50	23.23	12.12
3	20	1.68	48	23.27	11.71
4	14	1.65	47	25.63	10.44
5	20	3.63	50	26.72	17.05
6	12	2.31	57	24.68	16.59
7	10	2.10	64	25.71	18.17

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	48	24.22	12.77
2	12	1.76	46	25.22	13.08
3	20	1.80	45	20.35	15.15
4	14	1.60	47	27.73	15.27
5	20	3.34	60	26.70	17.07
6	12	2.16	47	28.24	16.16
7	10	2.08	56	28.29	18.52

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	58	24.32	13.32
2	12	2.01	47	27.12	14.00
3	20	1.98	49	28.21	16.48
4	14	1.63	50	27.99	16.90
5	20	2.37	50	28.62	17.35
6	12	2.55	50	27.45	16.38
7	10	2.88	61	27.04	18.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	40	22.90	8.00
2	12	2.35	51	27.01	16.00
3	20	2.25	48	28.32	16.48
4	14	2.04	53	27.37	16.02
5	20	2.58	40	29.51	17.67
6	12	3.31	58	28.30	17.40
7	10	2.71	63	28.01	20.20

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.69	48	24.00	12.82
2	12	4.72	53	28.37	17.06
3	20	5.02	50	28.88	17.41
4	14	2.88	56	28.17	18.78
5	28	3.01	48	29.87	18.11
6	12	3.84	65	26.98	19.81
7	18	2.48	84	28.76	21.18

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.30	48	30.21	18.10
2	12	4.43	48	29.88	17.86
3	20	4.28	52	29.80	17.85
4	14	2.58	56	28.32	18.84
5	28	3.36	53	29.81	18.26
6	12	3.99	65	27.17	20.09
7	18	2.38	87	28.88	21.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.69	56	24.84	15.48
2	12	4.77	63	28.07	18.48
3	20	5.12	52	28.81	18.18
4	14	2.88	61	26.68	18.82
5	28	3.72	51	30.18	18.86
6	12	4.15	58	29.48	20.08
7	18	2.38	87	28.81	20.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.18	52	25.48	14.38
2	12	4.22	65	27.40	17.58
3	20	5.03	51	29.10	17.98
4	14	3.08	61	25.88	17.58
5	28	4.76	46	30.88	18.03
6	12	5.07	58	29.81	19.57
7	18	2.28	80	29.75	21.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	48	29.22	18.88
2	12	4.25	47	30.27	17.58
3	20	6.19	52	29.88	18.63
4	14	2.38	66	24.32	17.29
5	28	4.02	48	31.54	18.07
6	12	5.31	55	30.18	20.38
7	18	1.98	58	30.65	20.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	63	18.10	10.32
2	12	5.26	78	22.81	17.86
3	20	4.97	82	20.55	20.38
4	14	2.31	82	25.07	17.08
5	28	5.12	46	31.82	19.00
6	12	4.08	58	30.45	21.81
7	18	2.14	88	30.61	21.45

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.91	87	14.39	12.22
2	12	0.88	86	23.69	20.78
3	20	2.47	57	25.21	15.88
4	14	1.96	44	29.04	10.58
5	28	4.10	55	30.75	20.76
6	12	3.19	70	28.85	22.83
7	16	1.77	87	28.62	80.23



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.47	94	29.88	16.21
2	12	1.68	68	24.80	13.18
3	20	1.57	41	22.46	8.58
4	14	1.70	47	22.57	10.47
5	28	2.42	52	28.77	18.76
6	12	2.13	58	27.72	18.88
7	16	1.84	69	28.72	18.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.36	61	22.48	11.88
2	12	1.62	46	24.87	11.35
3	20	1.57	51	20.85	10.27
4	14	1.84	48	21.98	8.75
5	28	1.83	46	29.04	18.02
6	12	1.88	55	27.35	18.79
7	16	1.82	60	30.34	18.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	83	21.88	11.88
2	12	1.55	62	21.52	11.06
3	20	1.59	44	21.99	8.32
4	14	1.87	48	24.20	10.83
5	28	1.78	48	27.31	15.23
6	12	1.53	45	27.55	14.53
7	16	1.95	56	28.87	18.37



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	50	22.21	11.39
2	12	1.08	52	22.03	11.38
3	20	1.75	42	23.55	9.91
4	14	1.90	48	25.55	12.85
5	28	1.83	58	26.64	15.15
6	12	1.95	51	27.17	16.20
7	16	2.62	63	27.81	19.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.65	84	22.68	12.98
2	12	1.61	61	23.32	12.58
3	20	2.12	41	24.18	10.27
4	14	2.16	48	26.16	14.47
5	28	1.87	46	26.60	13.76
6	12	2.58	52	27.05	16.19
7	16	4.35	73	24.61	19.33

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	48	25.00	14.10
2	12	1.88	46	26.50	13.16
3	20	2.89	41	25.50	11.10
4	14	3.40	84	24.60	14.71
5	20	2.61	47	27.75	14.05
6	12	2.92	52	27.07	15.55
7	10	4.12	73	24.89	18.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.34	41	20.55	8.89
2	12	2.25	62	23.32	12.85
3	20	3.51	48	25.68	13.02
4	14	3.81	69	23.47	14.10
5	20	2.41	51	27.75	16.22
6	12	3.58	56	26.24	18.29
7	10	2.38	73	24.39	18.09



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	41	19.88	8.65
2	12	2.08	66	22.21	12.48
3	20	4.48	48	25.98	14.48
4	14	3.38	62	26.26	16.27
5	20	2.86	64	26.18	18.72
6	12	4.10	65	25.64	18.52
7	10	2.87	70	25.34	18.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.69	55	21.89	12.48
2	12	2.18	53	22.91	12.91
3	20	4.19	51	25.94	14.49
4	14	3.91	82	22.87	15.23
5	20	3.75	76	24.53	18.55
6	12	5.58	80	22.44	18.70
7	10	2.35	89	20.57	18.62

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.41	76	18.88	14.46
2	12	3.32	84	19.71	16.93
3	20	5.26	70	20.82	15.10
4	14	2.46	80	16.42	8.20
5	20	4.73	73	25.35	19.85
6	12	2.73	68	24.95	18.00
7	10	1.92	84	29.51	20.41

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.11	84	18.99	14.22
2	12	1.75	69	17.89	11.70
3	20	1.81	45	18.49	4.49
4	14	1.57	48	17.37	8.14
5	20	2.63	64	25.48	17.06
6	12	3.84	75	21.94	17.31
7	10	3.04	71	24.69	18.77

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	49	16.82	6.16
2	12	1.62	48	17.48	6.73
3	20	1.69	42	18.85	5.88
4	14	1.94	60	18.10	7.99
5	28	2.48	67	22.55	19.32
6	12	2.42	58	21.68	15.97
7	10	4.08	76	28.15	18.18

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.56	60	20.49	8.88
2	12	2.38	47	21.67	9.05
3	20	2.48	40	21.27	7.07
4	14	2.16	58	18.26	8.12
5	28	2.68	55	24.18	16.38
6	12	4.85	69	22.91	18.60
7	10	3.82	74	28.71	18.50

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	49	22.89	11.08
2	12	2.66	48	25.37	11.26
3	20	3.52	48	22.88	10.43
4	14	2.77	68	18.08	10.18
5	28	3.03	64	24.28	16.82
6	12	5.42	81	22.21	18.65
7	10	2.38	80	25.20	18.02



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.01	79	15.88	11.21
2	12	2.93	56	22.54	13.32
3	20	3.68	68	20.88	13.77
4	14	2.88	56	20.35	10.03
5	28	5.04	78	23.70	19.48
6	12	5.89	83	22.07	18.97
7	10	2.02	92	25.23	17.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	49	16.10	5.93
2	12	4.35	77	16.20	12.03
3	20	4.50	78	17.68	13.45
4	14	2.98	54	21.18	11.26
5	28	3.96	76	23.04	19.18
6	12	3.08	64	22.95	15.73
7	10	2.38	55	24.84	14.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.92	64	14.88	7.88
2	12	7.07	82	13.87	12.72
3	20	3.88	75	18.43	13.77
4	14	2.93	48	23.05	9.55
5	28	4.20	72	24.28	18.78
6	12	4.98	71	20.84	15.22
7	10	2.44	46	28.48	19.84

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.08	81	18.10	15.08
2	12	3.03	88	18.04	16.06
3	20	2.34	50	20.49	9.30
4	14	1.08	83	22.65	8.91
5	28	2.07	60	24.69	16.12
6	12	3.28	58	22.95	16.11
7	18	2.14	46	27.69	16.23



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	48	17.10	5.04
2	12	1.58	88	16.80	9.78
3	20	1.57	41	19.05	5.46
4	14	1.57	88	21.81	5.92
5	28	2.24	47	25.25	10.21
6	12	2.04	48	25.65	15.00
7	18	3.07	41	28.08	10.43

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	45	19.48	1.99
2	12	1.57	55	14.20	6.05
3	20	1.55	41	18.07	4.57
4	14	1.79	58	19.78	8.08
5	28	2.04	44	24.30	11.20
6	12	1.55	48	24.57	10.31
7	18	2.68	44	28.18	14.86

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	40	15.21	1.68
2	12	1.66	52	15.59	5.64
3	20	3.28	66	14.48	7.41
4	14	2.41	82	14.63	8.94
5	28	2.21	55	24.81	15.11
6	12	1.82	50	26.75	15.64
7	18	2.41	47	29.43	18.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	40	14.88	1.44
2	12	1.72	47	15.32	3.88
3	20	2.19	48	18.24	4.82
4	14	3.18	72	13.52	8.17
5	28	3.18	63	23.60	15.57
6	12	4.56	68	24.29	17.72
7	18	2.47	55	28.64	18.50

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.47	48	15.32	2.88
2	12	3.08	62	14.80	7.48
3	20	3.63	58	16.89	8.19
4	14	2.57	84	14.66	7.88
5	28	5.68	72	24.12	18.46
6	12	3.63	67	26.58	20.08
7	18	4.08	65	25.82	17.87

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.94	56	17.00	8.00
2	12	6.43	60	16.78	9.01
3	20	2.51	56	17.71	9.05
4	14	1.78	64	16.84	9.78
5	28	6.78	86	22.31	19.91
6	12	5.04	75	22.85	18.23
7	18	2.01	58	24.71	16.24



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.18	76	14.77	10.21
2	12	7.03	76	16.06	11.38
3	20	2.58	65	16.55	8.71
4	14	1.94	53	15.84	5.04
5	28	4.04	67	24.44	17.67
6	12	2.47	56	25.52	15.92
7	18	2.83	55	28.59	16.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	47	17.88	8.21
2	12	1.58	48	17.83	5.82
3	20	1.82	59	12.07	4.18
4	14	1.71	64	10.74	4.08
5	28	1.92	52	26.78	18.16
6	12	2.04	65	24.18	17.17
7	18	2.49	65	22.14	15.19



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.61	80	8.55	8.10
2	12	6.48	88	9.16	7.17
3	20	1.78	57	12.52	4.05
4	14	1.57	45	13.80	1.62
5	28	9.48	78	20.03	15.76
6	12	2.04	72	14.30	9.11
7	18	1.84	47	18.85	8.97



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	42	15.21	2.32
2	12	1.52	60	14.62	6.25
3	20	1.71	45	16.38	5.62
4	14	2.00	44	18.92	6.18
5	28	1.80	53	20.13	10.05
6	12	1.84	50	17.95	7.35
7	18	1.80	45	23.32	10.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	43	18.21	3.43
2	12	1.90	47	17.58	6.24
3	20	1.94	47	19.77	8.19
4	14	2.18	68	14.88	8.21
5	28	2.00	68	22.15	12.91
6	12	1.71	52	21.81	11.28
7	18	1.88	55	27.11	10.87

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	72	17.44	12.21
2	12	2.51	68	18.82	13.51
3	20	1.98	51	18.98	8.88
4	14	1.88	46	18.88	1.58
5	28	2.76	63	25.41	17.73
6	12	2.50	65	25.74	18.10
7	18	2.25	86	22.21	16.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	58	15.88	5.18
2	12	1.71	56	14.20	5.06
3	20	1.81	58	12.24	2.15
4	14	1.84	41	15.98	2.08
5	28	2.48	55	23.88	14.02
6	12	1.88	45	20.55	7.88
7	18	1.85	88	21.88	11.48

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	46	10.77	-0.77
2	12	1.57	42	12.68	0.04
3	20	1.81	49	14.57	1.74
4	14	1.70	38	21.80	5.35
5	28	1.88	46	20.78	8.66
6	12	1.58	42	18.68	5.41
7	18	1.78	47	21.78	8.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.45	42	18.55	5.21
2	12	1.88	41	17.81	6.53
3	20	1.89	38	20.66	4.91
4	14	1.63	38	24.66	8.26
5	28	1.88	48	21.74	10.27
6	12	1.81	42	21.57	7.62
7	18	1.77	51	23.25	12.35



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	38	23.32	8.18
2	12	2.20	37	21.52	6.18
3	20	2.02	41	22.80	8.80
4	14	2.08	48	23.17	10.38
5	28	2.12	52	24.51	14.08
6	12	1.98	54	24.71	14.81
7	18	2.33	65	25.94	18.37

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.45	40	23.77	8.21
2	12	2.46	49	22.81	11.47
3	20	3.80	68	21.91	13.52
4	14	1.86	38	17.61	2.37
5	28	3.48	68	25.03	17.58
6	12	5.71	83	23.14	20.13
7	18	2.94	52	23.68	17.69

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.85	81	17.77	14.99
2	12	3.14	68	10.81	9.71
3	20	1.59	28	17.15	-2.08
4	14	1.64	28	10.70	-9.17
5	28	2.03	62	25.36	17.27
6	12	1.75	47	22.72	10.13
7	16	2.05	48	25.89	12.04

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	87	17.94	2.32
2	12	1.76	44	15.19	2.40
3	20	1.58	36	15.60	1.22
4	14	1.65	38	10.44	0.86
5	28	1.67	37	29.26	7.00
6	12	1.59	51	21.84	6.11
7	16	1.85	48	25.79	12.04

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	61	10.88	0.86
2	10	1.54	56	11.54	2.55
3	14	2.14	48	15.07	5.01
4	11	2.10	55	10.49	0.65
5	25	1.85	36	29.52	7.29
6	11	1.84	54	24.18	7.51
7	10	2.50	50	26.17	16.79



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	48	12.77	1.99
2	12	2.48	54	15.22	5.06
3	20	4.37	60	19.38	10.48
4	13	3.58	73	18.74	11.08
5	22	2.50	50	23.80	12.38
6	10	2.55	58	21.27	11.48
7	15	2.89	59	27.95	18.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.39	61	19.77	8.21
2	12	2.71	57	19.57	10.64
3	20	3.43	70	20.59	14.05
4	14	4.19	76	13.40	9.20
5	28	2.02	58	25.01	16.32
6	12	2.01	62	24.05	17.21
7	16	2.15	52	26.21	19.02



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	68	15.55	8.68
2	12	2.50	60	19.67	11.47
3	20	2.79	70	13.82	8.27
4	14	2.67	64	5.31	-1.98
5	28	2.46	62	25.63	17.55
6	12	3.58	74	21.93	18.04
7	18	1.00	44	16.28	9.22

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.60	00	14.00	10.80
2	12	2.15	67	10.62	8.02
3	20	1.67	82	7.80	0.00
4	14	1.67	56	0.37	-0.07
5	20	1.00	50	20.51	15.02
6	12	1.60	61	16.00	0.56
7	10	1.61	00	10.01	6.00

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.36	65	10.21	1.00
2	12	1.03	66	0.67	0.10
3	20	1.00	52	10.69	1.13
4	14	2.10	67	12.65	1.07
5	20	2.20	65	20.00	11.26
6	12	2.51	50	14.53	0.50
7	10	3.40	67	17.00	10.27



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	00	0.77	-1.10
2	12	2.40	62	0.00	1.06
3	20	5.30	01	7.10	4.10
4	14	2.00	07	0.12	2.01
5	20	6.02	00	17.05	11.00
6	12	10.20	00	12.05	11.47
7	10	2.03	01	17.07	0.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.57	02	0.00	7.00
2	12	12.37	00	11.60	10.50
3	20	4.30	70	0.15	4.00
4	14	1.54	40	11.70	-1.70
5	20	4.40	70	10.42	10.52
6	12	2.00	00	12.07	0.33
7	10	1.54	05	10.07	0.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.41	00	0.00	2.00
2	12	1.73	50	10.70	1.70
3	20	1.50	30	13.20	-0.05
4	14	1.54	37	17.01	1.90
5	20	1.00	40	17.15	5.43
6	12	1.00	47	15.22	5.03
7	10	1.50	50	10.01	1.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.51	00	13.00	-0.33
2	12	1.01	41	14.07	1.61
3	20	1.91	42	15.76	2.50
4	14	1.03	41	10.05	5.17
5	20	2.35	40	10.10	7.73
6	12	2.12	47	10.05	0.00
7	10	1.70	50	22.40	7.50

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.75	40	18.89	3.92
2	12	2.08	45	17.56	5.50
3	20	2.20	48	15.99	6.77
4	14	1.80	37	10.80	-4.20
5	28	5.03	88	20.89	19.50
6	12	2.87	83	19.99	12.88
7	10	1.83	48	20.42	7.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.10	66	10.21	3.44
2	12	3.28	55	17.26	7.88
3	20	1.61	30	14.07	-3.32
4	14	1.66	30	12.69	-4.03
5	28	3.33	67	22.05	16.14
6	12	3.56	65	20.22	15.00
7	10	1.91	46	21.09	7.63

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.42	51	10.68	0.88
2	12	1.00	38	16.75	0.55
3	20	1.82	29	14.85	-2.98
4	14	1.87	34	13.72	-1.20
5	28	4.10	67	21.40	14.58
6	12	3.16	63	20.65	12.77
7	10	2.02	50	21.10	8.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.07	38	19.77	0.68
2	12	2.28	38	15.81	1.26
3	20	2.08	30	12.10	-1.99
4	14	1.71	34	17.49	1.22
5	28	4.03	70	10.47	13.52
6	12	3.16	59	19.96	8.45
7	10	1.74	28	22.45	2.08

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	41	12.99	-0.55
2	12	2.06	41	16.98	1.26
3	20	2.43	46	15.57	1.13
4	14	2.30	38	19.12	6.26
5	28	6.24	63	18.60	10.84
6	12	2.81	48	17.58	6.98
7	10	1.62	27	23.82	3.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.68	48	10.96	1.68
2	12	2.58	48	16.53	2.98
3	20	3.71	45	16.03	5.18
4	14	1.68	38	21.58	6.38
5	28	3.16	65	19.48	7.18
6	12	3.73	65	18.48	6.38
7	10	1.69	51	24.18	8.88

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.90	40	10.44	4.44
2	12	4.62	38	10.00	3.46
3	20	3.62	43	19.49	8.07
4	14	3.03	52	19.80	8.04
5	28	2.84	37	21.42	6.26
6	12	3.98	30	20.59	5.19
7	18	1.84	36	24.47	7.01

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.00	52	16.44	8.10
2	12	2.68	50	14.05	4.30
3	20	1.84	48	8.88	-1.44
4	14	1.78	53	6.82	-2.87
5	28	2.08	37	23.44	7.66
6	12	3.36	43	20.78	7.48
7	18	2.21	42	22.61	8.12

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.51	36	4.44	-8.88
2	12	1.52	38	5.66	-7.56
3	20	1.51	45	8.21	-2.91
4	14	1.88	44	19.80	1.20
5	28	2.31	46	17.43	5.03
6	12	3.41	51	18.80	8.81
7	18	2.28	48	22.48	9.18



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.31	38	8.33	-4.68
2	12	1.73	44	11.10	-0.73
3	20	2.21	45	13.41	1.88
4	14	2.22	47	8.56	-2.57
5	28	3.28	54	19.43	9.57
6	12	3.37	43	20.98	7.91
7	18	2.48	55	23.43	7.01



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.48	66	15.44	9.10
2	12	3.75	73	14.57	9.62
3	20	2.78	63	4.48	-2.13
4	14	2.22	48	-0.43	-10.10
5	28	4.00	63	21.54	14.06
6	12	3.26	72	12.87	7.17
7	18	2.10	47	11.69	0.30



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	5.45	65	15.60	13.22
2	12	8.00	66	15.64	13.20
3	20	8.25	75	1.27	-3.02
4	14	1.94	45	-0.81	-10.93
5	28	4.26	62	15.88	12.70
6	12	7.60	78	2.31	-1.38
7	18	1.55	39	8.53	-0.03

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.47	88	10.60	10.00
2	12	1.07	68	8.10	0.46
3	20	3.70	83	-0.65	-7.43
4	14	1.87	98	2.90	-0.89
5	20	1.70	68	0.26	-2.43
6	12	1.50	56	3.25	-0.81
7	10	1.60	30	14.87	-2.01

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.30	89	7.52	-0.55
2	12	0.07	68	4.20	-6.00
3	20	2.08	51	5.69	-5.57
4	14	2.03	86	6.27	-4.87
5	20	1.63	35	12.11	-3.01
6	12	1.56	57	10.52	-5.82
7	10	1.07	45	18.16	0.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.80	42	0.80	-9.80
2	12	4.11	62	7.56	-2.64
3	20	9.46	62	3.21	0.50
4	14	2.30	86	0.11	-2.81
5	20	2.15	42	16.56	3.41
6	12	4.31	58	12.80	3.16
7	10	2.07	87	17.30	0.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.20	88	4.55	2.66
2	12	2.05	66	6.66	0.58
3	20	3.67	74	5.80	1.48
4	14	4.27	88	8.20	2.77
5	20	1.90	47	18.42	6.88
6	12	3.43	85	10.10	9.02
7	10	1.95	52	23.80	12.91



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.85	58	7.90	0.21
2	12	3.87	66	8.10	2.03
3	20	8.06	82	14.83	11.57
4	14	5.58	68	10.43	3.45
5	20	2.36	52	19.30	8.26
6	12	2.21	51	21.24	10.68
7	10	1.78	51	24.20	13.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.07	77	0.00	0.10
2	12	4.13	71	13.41	8.14
3	20	7.08	83	13.02	10.10
4	14	3.78	71	0.20	-4.58
5	20	2.98	61	20.41	12.51
6	12	2.43	66	20.92	15.79
7	10	1.92	52	24.71	18.12

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.13	96	13.93	10.88
2	12	6.20	76	16.30	11.08
3	20	8.88	88	14.52	12.18
4	14	4.29	79	-2.21	-6.94
5	28	2.91	66	22.13	15.21
6	12	4.02	78	20.31	18.36
7	18	2.36	84	18.23	11.88

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.11	91	16.55	15.32
2	12	6.08	81	18.20	16.09
3	20	5.19	84	8.85	4.16
4	14	1.79	88	1.48	-4.84
5	28	2.75	68	23.26	18.06
6	12	5.84	78	19.82	15.22
7	18	1.77	81	16.29	6.88

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.96	58	15.77	7.77
2	12	2.58	68	12.03	6.43
3	20	3.84	73	4.71	0.38
4	14	3.07	68	0.68	-8.27
5	28	2.22	63	22.88	16.68
6	12	5.27	88	16.29	12.72
7	18	2.13	48	21.10	8.32

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.05	75	10.00	6.55
2	12	7.12	68	10.10	6.67
3	20	9.48	86	5.00	-1.00
4	14	2.05	82	-2.02	-8.58
5	28	3.28	68	19.57	13.30
6	12	2.48	88	17.07	10.22
7	18	2.40	59	17.88	7.81

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	42	5.77	-8.44
2	12	1.52	41	6.88	-5.55
3	20	2.69	58	6.88	-0.69
4	14	2.67	57	7.97	-0.31
5	28	2.26	57	16.02	7.21
6	12	3.13	66	15.50	9.16
7	18	3.09	58	19.09	10.17

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	60	5.44	-3.88
2	12	2.58	47	8.42	-2.40
3	20	5.08	58	0.35	-0.38
4	14	2.08	58	5.27	-2.57
5	28	2.95	48	16.53	4.66
6	12	3.49	58	15.78	8.70
7	18	2.62	58	18.88	8.71

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.38	47	3.89	-0.48
2	12	1.67	48	6.81	-1.20
3	20	3.02	59	8.41	0.09
4	14	2.74	55	12.19	2.85
5	28	2.36	41	17.00	3.51
6	12	3.18	46	18.81	4.85
7	10	2.43	46	20.00	8.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	4.43	56	2.11	-0.89
2	12	2.10	45	0.90	-1.38
3	20	3.04	48	15.91	9.15
4	14	5.20	60	11.22	8.07
5	28	2.66	46	18.13	5.66
6	12	2.50	43	18.79	5.98
7	10	2.40	40	22.50	11.10

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	4.16	64	13.77	4.88
2	12	4.06	64	14.48	6.27
3	20	3.89	58	15.41	7.21
4	14	4.79	64	9.80	2.14
5	28	2.50	42	21.96	8.08
6	12	2.58	54	20.75	11.15
7	10	2.12	53	22.87	12.52



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	6.40	78	10.77	8.08
2	12	4.10	72	14.20	9.38
3	20	3.24	59	7.94	0.33
4	14	1.68	59	-0.15	-7.28
5	28	2.38	51	22.33	11.48
6	12	2.52	55	21.70	12.28
7	10	2.15	58	21.87	15.15

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.51	41	9.44	-0.48
2	12	1.68	53	3.93	-5.04
3	20	2.09	59	2.05	-5.10
4	14	1.73	51	4.80	-4.71
5	28	2.01	48	18.07	6.88
6	12	3.58	62	14.96	7.43
7	10	2.73	55	17.91	8.74



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.91	57	9.77	-0.44
2	12	1.68	45	4.06	-6.68
3	20	3.79	58	4.30	-3.99
4	14	2.35	58	7.85	-0.08
5	28	2.58	62	13.42	3.48
6	12	3.18	55	14.62	5.56
7	10	2.23	54	21.98	11.60

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.47	40	4.88	-7.00
2	12	1.88	38	7.40	-6.86
3	20	3.86	48	8.85	-1.09
4	14	4.86	78	10.85	8.07
5	28	3.04	68	13.83	6.08
6	12	4.48	85	12.91	8.28
7	10	3.48	81	29.74	12.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.94	48	8.10	-4.88
2	12	3.15	41	8.58	-6.06
3	20	5.12	65	11.48	4.83
4	14	4.78	88	12.88	8.58
5	28	2.26	58	13.74	3.86
6	12	3.17	81	12.48	5.04
7	10	2.18	86	28.48	19.32



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.70	95	8.38	-0.10
2	12	4.28	62	10.87	-1.71
3	20	4.88	58	14.88	8.85
4	14	8.08	78	8.86	5.07
5	28	2.41	46	16.82	4.22
6	12	2.63	67	14.96	5.51
7	10	1.82	86	22.58	12.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.05	51	8.99	-1.22
2	12	5.37	56	13.51	3.93
3	20	8.19	70	14.24	8.89
4	14	8.40	84	8.48	3.88
5	28	2.42	37	19.45	6.02
6	12	3.15	45	17.88	5.55
7	10	2.08	81	22.85	14.71



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.38	75	9.68	5.55
2	12	6.35	65	15.81	8.51
3	20	4.21	82	9.89	8.77
4	14	4.18	72	7.45	2.26
5	28	2.42	42	20.64	6.93
6	12	2.98	62	17.82	10.04
7	10	2.03	80	22.48	14.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.81	82	10.77	7.88
2	12	2.45	68	11.15	6.58
3	20	5.28	78	9.57	5.74
4	14	5.44	78	8.80	5.78
5	28	2.71	52	20.43	8.83
6	12	5.62	78	19.46	14.30
7	10	2.58	84	20.72	12.84

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.30	85	0.98	7.21
2	12	0.10	78	10.27	6.80
3	20	0.55	83	10.49	7.80
4	14	2.81	80	2.81	-5.39
5	20	2.58	67	10.95	10.82
6	12	3.14	79	15.02	12.17
7	10	1.73	40	14.18	-0.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	11.48	99	11.21	9.88
2	12	8.73	88	10.10	8.00
3	20	5.02	85	0.49	-5.91
4	14	1.84	61	2.08	-7.10
5	20	3.35	84	10.94	9.72
6	12	2.72	55	5.86	-3.87
7	10	1.55	27	19.99	-8.51



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.91	87	10.98	4.88
2	12	2.86	67	9.79	-1.88
3	20	0.10	83	0.80	-8.55
4	14	1.98	48	9.79	-9.17
5	20	2.17	48	7.68	-5.56
6	12	3.15	47	5.41	-8.29
7	10	1.60	27	15.48	-8.71

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.78	72	6.44	1.55
2	12	2.41	65	3.56	-2.45
3	20	1.93	80	2.83	-4.78
4	14	2.58	48	-0.42	-12.08
5	20	1.84	43	9.87	-3.25
6	12	1.69	56	9.11	-7.12
7	10	1.62	41	14.57	0.93



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	58	8.10	-1.09
2	12	4.65	62	3.86	-3.00
3	20	0.19	65	-0.52	-11.44
4	14	1.81	56	-10.08	-16.19
5	20	2.00	40	12.47	-1.22
6	12	2.45	38	11.70	-3.51
7	10	2.53	43	13.12	0.41

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.01	70	-3.21	-8.68
2	12	1.87	51	-3.68	-11.06
3	20	5.10	58	-0.76	-15.47
4	14	1.79	55	-0.58	-14.31
5	20	2.11	41	13.60	0.01
6	12	3.00	56	6.57	-2.36
7	10	1.79	59	11.00	2.96

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.30	48	-8.44	-15.00
2	12	2.06	52	-6.75	-16.10
3	20	3.80	58	-8.49	-19.00
4	14	1.04	52	-5.47	-19.04
5	20	2.01	44	8.15	-3.60
6	12	2.55	58	9.05	-4.10
7	10	3.00	64	7.40	1.45



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	47	-5.10	-14.00
2	12	1.77	43	-4.67	-14.00
3	20	3.85	84	-3.80	-9.80
4	14	7.43	80	-1.30	-4.52
5	20	2.50	46	5.03	-4.00
6	12	2.80	48	7.12	-3.74
7	10	0.97	70	12.50	0.90



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	56	-0.30	-0.21
2	12	3.50	61	1.16	-5.70
3	20	12.69	88	2.08	0.30
4	14	0.35	80	2.02	-0.27
5	20	3.47	54	9.40	0.21
6	12	3.40	65	8.93	0.40
7	10	9.64	67	10.00	10.10



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.63	84	9.55	-2.77
2	12	6.03	75	4.71	0.64
3	20	11.52	90	8.91	7.44
4	14	2.10	86	5.43	-0.83
5	20	3.17	58	16.13	6.84
6	12	3.61	76	13.93	9.71
7	10	1.67	58	22.63	13.12



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.80	79	2.80	-0.39
2	12	5.92	88	8.51	6.75
3	20	9.79	91	9.30	7.91
4	14	5.51	78	2.49	-1.07
5	20	3.10	68	18.15	12.07
6	12	3.40	78	18.20	14.25
7	10	2.67	53	24.10	13.36



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.05	85	10.22	7.77
2	12	5.36	74	16.06	11.52
3	20	3.43	82	14.55	11.57
4	14	3.83	79	0.91	-2.41
5	20	2.17	64	21.76	14.36
6	12	2.20	75	20.22	15.50
7	10	1.70	53	17.07	7.00

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	7.10	77	13.00	8.00
2	12	7.38	81	15.73	12.48
3	20	5.84	81	4.88	1.97
4	14	9.29	77	-5.88	-8.52
5	20	2.36	68	22.07	15.67
6	12	5.88	85	10.29	15.05
7	10	8.93	81	12.98	4.81

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	14.17	96	10.77	9.88
2	12	8.78	84	14.16	11.47
3	20	7.52	82	-0.08	-2.74
4	14	2.84	84	-7.81	-12.80
5	20	9.58	78	18.59	15.45
6	12	9.99	87	7.40	5.45
7	10	1.88	81	4.81	-6.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.48	68	11.52	5.77
2	12	2.73	70	6.87	0.84
3	20	9.88	73	-1.96	-8.13
4	14	2.48	68	-6.37	-11.28
5	20	2.52	67	12.67	6.66
6	12	3.29	70	5.16	-0.55
7	10	1.87	46	4.12	-7.92

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.31	43	1.11	-10.21
2	12	1.61	52	2.03	-6.88
3	20	3.08	71	-2.10	-6.68
4	14	2.46	81	-0.88	-7.08
5	20	3.70	70	8.36	3.07
6	12	3.38	72	3.93	-0.74
7	10	2.07	45	5.72	-5.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	58	0.39	-8.89
2	12	3.07	69	0.68	-4.44
3	20	5.68	75	-2.24	-8.07
4	14	3.46	60	2.42	-5.11
5	20	7.32	81	6.20	2.08
6	12	5.08	78	1.88	-1.48
7	10	2.32	41	8.74	-5.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	10.17	87	0.77	-1.22
2	12	5.21	82	1.98	-0.78
3	20	8.30	73	-0.38	-4.74
4	14	9.98	58	4.20	-4.24
5	20	2.61	63	8.11	1.24
6	12	4.76	71	2.35	-2.31
7	10	1.87	32	12.58	-4.82

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.59	85	-0.66	-0.66
2	12	3.31	68	2.03	-0.68
3	20	5.14	64	3.85	-1.05
4	14	3.21	84	4.85	-1.09
5	28	2.78	46	10.62	-0.43
6	12	3.81	48	8.97	-1.06
7	10	3.06	80	10.50	5.72



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.88	61	-0.11	-0.68
2	12	3.65	61	3.88	-2.01
3	20	5.92	76	5.18	-1.10
4	14	3.40	88	4.88	-0.76
5	28	3.05	45	12.87	1.07
6	12	3.91	48	12.30	0.76
7	10	2.94	69	11.80	5.87

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.88	62	0.38	-0.66
2	12	3.65	61	0.80	-1.06
3	20	5.48	67	0.94	0.97
4	14	1.84	98	7.87	-0.67
5	28	2.88	58	14.48	3.72
6	12	5.65	62	11.81	5.78
7	10	2.87	87	15.66	6.02

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.88	81	0.21	1.77
2	12	2.30	56	10.18	1.61
3	20	2.78	69	4.88	-0.47
4	14	2.25	81	4.81	-2.85
5	28	3.48	62	14.34	6.87
6	12	4.78	68	12.45	8.78
7	10	4.42	59	15.48	9.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.45	46	-4.11	-16.93
2	12	1.71	45	-2.22	-12.54
3	20	5.82	72	0.75	-5.80
4	14	2.77	57	8.09	-0.75
5	28	1.96	48	12.48	1.70
6	12	4.29	72	10.55	5.55
7	10	2.76	52	15.23	6.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.41	88	-3.77	-10.46
2	12	7.88	77	-0.89	-3.88
3	20	4.84	75	0.94	-2.99
4	14	1.83	88	4.84	-3.01
5	28	4.64	66	12.68	3.21
6	12	2.47	55	11.93	3.18
7	10	2.17	36	17.98	1.84

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.20	73	-1.77	-6.00
2	12	2.84	73	0.84	-4.20
3	20	7.04	75	2.10	-1.88
4	14	4.83	76	0.85	-3.83
5	28	2.32	47	12.65	1.37
6	12	2.85	58	14.34	8.19
7	18	2.22	80	10.79	8.08

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.28	70	-0.85	-5.48
2	12	4.48	85	0.00	-5.82
3	20	3.01	80	-1.33	-8.83
4	14	3.68	87	-7.65	-10.71
5	28	3.07	56	13.76	5.03
6	12	5.51	70	12.51	7.03
7	18	5.18	87	14.62	7.98

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	50	-2.21	-11.21
2	12	2.28	62	-2.40	-11.06
3	20	2.62	63	-5.02	-10.98
4	14	1.88	68	-8.82	-15.18
5	28	6.88	78	8.85	5.01
6	12	8.38	83	4.81	2.09
7	18	2.87	84	1.80	-5.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.58	82	-4.52	-10.68
2	12	10.65	78	-3.93	-7.17
3	20	4.01	85	-3.80	-9.48
4	14	2.18	85	-8.22	-11.40
5	28	5.83	72	2.81	-1.86
6	12	3.87	83	-1.57	-7.08
7	18	1.82	41	3.74	-8.87

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.90	71	-3.40	-8.35
2	12	4.02	67	-2.86	-8.23
3	20	2.60	81	-3.85	-10.32
4	14	2.52	85	-7.80	-12.08
5	28	1.76	45	4.81	-6.52
6	12	2.31	59	0.83	-6.57
7	18	2.43	51	4.78	-6.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	57	-2.46	-9.08
2	12	2.87	64	-2.12	-8.18
3	20	3.68	62	-4.05	-10.35
4	14	2.88	65	-7.43	-12.68
5	28	1.72	41	0.11	-6.01
6	12	3.12	58	4.53	-5.88
7	18	3.62	74	7.08	2.87

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	50	-9.00	-10.00
2	12	3.56	61	-1.26	-7.01
3	20	4.00	64	-5.44	-8.41
4	14	8.05	74	-7.80	-10.70
5	20	2.12	41	8.65	-3.18
6	12	3.81	59	7.45	-0.27
7	10	0.21	84	13.21	8.43



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.56	66	-0.32	-10.00
2	12	3.38	67	-4.16	-9.46
3	20	5.68	83	0.05	-2.35
4	14	7.80	78	-7.73	-9.60
5	20	0.95	70	8.06	4.08
6	12	0.23	91	0.07	0.26
7	10	1.77	91	4.61	-0.17



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.40	81	2.00	1.00
2	12	2.00	66	1.00	-4.40
3	20	5.52	72	-4.49	-8.74
4	14	1.70	71	-7.00	-12.33
5	20	1.77	54	9.03	1.03
6	12	1.30	59	0.55	-0.01
7	10	1.01	48	9.40	-7.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.59	55	-1.33	-9.21
2	12	5.22	62	-0.46	-7.07
3	20	5.44	68	-3.63	-8.00
4	14	3.50	70	-5.70	-9.36
5	20	1.03	46	8.62	-2.41
6	12	2.01	58	2.88	-4.76
7	10	0.60	72	8.48	0.52



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.30	48	-2.55	-12.21
2	12	2.50	60	-0.46	-7.48
3	20	4.99	73	0.47	-3.91
4	14	2.83	81	-3.45	-8.22
5	20	4.42	73	8.92	4.20
6	12	4.87	88	5.35	3.37
7	10	4.87	77	7.21	2.49

CAPITA


REGION 1, QTR 1 1966
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 1, QTR 2 1966
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 1, QTR 3 1966
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 1, QTR 4 1966
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 2, QTR 1 1966
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 2, QTR 2 1966
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 2, QTR 3 1966
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 2, QTR 4 1966
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

270

COPITA


REGION 3, QTR 1 1966
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 3, QTR 2 1966
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 3, QTR 3 1966
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 3, QTR 4 1966
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 4, QTR 1 1966
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 4, QTR 2 1966
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 4, QTR 3 1966
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 4, QTR 4 1966
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 5, QTR 1 1966
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 5, QTR 2 1966
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 5, QTR 3 1966
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 5, QTR 4 1966
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC
COPITA


REGION 6, QTR 1 1966
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 6, QTR 2 1966
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 6, QTR 3 1966
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 6, QTR 4 1966
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 7, QTR 1 1966
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 7, QTR 2 1966
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 7, QTR 3 1966
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 7, QTR 4 1966
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


EUS MEAN, QTR 1 1966
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


EUS MEAN, QTR 2 1966
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


EUS MEAN, QTR 3 1966
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


EUS MEAN, QTR 4 1966
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.48	78	-1.13	-4.44
2	12	6.07	75	2.05	-1.57
3	20	9.14	83	0.80	-1.83
4	14	2.44	75	-2.53	-6.34
5	28	8.12	87	11.80	9.55
6	12	7.72	88	8.82	6.52
7	16	9.27	88	10.13	7.14

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	70	2.77	-2.10
2	12	2.16	61	4.20	-2.86
3	20	3.70	71	0.88	-3.98
4	14	4.32	74	-1.58	-6.81
5	28	3.25	68	12.28	8.20
6	12	6.98	73	7.44	2.88
7	16	2.90	49	12.82	0.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.55	80	-0.60	-3.66
2	12	3.06	61	4.36	2.59
3	20	6.15	88	-0.35	-5.27
4	14	2.12	70	-7.50	-10.82
5	28	6.41	73	13.31	8.58
6	12	4.03	75	8.00	3.84
7	16	1.54	46	6.31	-4.85



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.27	83	1.10	-0.22
2	12	7.71	80	2.54	0.08
3	20	5.31	71	-3.68	-8.32
4	14	3.71	68	-1.94	-7.18
5	28	5.91	88	8.54	5.31
6	12	2.42	53	4.34	-4.71
7	16	1.16	30	10.65	-6.56



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.49	76	0.55	-3.85
2	12	3.72	72	0.40	-4.58
3	20	6.77	71	-2.91	-7.30
4	14	2.19	70	-5.63	-8.78
5	28	2.26	46	8.29	-3.58
6	12	1.31	45	6.81	-6.33
7	16	1.91	52	14.62	-2.22



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	45	-4.73	-14.77
2	12	2.59	56	-3.38	-9.06
3	20	4.47	71	1.05	-3.71
4	14	6.46	76	-1.47	-5.54
5	28	2.33	47	9.73	-1.35
6	12	1.08	47	10.26	-0.78
7	16	2.06	80	10.63	4.79

CAPITA

Reproduced from
best available copy.



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.93	80	-5.22	0.49
2	12	3.20	76	3.87	0.04
3	20	5.32	80	0.94	-4.02
4	14	6.49	71	-8.14	-12.17
5	20	2.20	62	15.60	8.11
6	12	3.93	73	10.27	5.27
7	18	3.12	42	6.60	-5.77



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	11.17	80	9.22	1.86
2	12	7.18	77	4.67	0.70
3	20	9.20	87	-4.07	-9.21
4	14	1.84	61	-10.04	-19.61
5	20	7.21	80	14.16	12.06
6	12	2.95	63	5.22	-1.52
7	18	1.77	41	2.11	-9.50



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.82	67	1.86	-6.00
2	12	2.75	57	1.70	-6.43
3	20	1.98	62	-2.35	-8.03
4	14	9.20	62	0.10	-6.48
5	20	3.42	66	11.82	6.61
6	12	3.46	63	2.21	-4.21
7	18	2.84	48	3.32	-7.50



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.52	75	-1.69	-5.89
2	12	5.71	73	0.92	-4.74
3	20	4.53	67	-2.93	-8.30
4	14	1.69	64	-6.20	-11.40
5	20	4.31	66	10.94	4.99
6	12	2.13	51	4.70	-4.67
7	18	1.67	41	7.65	-4.30



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.66	81	-0.55	-7.19
2	12	3.79	61	0.46	-6.19
3	20	3.59	67	-4.43	-9.74
4	14	2.64	65	-2.42	-8.17
5	20	1.07	49	6.02	-3.43
6	12	1.74	50	1.30	-7.31
7	18	1.54	36	0.59	-5.72

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.61	59	-2.44	-8.55
2	12	4.13	63	-0.04	-6.47
3	20	1.59	57	3.00	-4.13
4	14	1.67	70	1.93	-3.21
5	20	2.13	44	10.41	-1.15
6	12	2.03	55	0.00	-6.01
7	18	2.00	57	12.73	-2.53

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.65	66	8.32	-9.86
2	12	4.00	58	4.02	-3.37
3	20	5.78	80	5.24	-1.91
4	14	5.54	89	2.37	-3.01
5	28	2.02	41	15.57	2.08
6	12	3.93	48	10.32	-1.15
7	16	5.38	76	10.29	5.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	4.50	78	9.22	-0.10
2	12	7.64	78	5.13	1.48
3	20	5.02	75	5.88	-0.52
4	14	1.03	84	-3.84	-5.76
5	28	5.37	84	14.36	11.98
6	12	7.59	87	9.25	7.12
7	16	6.57	83	13.08	9.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.74	67	6.21	0.33
2	12	4.25	68	4.11	-1.34
3	20	2.20	65	-5.49	-10.24
4	14	1.67	65	-6.81	-11.05
5	28	2.64	72	13.56	8.62
6	12	2.64	68	6.08	-0.32
7	16	1.88	52	8.77	-0.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.31	45	-2.93	-11.38
2	12	2.92	50	-1.80	-10.96
3	20	5.20	61	-3.93	-10.27
4	14	6.03	67	0.50	-5.50
5	28	1.32	47	7.91	-2.99
6	12	1.82	45	3.20	-7.28
7	16	1.56	49	12.10	-0.02



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	56	3.33	-4.66
2	12	3.35	58	2.96	-4.62
3	20	2.63	55	-8.53	-12.55
4	14	4.01	55	-13.26	-18.46
5	28	2.57	44	12.61	0.26
6	12	2.32	46	7.22	-3.97
7	18	2.03	54	8.89	-2.35



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	35	-8.60	-100.00
2	12	1.67	45	-6.80	-16.16
3	20	2.65	50	-12.49	-19.93
4	14	4.39	60	-12.94	-19.60
5	28	2.03	43	9.73	-2.67
6	12	2.08	51	0.50	-7.72
7	16	2.40	62	2.11	-4.84

CAPITA



REGION	# STNS	WIND	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	93	-11.10	-100.30
2	12	7.36	80	-5.66	-12.01
3	20	9.24	67	-4.38	-14.28
4	14	6.12	90	-8.27	-10.89
5	20	6.44	72	6.72	2.12
6	12	5.90	76	2.59	-1.00
7	10	2.60	85	0.75	-0.22



REGION	# STNS	WIND	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.70	50	-1.46	-10.00
2	12	6.31	65	0.87	-7.01
3	20	2.75	59	3.07	-5.88
4	14	1.08	59	2.36	-6.99
5	20	6.00	66	8.82	2.81
6	12	5.76	72	6.19	1.54
7	10	6.37	84	11.98	1.86



REGION	# STNS	WIND	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.17	53	4.10	-6.02
2	12	3.40	60	5.68	-1.61
3	20	5.11	72	6.88	2.10
4	14	2.92	66	4.96	-1.48
5	20	5.61	64	12.95	6.30
6	12	6.30	71	15.25	8.00
7	10	5.71	62	17.61	8.64



REGION	# STNS	WIND	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.86	59	8.52	-2.55
2	12	9.63	61	10.27	2.72
3	20	11.59	69	9.86	8.28
4	14	7.90	77	8.78	6.30
5	20	2.20	57	19.59	10.82
6	12	6.29	74	17.03	12.35
7	10	3.71	59	18.82	9.74

REGION	# STNS	WIND	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.56	76	7.22	2.55
2	12	6.48	68	13.16	7.40
3	20	5.98	74	14.21	9.89
4	14	2.74	70	7.19	-1.11
5	20	2.26	54	23.32	11.66
6	12	2.87	73	19.82	14.11
7	10	2.69	68	18.62	13.22



REGION	# STNS	WIND	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.10	56	10.10	1.99
2	12	7.87	72	13.93	8.37
3	20	9.03	69	12.52	10.02
4	14	8.59	78	9.71	-0.55
5	20	2.24	56	22.41	12.99
6	12	3.04	83	20.32	13.00
7	10	2.04	55	20.28	9.32

Reproduced from
best available copy.



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.16	76	4.21	0.00
2	12	5.47	65	14.67	7.91
3	20	2.92	71	5.94	0.44
4	14	1.85	71	-7.09	-7.94
5	20	2.35	56	21.76	12.45
6	12	2.88	59	19.57	11.30
7	18	2.18	66	18.25	11.99



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.70	68	7.77	2.11
2	12	5.70	68	8.16	3.47
3	20	12.77	85	0.09	-2.18
4	14	9.65	72	-7.88	-11.31
5	20	2.07	80	21.81	13.82
6	12	2.98	70	18.93	13.14
7	18	3.98	62	10.78	3.18



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	70	-0.44	-5.92
2	12	8.77	66	5.04	2.85
3	20	8.27	80	-1.58	-4.55
4	14	1.88	67	-5.70	-10.20
5	20	3.10	70	15.62	10.15
6	12	2.92	67	2.35	-3.23
7	18	1.63	58	7.90	-8.03



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.23	87	-0.44	-2.22
2	12	5.38	72	-1.64	6.52
3	20	2.95	69	-2.63	-7.55
4	14	2.59	68	-2.10	-6.02
5	20	1.60	38	8.34	5.41
6	12	1.58	43	4.81	-5.93
7	18	1.64	34	13.74	-2.11

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.71	66	-9.55	-9.10
2	12	5.29	58	-4.40	-11.57
3	20	3.22	68	-2.80	-7.98
4	14	3.44	71	1.42	-9.29
5	20	1.64	33	10.82	-5.03
6	12	1.87	44	9.59	-2.35
7	18	2.01	41	17.14	3.33



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	52	-4.60	-13.21
2	12	1.81	49	-2.45	-11.64
3	20	2.28	67	-1.74	-7.16
4	14	8.54	60	0.51	-2.57
5	20	1.04	29	11.93	-1.90
6	12	2.32	53	14.25	4.95
7	18	2.19	51	18.90	8.90

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	41	-2.66	-19.09
2	12	3.08	48	-0.55	-10.58
3	20	10.59	83	2.16	-0.39
4	14	3.18	72	-0.27	-3.76
5	20	2.19	48	14.45	2.26
6	12	2.54	67	15.55	9.50
7	16	4.62	63	18.57	10.98



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.09	75	0.11	-9.77
2	12	5.64	74	4.20	-0.23
3	20	7.07	78	0.89	-2.52
4	14	7.51	68	-4.48	-9.88
5	20	2.42	47	18.46	7.76
6	12	3.25	83	18.48	11.01
7	16	1.92	61	20.62	12.26



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	11.07	63	0.89	-1.65
2	12	12.03	61	5.50	2.35
3	20	4.38	76	-2.65	-8.55
4	14	1.03	72	-7.00	-10.41
5	20	3.42	60	19.50	10.06
6	12	5.94	60	12.21	10.04
7	16	2.11	60	10.02	2.22



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	58	-7.66	-12.77
2	12	1.06	61	-4.60	-11.38
3	20	3.41	71	-5.59	-8.43
4	14	3.09	73	0.63	-3.02
5	20	2.09	59	11.26	3.47
6	12	3.90	72	5.53	-0.60
7	16	2.60	63	8.25	1.00



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.59	75	-2.44	-7.21
2	12	4.88	74	1.40	-2.58
3	20	5.54	77	1.93	-1.71
4	14	1.63	61	1.98	-3.00
5	20	3.26	61	11.26	3.86
6	12	4.13	78	5.27	0.18
7	16	3.31	48	14.02	1.84



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	64	4.10	-2.30
2	12	3.79	59	3.19	-4.20
3	20	11.70	78	-1.60	-4.59
4	14	2.90	63	-4.59	-9.16
5	20	1.63	57	13.13	-1.40
6	12	2.30	49	19.23	2.54
7	16	2.51	49	17.40	5.10

CAPITA

Reproduced from best available copy.

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.40	92	-0.80	-10.55
2	12	8.63	68	-6.97	-11.03
3	20	2.05	82	-10.10	-10.22
4	14	8.09	61	-8.22	-12.77
5	20	6.31	63	12.17	6.70
6	12	5.22	80	5.23	0.05
7	18	3.05	56	2.01	-8.38



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.21	78	-11.96	-12.80
2	12	14.43	81	-11.70	-12.82
3	20	9.58	82	-9.52	-10.57
4	14	8.72	86	-8.68	-11.86
5	20	9.07	78	6.75	0.47
6	12	2.89	85	-5.80	-8.78
7	18	1.81	91	5.20	-7.07



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	41	-7.77	-19.04
2	12	2.66	62	-8.18	-16.66
3	20	6.17	84	-7.21	-12.91
4	14	2.80	83	-3.27	-7.81
5	20	4.35	82	5.75	-1.05
6	12	9.52	58	0.27	-7.91
7	18	1.82	48	5.80	-5.82

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.90	48	-2.51	-14.30
2	12	6.02	57	-3.33	-9.02
3	20	3.04	57	0.55	-7.05
4	14	2.70	58	0.22	-5.27
5	20	7.14	41	9.71	-0.39
6	12	5.58	56	3.92	-5.18
7	18	1.55	52	11.40	-4.54



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.33	68	-0.77	-5.88
2	12	6.26	58	1.67	-5.07
3	20	2.51	64	3.55	-2.71
4	14	3.46	67	0.27	-0.44
5	20	3.01	67	6.05	1.05
6	12	2.55	57	8.85	0.46
7	18	1.82	40	15.50	0.07



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.37	56	4.84	-3.55
2	12	3.73	62	2.08	-6.48
3	20	2.31	62	-0.21	-11.00
4	14	2.33	58	-1.11	-8.98
5	20	4.05	66	12.50	5.56
6	12	3.06	69	9.82	5.06
7	18	3.31	57	12.77	9.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.36	59	-13.86	-100.00
2	12	1.68	63	-11.31	-17.48
3	20	2.32	53	-9.57	-13.95
4	14	4.10	66	3.01	-5.27
5	20	2.69	56	0.14	-0.87
6	12	1.52	63	5.38	-5.05
7	10	1.91	61	17.10	-2.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	56	-12.77	-160.00
2	12	3.55	54	-7.81	-12.38
3	20	4.08	64	0.81	-5.63
4	14	1.90	44	8.78	-4.67
5	20	1.83	48	8.66	-2.08
6	12	1.55	57	11.75	-2.48
7	10	1.62	37	18.91	-2.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.36	68	-2.13	-7.10
2	12	3.18	58	4.07	3.56
3	20	2.15	49	9.41	-0.91
4	14	3.76	48	11.20	-2.26
5	20	1.81	58	16.26	1.76
6	12	1.58	54	15.73	-0.38
7	10	1.62	58	18.82	2.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.91	53	6.68	-2.95
2	12	3.51	53	10.27	0.41
3	20	6.68	78	7.94	7.41
4	14	7.63	69	-0.37	-11.74
5	20	1.87	46	18.56	6.04
6	12	1.78	56	18.67	9.48
7	10	2.24	43	18.97	5.90



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	52	2.99	-6.22
2	12	2.38	49	-0.92	-10.50
3	20	2.37	59	-7.65	-15.29
4	14	2.99	56	-8.38	-12.48
5	20	1.83	46	16.32	6.27
6	12	2.08	48	7.85	-2.91
7	10	3.65	56	8.52	-0.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	43	-7.88	-13.88
2	12	4.53	58	4.71	-10.52
3	20	3.83	63	-3.91	-10.10
4	14	5.49	65	-2.22	-9.21
5	20	6.40	73	11.01	5.61
6	12	8.15	69	6.36	2.91
7	10	3.55	63	8.81	1.89

CAPITA

Reproduced from
best available copy.



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.47	80	-11.07	-12.22
2	12	2.80	63	-4.33	-10.50
3	20	6.87	65	-2.27	-7.30
4	14	2.40	62	-8.79	-11.29
5	20	4.90	77	8.34	5.13
6	12	7.40	81	4.87	0.97
7	16	9.29	57	10.82	1.81



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.60	50	-0.10	-0.62
2	12	4.41	65	-2.22	-9.04
3	20	5.70	71	2.07	-2.80
4	14	3.50	85	-5.50	-10.45
5	20	4.77	71	0.30	6.10
6	12	4.38	70	0.58	3.05
7	16	5.21	70	15.18	0.26



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	14.67	62	-3.77	-8.92
2	12	8.08	70	2.49	-0.78
3	20	5.75	72	-2.05	-8.52
4	14	1.70	56	-8.82	-13.45
5	20	8.70	83	11.66	8.52
6	12	8.83	69	10.59	8.83
7	16	2.17	52	9.40	0.97



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.66	80	-1.37	-4.55
2	12	5.35	58	-1.33	0.60
3	20	2.95	61	-6.05	-12.50
4	14	2.61	47	-0.12	-10.[illegible]
5	20	2.58	52	6.68	1.22
6	12	1.78	47	2.69	-7.72
7	16	1.58	38	8.92	-5.76



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	45	-1.11	-10.13
2	12	2.52	47	0.73	-9.48
3	20	5.25	61	-1.38	-8.02
4	14	1.54	55	-6.42	-13.28
5	20	2.41	53	0.97	0.63
6	12	2.40	51	6.81	-2.77
7	16	1.75	38	11.10	-3.57



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	14.09	66	0.66	-1.33
2	12	4.51	66	-0.74	-6.42
3	20	8.94	65	-6.63	-12.07
4	14	5.09	54	-9.58	-14.21
5	20	1.62	26	8.11	-6.46
6	12	1.75	42	3.19	-8.08
7	16	1.02	25	12.39	-7.03

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.78	93	-4.44	-12.00
2	12	4.24	56	-6.36	-13.00
3	20	5.81	57	-15.97	-18.74
4	14	1.60	48	-7.21	-16.44
5	28	1.60	32	5.31	-10.57
6	12	1.57	38	-7.69	-16.38
7	18	1.58	25	7.70	-10.05



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.88	58	-10.77	-18.66
2	12	5.48	57	-8.66	-15.10
3	20	1.71	55	-11.44	-18.51
4	14	1.89	45	-5.78	-19.26
5	27	1.78	38	-1.33	-12.38
6	12	1.68	57	-5.41	-14.16
7	18	1.74	52	8.88	-7.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	51	-5.44	-12.35
2	12	1.62	49	-4.02	-14.48
3	20	2.14	58	-4.57	-12.18
4	14	2.18	47	4.88	-8.78
5	28	1.62	28	4.02	-11.35
6	12	1.77	51	3.15	-14.81
7	18	2.04	57	15.44	4.65



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	47	-3.11	-10.99
2	12	5.44	46	0.18	-10.56
3	20	12.39	88	0.15	-1.88
4	14	1.97	61	3.09	-4.36
5	28	2.25	41	9.47	-4.14
6	12	3.51	72	8.8.	1.09
7	18	3.66	69	14.51	7.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.51	78	2.55	-1.22
2	12	3.63	65	2.08	-3.93
3	20	5.34	61	-2.62	-9.32
4	14	1.93	49	3.88	-6.54
5	29	1.95	50	12.01	2.51
6	12	2.11	61	6.61	-0.55
7	18	1.66	34	15.34	-1.49



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	53	-6.00	-13.16
2	12	1.55	59	-5.41	-16.52
3	20	2.16	55	-3.94	-11.39
4	14	1.74	44	0.18	-4.67
5	29	1.75	23	0.98	-5.91
6	12	1.60	43	7.08	-4.16
7	18	1.57	24	12.18	-1.64

CAPITA

Reproduced from
best available copy.



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	68	-4.77	-12.21
2	12	1.88	81	2.26	-4.85
3	20	3.33	81	7.38	0.25
4	14	1.68	91	8.80	-2.17
5	28	1.83	30	18.14	1.68
6	12	1.78	56	17.21	2.17
7	16	1.76	35	20.83	5.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.51	81	4.81	-2.50
2	12	5.06	52	11.48	1.08
3	20	2.70	58	5.19	-2.44
4	14	2.79	82	0.81	-7.30
5	28	2.15	46	21.60	8.35
6	12	2.52	56	18.88	9.50
7	16	1.87	48	21.48	8.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	48	-0.66	-8.89
2	12	3.22	58	2.26	-6.70
3	20	3.02	68	-0.18	-5.68
4	14	2.06	60	0.11	-7.19
5	28	2.63	53	19.10	8.82
6	12	2.58	60	20.85	12.28
7	16	2.05	51	21.68	8.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.62	60	-2.80	-6.52
2	12	4.70	83	0.62	-1.85
3	20	3.68	80	0.97	-2.65
4	14	3.12	62	-1.27	-7.33
5	28	4.01	64	21.42	13.03
6	12	3.25	73	21.19	15.27
7	16	3.30	68	18.19	10.35



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.85	83	-0.98	-9.31
2	12	7.01	84	1.71	-0.68
3	20	5.53	78	-1.21	-6.50
4	14	2.50	92	0.51	-9.00
5	28	3.28	71	19.58	13.00
6	12	5.38	84	12.68	9.95
7	16	2.18	57	9.39	0.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	14.56	88	-0.77	-9.10
2	12	7.68	78	0.27	-9.33
3	20	2.97	76	-2.88	-7.33
4	14	1.67	46	-10.18	-10.27
5	28	1.89	59	12.33	4.00
6	12	2.68	57	4.62	-5.26
7	16	1.86	39	11.58	-2.56

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	58	-2.33	-8.48
2	12	2.01	67	0.82	-6.78
3	20	2.22	68	-4.98	-10.98
4	14	1.87	61	-2.28	-10.80
5	28	2.26	48	13.58	2.48
6	12	2.16	58	9.96	-4.08
7	18	1.87	45	8.68	-6.72



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.09	82	0.77	-5.77
2	12	9.76	81	5.32	-1.76
3	20	6.36	88	2.77	-3.10
4	14	1.70	41	0.87	-9.72
5	28	2.11	42	10.86	6.87
6	12	2.18	54	17.40	1.20
7	18	2.11	45	16.89	5.65



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.41	49	9.89	-0.22
2	12	3.27	48	12.85	1.68
3	20	2.82	58	15.49	5.50
4	14	2.04	61	12.19	0.43
5	28	3.83	55	21.22	11.22
6	12	4.16	68	19.02	12.48
7	18	2.01	60	24.37	12.52



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.78	54	13.13	3.77
2	12	4.36	65	13.75	6.93
3	20	3.97	82	9.52	6.35
4	14	4.26	62	4.61	-2.97
5	28	2.42	58	29.51	17.87
6	12	2.75	66	26.06	17.55
7	18	3.09	48	25.93	19.53



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	46	0.00	-10.92
2	12	2.65	52	5.78	-3.42
3	20	7.52	77	4.88	1.22
4	14	3.78	70	2.34	-1.50
5	28	6.21	65	30.47	13.03
6	12	1.81	50	24.30	15.41
7	18	1.62	43	26.68	11.69



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	58	2.68	-4.79
2	12	2.98	76	5.87	1.76
3	20	9.17	81	8.53	5.96
4	14	5.02	76	-0.43	-3.20
5	28	6.26	72	30.05	12.75
6	12	2.13	59	25.00	19.28
7	18	1.85	42	26.53	11.81

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.58	87	4.60	2.08
2	12	7.20	80	8.13	6.10
3	20	8.50	78	4.10	1.02
4	14	4.26	87	-1.28	-4.56
5	28	2.68	58	24.80	15.25
6	12	2.78	57	24.35	16.08
7	18	2.95	43	15.09	9.85



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.97	78	-0.88	-4.00
2	12	9.87	87	1.88	0.04
3	20	8.08	78	0.52	-2.85
4	14	1.71	57	-1.82	-8.52
5	28	4.98	82	22.18	19.56
6	12	5.97	84	19.18	11.78
7	18	2.38	48	17.18	2.88



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	68	-2.77	-10.32
2	12	1.86	82	-2.86	-11.28
3	20	1.81	58	1.76	-5.68
4	14	3.20	48	5.01	-8.88
5	28	2.07	35	12.88	-3.05
6	12	1.85	35	10.45	-4.81
7	18	2.26	38	15.20	0.85



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.28	48	-9.93	-16.38
2	12	3.82	68	-7.63	-12.49
3	20	2.81	53	-6.68	-14.48
4	14	1.78	48	-8.73	-15.11
5	28	1.78	37	11.56	-3.56
6	12	1.68	34	8.85	-7.28
7	18	2.77	38	16.93	2.26



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	48	-10.55	-16.66
2	12	2.73	43	-8.76	-18.32
3	20	1.53	48	-4.21	-12.71
4	14	1.78	45	-1.07	-11.49
5	28	1.08	31	7.75	-8.78
6	12	1.78	38	5.27	-11.01
7	18	2.46	43	12.68	-0.27



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	91	-5.99	-10.11
2	12	2.01	58	-4.65	-15.55
3	20	2.29	58	1.93	-8.05
4	14	2.61	64	2.93	-9.05
5	28	1.62	28	10.45	-3.52
6	12	2.08	28	11.52	-7.58
7	18	2.57	60	16.08	8.99

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.06	47	0.86	-9.84
2	12	5.21	57	2.88	-5.73
3	20	12.15	88	2.24	0.44
4	14	8.49	75	4.80	0.04
5	28	3.48	56	12.71	3.76
6	12	4.58	57	14.90	8.36
7	16	5.31	83	18.40	17.73



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.01	50	1.10	-9.93
2	12	11.25	85	1.52	-0.78
3	20	4.80	68	2.41	-0.85
4	14	1.78	54	8.78	-2.22
5	28	5.64	76	14.26	8.32
6	12	2.70	68	15.51	7.21
7	16	2.10	48	18.88	8.32



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.83	88	0.00	-5.66
2	12	7.52	78	1.26	-2.12
3	20	2.58	64	4.91	-1.79
4	14	2.00	49	13.76	0.18
5	28	2.31	47	14.87	3.35
6	12	2.28	58	14.02	-0.48
7	16	2.48	89	20.89	10.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.58	60	0.86	-4.66
2	12	7.26	72	2.03	-2.99
3	20	3.57	64	6.33	-0.22
4	14	1.60	49	14.32	1.48
5	28	3.53	46	16.76	3.17
6	12	1.73	30	20.81	2.17
7	16	2.46	50	22.50	11.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	52	3.10	-5.88
2	12	3.94	58	4.02	-3.37
3	20	4.29	65	7.91	1.19
4	14	2.61	45	17.77	4.71
5	28	2.36	38	17.67	0.89
6	12	2.32	33	21.01	3.74
7	18	2.40	51	22.79	10.89



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	51	4.32	-5.21
2	12	2.39	46	7.69	-3.56
3	20	3.53	50	17.38	0.69
4	14	4.31	57	11.58	2.05
5	28	2.90	49	12.97	5.45
6	12	2.53	52	24.78	0.93
7	16	2.33	62	23.97	13.57

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.94	64	8.77	-2.99
2	12	1.68	46	12.21	0.55
3	20	4.76	56	10.40	9.05
4	14	4.40	70	7.33	1.82
5	28	2.52	87	23.66	8.05
6	12	2.80	47	23.51	10.27
7	10	2.41	66	10.80	10.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.96	69	4.66	-0.66
2	12	2.05	63	8.96	2.66
3	20	4.51	75	12.13	7.65
4	14	3.48	58	11.62	5.17
5	28	2.81	55	19.36	8.87
6	12	3.08	58	21.15	12.29
7	10	1.86	68	29.16	8.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.78	77	5.10	1.46
2	12	7.81	80	7.82	6.67
3	20	7.87	76	10.32	8.10
4	14	8.24	68	14.68	6.48
5	28	6.23	67	18.68	12.78
6	12	3.28	66	20.75	15.66
7	10	3.14	46	28.80	11.75



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.11	69	8.66	1.31
2	12	3.74	64	10.09	5.32
3	20	5.55	69	12.54	5.76
4	14	6.09	53	18.44	7.81
5	28	2.52	53	18.87	11.26
6	12	2.73	55	21.94	12.56
7	10	1.66	44	27.80	13.76



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	48	6.32	-0.66
2	12	2.08	38	13.05	-0.55
3	20	2.45	48	21.76	9.71
4	14	2.71	48	20.35	7.33
5	28	2.46	48	19.77	8.30
6	12	2.21	47	24.05	12.21
7	10	2.14	48	24.12	12.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	55	9.44	-6.66
2	12	2.23	45	16.28	4.16
3	20	4.29	64	15.80	12.41
4	14	1.96	33	12.81	-3.72
5	28	2.20	41	21.28	7.39
6	12	2.21	48	25.00	10.64
7	10	2.21	62	22.87	14.84

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.50	45	18.77	9.68
2	12	3.08	47	18.87	7.12
3	20	5.67	73	17.55	12.18
4	14	1.86	63	6.88	-2.83
5	20	2.10	49	23.48	10.03
6	12	1.79	46	23.89	10.98
7	14	1.87	57	24.67	15.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.84	56	18.99	9.88
2	12	3.54	57	22.12	12.44
3	20	2.25	58	22.50	13.48
4	14	2.09	68	10.49	2.10
5	20	1.86	36	26.95	9.83
6	12	1.84	45	25.35	12.05
7	18	1.66	60	26.97	18.01

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	56	15.43	9.22
2	12	1.76	45	15.58	3.26
3	20	1.68	41	8.24	-4.58
4	14	1.87	56	8.78	-0.70
5	20	1.74	29	26.58	11.06
6	12	2.14	49	23.80	11.43
7	18	1.77	63	25.64	19.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	27	3.21	-16.49
2	12	1.78	39	5.45	-7.88
3	20	1.63	41	10.24	-2.58
4	14	1.66	48	12.07	5.55
5	20	1.77	36	19.83	3.47
6	12	1.83	38	21.23	6.18
7	18	1.73	45	26.30	15.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.45	44	12.55	0.55
2	12	3.02	63	13.09	6.15
3	20	5.79	67	17.54	10.96
4	14	2.03	60	16.66	5.80
5	20	3.18	57	22.69	13.26
6	12	2.00	48	27.72	15.04
7	18	1.89	45	28.80	13.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.36	72	2.33	-2.11
2	12	12.47	73	11.01	7.77
3	20	5.09	74	15.57	10.63
4	14	6.63	63	10.87	3.25
5	20	2.51	44	26.72	12.59
6	12	1.81	43	27.17	13.60
7	18	1.73	42	27.00	11.03

CAPITA

Reproduced from
best available copy.



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.06	83	1.88	-1.10
2	12	12.54	82	3.83	2.82
3	20	5.00	89	8.93	1.47
4	14	1.67	48	9.75	-1.31
5	28	3.46	48	26.67	10.33
6	12	2.23	45	25.88	9.85
7	16	1.73	48	26.34	10.64



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.88	50	5.55	-4.43
2	12	1.71	48	9.67	-1.01
3	20	2.70	52	10.82	1.02
4	14	3.64	68	16.08	7.83
5	28	2.20	41	20.76	6.34
6	12	2.12	35	25.00	8.26
7	16	1.76	50	25.85	19.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.08	46	11.77	-0.33
2	12	2.43	58	14.25	3.68
3	20	2.89	62	20.21	12.24
4	14	2.41	64	14.38	6.76
5	28	3.03	48	21.74	8.93
6	12	3.10	52	24.90	14.21
7	16	1.70	62	28.24	18.50



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.42	87	13.55	5.55
2	12	1.68	51	14.64	3.78
3	20	1.63	61	7.52	0.18
4	14	1.73	48	8.24	-2.58
5	28	2.60	48	24.87	10.26
6	12	4.18	83	22.21	18.48
7	16	1.65	58	24.51	15.19

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	28	2.77	-10.86
2	12	1.52	31	5.04	-11.28
3	20	1.87	52	8.49	-2.60
4	14	2.06	48	11.62	0.65
5	28	2.06	42	20.47	7.12
6	12	2.35	52	20.18	9.85
7	16	3.08	68	22.70	15.96

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	91	9.10	-12.44
2	12	1.65	23	7.59	-12.21
3	20	1.77	41	9.88	-5.08
4	14	8.32	78	10.83	8.26
5	28	2.35	43	19.43	5.97
6	12	2.13	47	23.28	11.19
7	16	2.07	62	24.16	15.51

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	82	8.89	-0.66
2	12	2.66	38	13.61	-2.31
3	20	9.28	65	15.50	12.35
4	14	5.45	81	18.01	8.66
5	20	3.03	81	18.60	10.01
6	12	2.40	58	24.48	15.82
7	10	2.46	57	18.76	8.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.69	28	18.10	-2.77
2	12	6.42	62	16.15	8.78
3	20	2.77	65	21.41	13.88
4	14	5.64	60	16.29	8.78
5	20	2.26	54	25.03	15.01
6	12	5.04	65	25.68	18.18
7	10	2.45	48	24.98	14.96



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.11	86	4.94	2.33
2	12	6.33	56	20.84	10.58
3	20	1.87	48	20.58	9.16
4	14	1.87	47	19.06	8.84
5	20	1.90	46	27.33	14.59
6	12	1.88	55	25.08	15.51
7	10	2.26	53	20.83	14.96



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.49	83	2.77	0.38
2	12	3.52	47	18.10	5.27
3	20	2.28	54	21.99	11.71
4	14	1.65	49	20.10	8.52
5	20	1.63	38	27.81	11.32
6	12	1.58	51	27.72	10.93
7	10	2.36	54	27.77	15.65



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	68	5.89	0.16
2	12	6.58	85	8.23	5.87
3	20	2.14	58	17.10	8.16
4	14	3.72	52	9.72	-1.06
5	20	3.10	58	25.03	15.82
6	12	1.39	55	26.52	17.72
7	10	2.62	46	23.72	10.27



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.78	65	3.44	1.10
2	12	3.95	72	9.85	5.87
3	20	2.85	69	7.57	2.21
4	14	1.67	48	10.03	-1.14
5	20	1.88	59	24.87	9.08
6	12	1.77	49	20.45	7.07
7	10	1.96	57	23.93	12.35

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.70	78	5.10	1.10
2	12	1.71	66	8.37	2.21
3	20	1.69	59	9.98	2.07
4	14	1.89	66	14.75	5.80
5	28	1.66	60	20.02	9.56
6	12	1.58	63	19.20	8.33
7	18	3.43	84	23.88	15.09



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.91	96	10.88	-0.10
2	12	1.52	32	14.16	-2.26
3	20	3.42	56	13.57	4.55
4	14	4.04	69	14.26	7.45
5	28	1.96	38	21.36	6.18
6	12	1.75	36	23.05	7.72
7	18	2.58	67	28.97	16.97

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.91	28	13.21	-8.77
2	12	3.22	43	14.88	0.84
3	20	6.14	78	17.88	13.17
4	14	2.36	66	10.89	1.86
5	28	2.46	47	23.60	11.36
6	12	5.05	57	23.85	16.30
7	18	2.21	59	25.96	12.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.74	88	10.77	7.68
2	12	3.06	68	13.11	10.92
3	20	1.63	55	8.77	0.11
4	14	1.77	48	9.72	-5.79
5	28	3.08	68	24.55	16.06
6	12	1.78	58	24.11	15.78
7	18	2.08	91	25.17	12.58

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.59	58	9.77	1.11
2	12	1.71	48	6.11	-1.38
3	20	1.78	52	7.87	-1.98
4	14	4.00	89	2.61	-6.08
5	28	2.28	51	20.96	8.52
6	12	2.21	68	10.37	12.03
7	18	2.91	46	25.62	11.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.62	62	4.10	1.11
2	12	3.05	76	4.67	0.73
3	20	2.04	69	3.93	-3.35
4	14	1.81	97	0.74	-9.00
5	28	1.60	50	22.38	11.04
6	12	1.60	58	15.50	7.17
7	18	1.97	85	20.18	10.13



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	28	8.77	-8.77
2	12	1.52	35	8.62	-5.64
3	20	2.35	47	8.30	-2.52
4	14	9.64	87	7.39	0.98
5	28	1.79	38	18.42	4.06
6	12	2.41	58	14.71	8.06
7	18	9.80	68	24.65	19.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	28	12.10	-9.00
2	12	1.68	36	10.78	-3.84
3	20	4.51	68	7.65	1.11
4	14	2.37	64	8.28	1.34
5	28	6.68	75	18.19	13.26
6	12	5.45	81	19.34	15.78
7	18	1.90	93	22.04	11.17



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	40	10.98	-2.82
2	12	0.85	58	9.02	-0.16
3	20	2.02	40	12.15	-1.30
4	14	2.06	48	12.88	2.10
5	28	1.98	61	17.98	8.66
6	12	1.76	58	14.45	8.18
7	18	1.80	49	19.06	7.79



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.34	28	13.21	-8.44
2	12	1.52	38	13.33	-3.97
3	20	1.98	55	14.55	-0.84
4	14	2.22	46	17.13	5.43
5	28	1.67	60	18.58	0.61
6	12	1.87	95	17.72	1.58
7	18	2.28	97	21.07	11.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	34	13.77	-6.10
2	12	1.10	25	15.41	-6.16
3	20	4.08	58	13.43	4.65
4	14	4.90	70	15.63	9.52
5	28	1.55	30	20.37	1.80
6	12	1.83	36	21.75	0.15
7	18	3.50	58	25.72	15.2.



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	52	14.77	-2.22
2	12	1.67	30	18.66	0.60
3	20	3.34	71	18.49	12.60
4	14	4.94	67	14.26	8.54
5	28	2.13	28	23.09	7.90
6	12	3.38	68	22.28	15.51
7	18	2.38	46	25.88	12.56

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.37	96	10.59	2.46
2	12	2.26	42	21.52	7.31
3	20	2.91	61	23.85	15.18
4	14	2.08	51	8.09	-2.55
5	28	2.47	48	25.62	13.96
6	12	2.90	68	25.76	17.49
7	18	2.09	44	22.21	8.46



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	96	14.77	8.21
2	12	6.78	81	15.27	11.88
3	20	2.76	81	8.76	1.49
4	14	2.19	48	5.15	-5.71
5	28	2.48	54	25.85	14.78
6	12	2.55	67	17.91	11.13
7	18	1.64	58	20.28	2.42

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.11	88	11.21	9.44
2	12	1.66	46	12.81	1.11
3	20	1.79	42	10.88	-1.85
4	14	4.55	61	5.25	-4.08
5	28	1.93	48	21.00	8.11
6	12	1.85	47	17.87	5.59
7	18	2.48	63	20.10	8.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	96	10.10	-0.77
2	12	1.58	44	13.70	1.52
3	20	2.67	60	10.52	2.66
4	14	1.88	53	7.25	-1.66
5	28	4.19	58	19.61	10.70
6	12	5.76	76	16.33	11.57
7	18	3.43	71	20.96	13.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.50	94	12.80	3.33
2	12	2.67	55	15.50	6.28
3	20	3.48	52	11.96	1.48
4	14	3.91	68	8.64	2.30
5	28	3.00	61	21.56	13.46
6	12	2.51	68	19.99	13.92
7	18	3.09	68	23.87	16.60



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.09	53	3.10	-1.55
2	12	3.11	69	7.56	1.10
3	20	3.47	55	10.99	1.57
4	14	5.16	61	10.93	2.61
5	28	4.29	71	21.20	15.53
6	12	4.71	79	20.82	17.07
7	18	4.29	61	25.23	15.72

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.08	82	9.94	-0.77
2	12	7.36	87	5.82	4.32
3	20	2.57	52	12.80	2.13
4	14	1.94	66	10.62	4.76
5	20	2.48	63	22.07	14.08
6	12	1.57	84	10.30	9.99
7	10	1.66	45	28.72	11.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.38	88	7.88	2.10
2	12	2.48	81	10.78	8.87
3	20	2.10	58	12.85	8.82
4	14	1.88	40	15.58	1.70
5	20	2.40	54	22.15	11.64
6	12	1.33	54	20.06	10.84
7	10	1.88	44	28.59	13.43



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.85	82	9.21	6.33
2	12	2.08	81	10.83	8.51
3	20	1.91	57	13.88	5.35
4	14	1.58	38	18.17	3.48
5	20	1.69	42	20.86	6.90
6	12	1.45	37	20.48	5.08
7	10	1.71	41	28.91	12.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.30	61	9.90	2.55
2	12	1.75	51	11.15	0.97
3	20	2.67	50	14.19	3.41
4	14	3.16	83	10.10	10.11
5	20	1.79	35	22.29	6.47
6	12	1.55	41	21.70	7.81
7	10	2.42	45	30.44	15.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.53	48	12.33	1.88
2	12	8.22	88	8.58	6.47
3	20	5.05	64	13.18	10.55
4	14	1.68	64	9.04	2.85
5	20	2.62	59	24.63	15.63
6	12	2.52	67	25.87	19.25
7	10	2.30	47	30.38	18.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.67	78	11.33	8.02
2	12	1.56	47	12.40	1.43
3	20	2.78	61	10.18	2.80
4	14	3.10	61	9.52	1.90
5	20	2.65	56	26.18	16.40
6	12	5.04	71	24.78	18.97
7	10	2.78	52	27.42	14.54

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	80	14.5	-2.77
2	12	1.91	26	15.68	0.09
3	20	3.08	52	14.30	4.19
4	14	5.91	59	13.80	5.04
5	28	3.18	59	23.29	14.38
6	12	4.87	72	23.97	17.95
7	16	4.68	88	25.62	15.30



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	91	15.55	-1.21
2	12	2.26	46	14.05	2.82
3	20	4.38	61	14.10	6.07
4	14	2.89	48	19.58	2.26
5	28	6.00	62	25.45	16.62
6	12	3.26	62	26.15	17.88
7	16	8.58	62	21.90	13.45



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.27	97	8.88	8.77
2	12	8.28	68	11.33	8.76
3	20	2.08	55	11.98	2.63
4	14	1.05	38	15.94	0.75
5	28	3.68	58	26.90	17.28
6	12	2.58	76	18.68	12.35
7	16	1.84	42	20.58	8.28

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.06	97	11.93	-2.10
2	12	1.63	43	13.97	0.41
3	20	1.61	58	15.80	4.08
4	14	1.65	43	17.03	4.44
5	28	1.62	45	23.54	8.79
6	12	1.78	43	18.39	8.04
7	16	1.63	32	24.53	8.53



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.45	28	18.54	0.10
2	12	1.76	38	16.80	1.98
3	20	2.05	44	19.48	6.44
4	14	1.63	30	22.68	4.16
5	28	1.96	46	22.35	8.82
6	12	1.54	52	21.75	11.28
7	16	1.74	53	26.83	8.50

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.92	56	17.80	2.93
2	12	2.04	59	21.28	8.57
3	20	1.92	42	23.82	10.10
4	14	1.65	32	26.30	8.08
5	28	1.77	38	25.11	9.55
6	12	1.77	43	24.90	11.23
7	16	2.05	57	23.19	12.95

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.63	55	20.21	10.21
2	12	2.52	56	21.52	11.47
3	20	1.71	42	20.80	7.18
4	14	1.67	30	17.69	-0.50
5	28	2.12	41	27.77	13.11
6	12	2.16	48	27.07	14.90
7	16	2.22	47	28.10	15.61

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.04	38	20.55	4.77
2	12	1.65	38	17.60	2.01
3	20	1.65	48	12.69	1.44
4	14	1.65	43	14.00	0.89
5	28	1.90	41	27.35	12.45
6	12	2.43	51	24.36	13.46
7	16	3.45	68	22.88	15.03

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	50	14.32	-2.77
2	12	1.62	44	12.17	0.13
3	20	1.73	43	15.82	3.10
4	14	1.57	42	18.40	5.07
5	28	2.15	61	21.18	12.77
6	12	3.38	72	19.18	13.74
7	16	2.44	68	18.67	11.78



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	42	12.77	-0.11
2	12	2.38	56	13.23	4.02
3	20	1.72	45	14.33	2.83
4	14	1.71	32	22.49	4.71
5	28	4.46	78	17.27	13.27
6	12	2.70	70	18.63	11.75
7	16	1.50	44	23.60	10.13



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.04	44	14.10	0.88
2	12	1.73	44	15.69	3.14
3	20	1.31	41	16.07	2.60
4	14	1.60	35	25.39	8.44
5	28	2.70	64	18.58	11.22
6	12	2.01	55	19.43	9.99
7	16	1.77	34	28.73	8.20



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	34	18.43	-0.93
2	12	1.95	58	17.08	2.54
3	20	2.87	44	22.18	9.30
4	14	2.00	39	26.86	10.82
5	28	2.54	50	20.35	9.16
6	12	2.67	48	23.40	11.83
7	16	1.70	35	28.67	11.28

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	3.63	66	8.10	1.22
2	12	2.16	69	19.65	8.23
3	20	3.85	43	25.80	12.07
4	16	1.78	40	27.16	11.46
5	28	1.81	41	24.30	10.25
6	12	2.28	48	27.72	15.73
7	16	1.86	78	28.52	12.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	5.09	74	7.10	2.85
2	12	1.58	46	15.06	3.82
3	20	2.54	43	24.26	10.80
4	16	2.30	48	25.07	11.42
5	28	2.13	41	26.78	12.27
6	12	2.78	46	28.79	18.57
7	16	2.03	46	28.25	14.85



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.56	57	13.77	3.43
2	12	1.78	56	21.46	6.68
3	20	3.07	48	28.94	14.49
4	16	1.78	54	18.55	8.32
5	28	2.33	38	29.85	16.16
6	12	2.18	47	29.57	17.21
7	16	1.79	48	28.49	18.17



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.45	43	10.84	5.55
2	12	1.78	45	20.04	9.00
3	20	3.83	60	19.63	11.27
4	16	1.64	62	17.81	6.57
5	28	2.78	43	30.61	16.30
6	12	2.52	51	29.71	18.09
7	16	1.77	52	28.57	17.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.37	33	18.43	-0.77
2	12	5.03	75	12.40	7.81
3	20	2.98	62	18.99	9.02
4	16	5.68	71	15.76	8.40
5	28	3.68	58	28.19	17.33
6	12	2.67	55	28.42	18.37
7	16	2.31	66	26.08	17.14



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.31	23	10.68	-2.64
2	12	1.52	53	15.25	2.40
3	20	2.48	52	18.78	5.85
4	16	5.13	67	19.47	7.45
5	28	3.07	53	24.65	15.03
6	12	2.78	52	26.08	18.18
7	16	2.55	65	25.96	17.87

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	48	15.44	1.77
2	12	1.68	35	17.67	2.32
3	20	1.85	38	18.05	5.22
4	14	2.01	61	15.15	8.02
5	28	3.51	62	22.95	14.48
6	12	5.18	71	24.39	18.85
7	16	2.05	60	26.17	18.07

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	26	22.98	5.66
2	12	1.68	34	22.07	6.27
3	20	1.71	41	20.21	5.85
4	14	2.10	61	15.94	8.48
5	28	3.31	65	20.65	13.50
6	12	5.09	77	21.61	17.12
7	16	2.36	83	27.84	18.76



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	58	26.44	8.77
2	12	1.81	28	27.64	8.34
3	20	2.07	35	25.88	8.91
4	14	2.06	47	23.70	8.17
5	28	2.27	58	21.88	12.77
6	12	5.26	80	17.88	14.34
7	16	3.48	68	25.74	17.28

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.45	35	27.21	9.77
2	12	2.33	38	27.21	9.53
3	20	2.18	57	24.99	8.83
4	14	2.32	47	24.32	11.90
5	28	2.23	62	23.74	15.51
6	12	6.31	81	19.67	16.15
7	18	2.04	67	26.55	17.32

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.68	32	27.55	8.99
2	12	2.53	35	27.40	10.55
3	20	2.24	48	25.10	13.38
4	14	2.05	57	24.48	15.07
5	28	3.07	65	24.65	17.35
6	12	2.16	68	23.83	17.17
7	16	2.48	52	28.95	18.15

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	58	≤7.66	10.55
2	12	2.22	38	27.40	11.66
3	20	2.20	48	26.18	14.58
4	14	4.19	67	20.62	14.00
5	28	2.02	68	25.38	16.76
6	12	1.71	80	25.92	17.58
7	16	2.63	58	29.18	17.84

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.93	48	28.60	19.00
2	12	2.48	41	26.69	12.17
3	20	5.37	82	24.71	18.77
4	14	3.45	72	22.15	18.00
5	20	1.66	55	26.26	16.54
6	12	1.67	58	25.88	17.03
7	18	2.79	50	28.81	17.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.89	48	28.80	12.94
2	12	2.13	46	26.38	12.05
3	20	6.43	88	24.89	18.18
4	14	3.81	77	20.35	18.10
5	20	1.82	52	26.89	16.42
6	12	1.84	54	27.72	17.82
7	18	2.38	47	29.26	16.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.21	68	16.77	8.84
2	12	3.68	58	25.18	15.50
3	20	2.55	59	26.66	17.90
4	14	3.05	70	21.10	15.25
5	20	1.74	60	27.63	18.32
6	12	1.76	51	28.09	17.12
7	18	1.71	46	31.00	17.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.48	54	25.44	15.92
2	12	2.67	50	28.84	16.75
3	20	2.81	68	26.99	18.45
4	14	1.95	68	21.42	15.03
5	20	1.83	58	28.47	16.90
6	12	1.78	49	29.50	16.98
7	18	1.68	46	30.62	17.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.58	48	28.10	17.44
2	12	3.21	52	28.58	17.58
3	20	2.62	68	26.91	18.32
4	14	2.28	68	21.70	15.87
5	20	2.04	58	29.02	17.35
6	12	1.88	49	28.88	17.28
7	18	1.78	49	30.30	18.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.34	53	25.99	15.44
2	12	3.33	48	30.13	18.05
3	20	2.35	56	27.30	17.56
4	14	3.64	39	19.40	15.58
5	20	1.86	52	28.70	17.45
6	12	1.65	48	29.36	17.28
7	18	1.81	52	29.19	18.52

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.81	67	30.63	19.88
2	12	3.45	66	30.31	17.17
3	20	2.23	52	30.02	19.07
4	14	2.60	72	27.62	15.88
5	28	2.31	54	29.16	18.38
6	12	1.60	48	29.58	17.58
7	16	1.95	55	28.81	18.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.48	66	32.77	18.44
2	12	5.12	67	25.68	16.48
3	20	2.57	51	29.85	18.18
4	14	2.26	76	23.05	18.84
5	28	3.05	65	26.60	18.28
6	12	1.98	58	30.48	18.88
7	16	1.70	52	30.72	18.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.02	48	20.53	8.65
2	12	3.67	59	23.32	16.80
3	20	3.08	48	33.19	19.07
4	14	1.77	70	24.71	18.78
5	28	2.74	59	27.63	18.76
6	12	2.16	48	31.29	19.36
7	16	1.85	50	31.09	19.05



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	5.08	68	32.89	18.32
2	12	7.95	68	27.07	18.56
3	20	3.35	52	31.60	19.88
4	14	2.41	69	24.51	18.17
5	28	4.58	68	28.83	19.55
6	12	1.09	51	29.30	18.08
7	16	1.87	47	31.21	18.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	9.30	51	32.00	20.44
2	12	6.65	54	31.20	20.50
3	20	3.97	55	30.19	20.13
4	14	1.71	68	21.87	15.39
5	28	4.32	57	28.55	19.85
6	12	2.88	58	30.45	18.97
7	16	1.56	48	30.62	18.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	4.47	67	29.65	19.68
2	12	3.70	68	29.34	18.93
3	20	3.52	68	25.19	19.41
4	14	1.76	81	23.20	15.36
5	28	2.50	56	29.52	19.57
6	12	4.05	70	31.20	19.48
7	16	1.83	52	30.62	18.37

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.90	79	21.88	18.43
2	12	4.66	67	24.87	17.28
3	20	2.92	87	22.91	18.24
4	14	2.42	86	29.01	15.98
5	28	3.27	64	28.64	20.84
6	12	5.68	51	30.83	19.44
7	16	1.81	48	31.66	19.81

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.78	58	18.56	8.84
2	12	3.16	72	19.67	12.95
3	20	2.23	57	23.69	14.60
4	14	3.58	68	22.65	16.34
5	28	3.42	61	30.60	19.98
6	12	4.02	53	31.06	20.27
7	16	2.06	46	32.58	19.98

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.12	68	15.77	8.98
2	12	1.78	63	22.72	12.48
3	20	3.00	53	26.80	18.35
4	14	1.65	66	24.24	16.56
5	28	4.06	60	27.68	18.98
6	12	4.35	54	30.97	20.45
7	16	2.25	47	31.87	18.18

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.05	85	15.44	12.68
2	12	2.60	59	27.21	15.73
3	20	5.33	74	23.13	18.02
4	14	1.03	58	21.98	10.38
5	28	6.15	68	29.65	20.63
6	12	9.92	59	30.70	21.84
7	16	1.82	47	31.67	18.98

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.37	81	20.92	17.10
2	12	5.81	71	26.13	18.43
3	20	2.97	60	23.41	15.10
4	14	1.03	57	22.17	12.03
5	28	3.16	64	29.50	22.05
6	12	2.73	68	28.19	21.06
7	16	1.71	58	30.90	19.16

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.02	84	20.77	17.99
2	12	8.59	84	25.46	18.18
3	20	2.35	52	26.98	15.93
4	14	1.60	57	19.20	10.19
5	28	2.80	61	29.68	21.28
6	12	3.03	63	27.77	19.90
7	16	1.70	48	32.29	20.02

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.85	58	28.21	16.66
2	12	4.38	51	28.65	17.48
3	20	4.73	65	24.59	17.43
4	14	1.85	78	15.70	10.88
5	28	2.87	56	30.71	20.74
6	12	2.91	57	30.69	21.43
7	18	1.87	49	32.28	20.16

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.40	65	25.88	18.80
2	12	3.08	59	25.60	16.86
3	20	1.81	58	19.80	11.21
4	14	1.94	64	21.02	14.02
5	28	2.71	61	28.79	21.42
6	12	2.53	66	27.31	20.87
7	18	1.07	62	27.69	19.43

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.82	35	29.89	7.80
2	12	1.86	41	29.83	9.90
3	20	1.65	47	29.43	11.55
4	14	1.68	58	28.41	13.80
5	28	2.09	56	27.25	17.45
6	12	2.33	58	27.35	17.91
7	18	2.10	58	28.18	18.89

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	36	26.27	10.38
2	12	1.95	36	25.56	9.62
3	20	1.97	43	25.35	11.74
4	14	2.12	63	24.60	15.62
5	28	3.28	58	26.36	16.99
6	12	2.49	55	28.70	18.74
7	18	1.94	53	30.74	19.98

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.64	42	25.99	11.77
2	12	2.43	48	26.01	11.30
3	20	8.67	71	21.60	16.13
4	14	2.64	62	24.06	15.06
5	28	2.73	66	26.72	16.87
6	12	5.58	68	26.80	20.55
7	18	1.76	46	32.43	18.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.45	41	25.84	9.33
2	12	2.36	43	27.83	11.64
3	20	3.91	60	24.07	15.05
4	14	2.23	57	25.90	16.62
5	28	2.05	62	27.33	19.47
6	12	3.08	62	27.49	21.08
7	18	1.73	51	31.25	19.02

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.70	80	19.10	11.77
2	12	4.32	75	20.87	15.78
3	20	2.77	52	20.35	17.66
4	14	1.65	48	20.19	10.54
5	28	3.56	66	28.05	21.00
6	12	5.49	66	27.82	21.43
7	16	1.60	55	30.20	20.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.96	67	25.50	17.54
2	12	5.75	58	27.35	18.23
3	20	2.69	51	28.98	17.82
4	14	1.73	47	24.65	12.58
5	28	3.01	66	28.38	21.22
6	12	2.07	69	28.65	22.54
7	16	1.74	57	29.16	18.61



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.79	69	25.88	18.21
2	12	6.48	66	25.58	18.79
3	20	1.98	55	24.30	14.35
4	14	1.54	54	20.51	10.47
5	28	3.25	68	28.28	21.54
6	12	2.79	75	26.42	21.81
7	16	1.62	51	31.21	18.40



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.03	84	23.47	18.68
2	12	1.63	52	25.59	14.20
3	20	1.58	53	20.82	10.77
4	14	1.60	51	19.43	8.84
5	28	2.53	59	27.81	18.94
6	12	1.96	52	26.83	16.15
7	16	1.66	53	30.34	19.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.31	48	28.10	10.88
2	12	1.92	52	22.86	12.12
3	20	1.65	68	17.99	10.02
4	14	1.58	52	19.08	8.68
5	28	1.64	54	27.07	16.66
6	12	1.48	52	25.41	14.99
7	16	1.41	53	30.24	19.33



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.34	68	19.77	13.66
2	12	1.79	58	20.27	11.75
3	20	1.60	53	19.24	9.48
4	14	1.71	58	23.10	12.45
5	28	1.88	58	27.19	15.78
6	12	1.98	58	25.73	16.75
7	16	3.62	56	30.20	19.05

CAPITA

Reproduced from
best available copy.

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	69	21.94	11.55
2	12	2.31	45	22.86	10.36
3	20	2.49	50	25.27	12.19
4	14	2.04	57	23.44	14.32
5	28	2.67	63	26.46	18.62
6	12	3.85	88	21.84	19.34
7	18	2.93	80	27.87	18.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	41	25.55	11.55
2	12	3.01	56	25.13	15.13
3	20	3.48	60	25.18	18.05
4	14	2.44	58	25.49	15.90
5	29	3.10	71	26.16	20.33
6	12	3.62	78	25.22	20.13
7	18	1.00	56	29.66	18.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.04	51	27.43	10.55
2	12	3.35	57	26.19	16.75
3	20	3.41	57	27.52	18.43
4	14	3.59	68	24.12	17.09
5	28	2.84	73	27.19	21.06
6	12	2.47	68	27.31	20.87
7	18	1.80	47	32.87	18.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.62	74	24.89	20.10
2	12	3.63	65	27.40	20.32
3	20	3.44	60	27.35	18.85
4	14	3.43	62	27.17	18.83
5	28	2.05	67	28.92	22.13
6	12	2.84	70	27.58	21.61
7	18	1.69	47	33.05	20.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	51	28.98	17.77
2	12	3.76	61	28.97	20.73
3	20	4.53	71	28.91	20.65
4	14	2.20	58	28.80	19.87
5	28	2.58	65	28.56	21.22
6	12	3.57	79	26.66	22.63
7	18	1.61	45	33.98	20.13



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.78	83	25.10	18.99
2	12	6.66	72	26.19	20.73
3	20	5.63	62	28.98	20.49
4	14	1.63	48	27.69	15.70
5	28	2.22	61	30.45	21.99
6	12	2.33	71	28.48	22.83
7	16	1.75	44	33.73	19.47

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.85	79	23.21	17.84
2	12	2.08	51	20.80	17.63
3	20	6.75	43	27.35	15.53
4	14	1.66	55	23.50	19.04
5	28	3.30	57	31.10	21.58
6	12	5.46	67	29.71	23.09
7	18	1.71	52	31.21	19.40

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.94	67	29.77	18.77
2	12	2.14	48	25.06	14.39
3	20	1.88	58	20.07	10.60
4	14	1.54	48	20.11	8.08
5	28	3.68	65	28.15	20.72
6	12	3.17	69	26.47	20.06
7	18	2.06	56	29.18	19.25



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.00	68	24.39	17.55
2	12	4.06	62	23.32	15.68
3	20	1.65	48	20.61	9.10
4	14	1.67	42	23.18	9.58
5	28	2.06	68	26.38	19.71
6	12	1.76	57	22.60	15.16
7	18	1.66	46	28.06	15.16

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.68	76	22.55	18.10
2	12	3.03	77	20.13	15.92
3	20	1.78	56	19.60	10.02
4	14	1.65	45	24.20	12.21
5	28	3.20	61	25.76	17.38
6	12	1.61	49	25.79	12.56
7	18	1.63	41	27.67	13.32

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.40	82	22.77	19.66
2	12	3.11	65	22.03	15.27
3	20	1.92	48	23.63	12.10
4	14	1.70	59	23.36	14.20
5	28	2.53	53	27.27	16.08
6	12	2.03	48	25.69	13.97
7	18	2.25	48	26.78	14.19

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.79	59	25.10	18.77
2	12	5.09	51	25.32	16.48
3	20	2.25	49	25.98	14.35
4	14	1.67	55	24.80	14.95
5	28	3.49	59	27.05	18.40
6	12	2.50	53	26.28	13.10
7	18	2.01	51	27.84	16.33

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.64	69	24.44	18.32
2	12	4.92	56	25.55	16.78
3	20	2.52	58	25.82	16.24
4	14	2.72	58	26.82	15.90
5	28	3.73	61	27.51	18.28
6	12	3.19	51	27.49	16.52
7	16	2.50	59	27.84	18.88



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.04	70	25.10	18.21
2	12	4.44	58	26.24	17.58
3	20	3.50	63	25.19	17.57
4	14	2.56	57	28.74	17.28
5	28	3.19	58	28.15	18.38
6	12	3.21	55	27.88	17.68
7	16	4.84	65	27.07	18.51

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.19	69	24.93	18.10
2	12	4.72	59	26.33	17.77
3	20	3.70	58	25.74	18.74
4	14	2.10	51	28.44	18.25
5	28	2.58	62	28.05	18.98
6	12	4.12	68	25.98	19.53
7	16	2.12	68	27.58	20.51



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.32	68	24.80	18.55
2	12	5.82	55	24.85	18.09
3	20	3.05	58	26.05	17.32
4	14	2.27	55	29.75	18.07
5	28	3.34	61	28.76	20.43
6	12	3.51	61	28.05	19.54
7	16	2.40	63	28.53	20.86



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.97	70	25.21	19.32
2	12	3.70	60	25.87	17.48
3	20	3.52	54	29.52	19.18
4	14	1.67	53	30.99	20.11
5	28	2.85	55	29.61	19.73
6	12	3.51	70	28.24	20.31
7	16	2.41	58	29.72	20.97

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.29	69	25.68	18.44
2	12	4.07	57	28.68	19.53
3	20	2.59	66	28.55	21.27
4	14	1.60	48	30.98	16.70
5	28	2.04	57	30.07	20.49
6	12	2.74	67	28.14	21.52
7	16	1.79	51	32.32	20.79

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.00	59	20.77	20.77
2	12	4.16	66	27.35	20.08
3	20	1.04	54	28.58	18.33
4	14	1.87	50	28.04	17.05
5	20	2.71	61	29.93	21.40
6	12	2.38	61	29.90	21.70
7	18	1.04	48	32.70	20.37



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.41	58	27.40	18.00
2	12	2.08	62	27.54	18.50
3	20	1.70	53	27.41	18.31
4	14	1.04	59	28.72	17.87
5	20	2.20	62	29.91	21.82
6	12	3.48	65	29.94	22.54
7	18	2.24	47	32.08	18.16

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	50	26.44	15.10
2	12	1.06	49	26.66	15.08
3	20	2.05	61	26.24	17.57
4	14	1.54	55	27.08	17.01
5	20	2.82	61	29.48	21.16
6	12	4.25	67	28.23	21.19
7	18	2.12	52	31.50	20.41



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.60	45	20.77	15.77
2	12	3.20	56	28.00	18.23
3	20	3.14	70	24.85	16.85
4	14	1.60	54	29.41	15.10
5	20	3.66	57	30.41	20.90
6	12	2.97	62	29.62	21.43
7	18	1.79	48	32.04	20.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.91	70	22.99	18.00
2	12	7.44	63	22.95	18.60
3	20	3.18	52	23.85	15.52
4	14	1.76	51	27.08	15.10
5	20	3.10	64	28.54	21.97
6	12	2.52	68	29.02	21.98
7	18	1.00	48	32.95	20.09

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.78	50	26.60	17.99
2	12	5.15	63	25.73	18.19
3	20	2.33	52	28.35	15.52
4	14	1.63	45	29.24	15.98
5	20	2.06	63	28.14	21.32
6	12	3.14	73	28.15	21.19
7	18	1.71	50	31.77	19.68

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.42	60	25.33	18.33
2	12	4.41	58	26.10	17.54
3	20	3.88	62	25.90	17.94
4	14	1.60	48	28.88	16.02
5	28	2.61	64	28.19	20.78
6	12	2.85	64	28.69	20.50
7	18	1.72	42	33.18	18.48



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.09	60	28.88	18.88
2	12	4.07	56	27.31	17.54
3	20	2.78	65	25.82	18.50
4	14	1.77	48	29.60	17.17
5	28	3.26	62	28.88	20.84
6	12	3.08	68	28.14	21.70
7	18	1.68	42	34.62	18.33

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.68	65	23.88	18.88
2	12	2.94	63	26.61	16.28
3	20	2.88	54	27.71	17.44
4	14	2.77	65	26.34	18.78
5	28	2.67	58	29.40	20.48
6	12	2.59	63	29.33	22.48
7	18	1.75	48	32.48	20.20



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	51	24.77	13.88
2	12	3.77	55	27.15	17.17
3	20	3.18	60	29.07	20.52
4	14	1.15	48	26.65	14.50
5	28	2.82	50	30.55	21.60
6	12	3.68	70	28.28	22.21
7	18	1.77	47	33.03	20.13



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.19	75	23.43	18.88
2	12	5.56	76	25.68	21.01
3	20	3.28	63	27.10	19.32
4	14	1.66	50	26.42	14.86
5	28	2.75	61	30.53	22.08
6	12	2.33	68	28.51	22.40
7	18	1.77	47	33.18	19.96

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.13	71	24.33	18.66
2	12	3.25	72	25.82	20.27
3	20	1.89	53	25.35	15.18
4	14	1.60	43	25.88	12.09
5	28	3.18	68	28.62	21.01
6	12	2.33	68	28.09	21.80
7	18	2.05	54	31.04	20.02

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.35	82	29.77	17.08
2	12	2.16	69	25.60	17.07
3	20	1.84	51	29.61	15.41
4	14	1.79	81	28.16	16.79
5	29	2.04	63	28.72	20.04
6	12	1.85	56	27.77	18.60
7	10	1.84	48	31.48	18.95



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.26	71	30.58	18.85
2	12	2.31	61	28.58	16.85
3	20	1.98	52	29.13	16.55
4	14	2.28	66	25.85	17.53
5	29	2.65	58	28.60	19.66
6	12	2.29	52	28.60	17.35
7	10	1.76	48	32.95	18.15



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.19	52	24.89	16.21
2	12	2.86	56	25.73	16.29
3	20	2.87	63	25.26	17.85
4	14	1.82	59	26.08	18.04
5	29	3.05	61	28.82	20.61
6	12	2.67	55	28.97	18.97
7	10	1.87	42	34.34	18.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	5.45	69	24.68	18.18
2	12	3.63	63	26.01	18.51
3	20	5.16	64	25.49	17.98
4	14	2.00	60	26.82	17.97
5	28	2.63	61	28.68	20.35
6	12	4.08	65	29.48	22.12
7	10	1.82	41	34.08	18.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	9.03	67	23.32	18.08
2	12	6.07	75	24.62	19.81
3	20	5.28	66	25.89	18.21
4	14	1.54	51	22.45	11.78
5	29	2.48	63	29.48	21.66
6	12	3.52	77	28.68	22.35
7	10	2.05	51	31.91	20.20

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	5.49	72	26.72	19.93
2	12	2.38	61	24.26	16.10
3	20	1.61	53	20.19	11.19
4	14	1.86	48	21.83	9.03
5	28	2.69	64	28.24	20.76
6	12	3.57	68	26.93	20.06
7	10	1.78	51	28.75	18.29

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.46	55	20.89	11.95
2	12	1.62	59	21.93	13.43
3	20	1.85	50	20.18	9.33
4	14	1.68	42	29.40	10.07
5	28	3.56	65	25.51	18.20
6	12	1.83	57	22.83	13.51
7	18	1.99	51	26.67	15.76

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.45	64	21.55	14.44
2	12	1.68	57	21.94	12.85
3	20	1.85	48	21.77	9.16
4	14	1.68	41	29.51	10.08
5	28	2.81	64	24.38	16.80
6	12	2.71	58	24.11	14.81
7	18	1.78	42	28.58	12.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	61	22.55	14.58
2	12	1.85	64	23.11	16.48
3	20	1.83	44	23.45	10.71
4	14	1.80	48	28.86	12.48
5	28	2.32	63	24.87	16.56
6	12	2.52	51	25.61	14.57
7	18	1.80	38	27.28	11.90

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.83	67	22.55	15.68
2	12	1.76	58	25.19	13.93
3	20	2.47	45	25.18	12.38
4	14	1.88	47	29.62	13.76
5	28	2.58	53	26.76	16.08
6	12	3.51	47	26.53	14.76
7	18	2.09	36	29.81	12.53

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.97	47	27.10	14.80
2	12	2.58	45	26.84	13.97
3	20	3.68	50	28.18	14.86
4	14	2.15	45	28.48	14.83
5	28	2.88	51	28.01	16.90
6	12	3.49	47	28.14	16.01
7	18	2.89	41	30.08	14.96



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.75	48	28.32	15.48
2	12	3.36	48	27.72	16.06
3	20	5.	47	28.10	15.69
4	14	2.97	48	28.52	15.31
5	28	3.16	51	28.72	17.41
6	12	3.84	55	27.54	17.63
7	18	2.81	58	28.69	17.24

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.55	48	28.10	17.10
2	12	6.13	52	27.63	17.08
3	20	4.52	54	27.80	17.44
4	14	2.78	48	27.33	16.69
5	28	3.23	56	28.02	18.26
6	12	5.47	61	26.52	18.93
7	10	7.25	62	28.28	18.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.37	48	29.98	17.93
2	12	5.08	57	28.32	18.02
3	20	4.58	64	25.69	18.38
4	14	3.62	62	19.88	12.21
5	28	2.95	57	28.85	20.48
6	12	5.45	60	28.42	20.13
7	10	1.88	54	28.82	18.85



REGION	# STNS	BEXT	%	TEMPERATURE,C	DEWPOINT,C
1	5	5.4	67	25.32	18.66
2	12	6.7	65	27.31	20.08
3	20	4.48	78	19.32	15.55
4	14	1.84	47	23.02	8.38
5	28	2.68	60	30.16	21.48
6	12	2.31	68	28.80	20.13
7	10	2.19	56	28.39	18.99

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.49	66	26.86	18.68
2	12	5.19	78	23.14	15.25
3	20	2.28	63	21.19	13.07
4	14	1.60	63	25.51	11.04
5	28	2.68	66	27.93	20.04
6	12	3.61	70	25.13	19.20
7	10	1.75	59	26.64	17.21

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.68	81	24.98	18.83
2	12	2.07	80	24.68	16.38
3	20	2.15	53	23.36	13.96
4	14	1.77	46	24.81	11.86
5	28	3.17	78	26.32	20.84
6	12	2.18	72	25.88	19.36
7	10	1.98	52	29.88	18.81

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.70	68	24.38	15.66
2	12	5.60	68	23.65	17.07
3	20	2.65	62	20.93	13.38
4	14	1.96	61	24.84	12.09
5	28	4.41	74	26.62	21.38
6	12	2.21	65	26.48	19.53
7	10	2.66	54	23.18	18.64

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	47	20.83	8.66
2	12	2.31	56	20.68	11.66
3	20	2.75	51	23.41	12.68
4	14	2.69	64	24.88	15.62
5	28	3.07	76	25.83	21.06
6	12	3.55	72	26.18	20.58
7	16	2.00	66	28.16	19.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	91	22.85	11.80
2	12	2.41	60	21.10	12.72
3	20	3.54	55	24.52	14.71
4	14	2.82	48	28.88	15.71
5	28	3.84	75	26.62	21.32
6	12	3.65	78	25.35	21.33
7	16	2.58	84	28.59	18.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.65	52	23.23	13.30
2	12	3.62	63	20.36	17.26
3	20	5.48	59	25.60	18.91
4	14	2.86	47	28.58	15.80
5	28	2.86	67	28.32	21.60
6	12	3.60	79	25.27	21.29
7	16	2.27	52	29.75	18.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.75	78	23.21	16.88
2	12	3.73	85	21.87	18.88
3	20	4.38	68	24.93	18.57
4	14	2.27	55	29.11	16.98
5	28	2.50	65	29.12	21.91
6	12	2.74	78	28.15	21.43
7	16	3.08	57	28.60	18.35

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.51	73	25.32	20.22
2	12	5.36	81	24.53	20.92
3	20	2.29	68	28.32	12.19
4	14	1.56	36	29.60	7.41
5	28	2.36	66	28.18	21.18
6	12	2.40	71	24.36	18.46
7	16	2.51	52	27.98	16.45

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.01	61	26.69	18.55
2	12	1.94	60	22.31	14.06
3	20	3.07	55	25.85	12.71
4	14	1.62	37	27.35	10.79
5	28	1.90	56	26.98	17.61
6	12	2.37	59	24.93	16.59
7	16	2.14	51	29.82	18.11

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	56	24.69	15.22
2	12	2.67	55	25.60	16.01
3	20	2.02	47	25.99	15.71
4	14	1.65	48	28.84	15.80
5	28	2.65	56	27.49	18.11
6	12	2.58	58	26.57	16.98
7	18	1.66	46	31.90	17.32



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.14	58	27.66	18.39
2	12	4.60	68	25.87	18.04
3	20	4.27	68	20.77	15.34
4	14	1.83	46	20.27	7.68
5	28	2.82	67	30.20	18.04
6	12	2.76	55	28.09	16.52
7	18	1.66	44	30.63	16.36



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.67	77	18.77	14.88
2	12	2.72	68	19.53	13.42
3	20	1.55	50	18.49	7.82
4	14	1.60	41	19.35	5.80
5	28	2.66	69	27.45	18.68
6	12	4.08	84	24.50	18.84
7	18	1.98	58	28.58	15.65



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	56	18.85	7.21
2	12	1.62	46	20.27	8.28
3	20	1.78	45	20.85	8.55
4	14	1.65	45	18.79	7.33
5	28	3.01	58	24.61	15.33
6	12	3.56	64	21.15	15.84
7	18	2.44	56	24.69	15.23



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	60	14.99	6.46
2	12	1.55	58	18.89	6.20
3	20	1.78	42	22.26	8.60
4	14	1.98	58	20.39	9.92
5	28	2.67	51	23.96	12.83
6	12	3.05	57	22.95	13.79
7	18	2.92	62	24.18	15.59



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	64	16.89	9.88
2	12	1.72	48	22.88	11.53
3	20	1.87	42	23.13	9.71
4	14	3.68	61	19.78	10.98
5	28	2.35	52	26.32	13.56
6	12	3.00	60	22.51	13.88
7	18	3.09	60	28.31	17.42

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	45	22.66	9.77
2	12	1.80	48	26.29	16.43
3	20	2.23	49	24.10	11.05
4	14	2.41	52	22.85	12.25
5	20	2.08	55	25.61	16.86
6	12	2.73	54	22.31	15.27
7	10	5.36	71	23.68	18.19

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	47	25.88	10.21
2	12	2.16	46	26.66	12.63
3	20	2.48	45	25.27	11.80
4	14	2.68	48	24.68	12.06
5	20	2.02	66	27.07	16.86
6	12	2.45	57	24.99	15.68
7	10	2.80	70	22.21	18.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	49	25.44	12.21
2	12	2.83	52	25.87	15.22
3	20	3.28	52	25.52	11.71
4	14	3.20	47	24.78	12.41
5	20	2.47	52	27.73	17.09
6	12	3.82	62	24.99	16.75
7	10	6.10	72	23.28	17.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	37	20.66	5.39
2	12	2.93	49	24.89	13.22
3	20	3.39	45	25.82	13.18
4	14	3.37	47	26.02	13.48
5	20	3.23	56	27.57	17.87
6	12	3.93	59	25.91	16.86
7	10	5.17	68	24.99	17.49



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.08	52	25.88	15.33
2	12	3.07	50	27.17	15.70
3	20	4.33	50	25.85	14.21
4	14	3.08	40	25.66	10.49
5	20	3.78	61	26.78	18.46
6	12	4.52	75	24.25	19.39
7	10	2.40	58	26.87	17.42



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.46	68	24.77	18.44
2	12	6.70	72	23.00	17.58
3	20	6.37	67	21.21	14.68
4	14	1.71	41	22.13	7.17
5	20	4.89	75	25.53	20.63
6	12	4.55	72	25.10	19.71
7	10	3.07	48	22.67	10.38

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.44	78	14.77	10.99
2	12	1.94	69	18.01	8.90
3	20	1.57	51	17.82	7.88
4	14	1.60	58	20.75	9.94
5	28	2.16	67	25.35	18.66
6	12	3.58	69	24.90	18.76
7	10	2.71	48	28.82	15.29

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.31	48	16.08	2.22
2	12	1.62	38	18.81	3.83
3	20	1.75	44	19.85	7.19
4	14	2.56	52	23.48	12.85
5	28	2.32	60	23.32	15.06
6	12	3.37	65	25.38	18.28
7	10	3.01	59	28.12	17.58

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.91	45	19.22	6.72
2	11	1.61	40	20.40	6.36
3	20	2.69	46	22.82	10.44
4	14	3.01	56	22.17	12.81
5	28	2.73	58	22.65	13.56
6	12	3.78	72	22.91	17.65
7	10	2.98	47	30.08	16.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.21	43	22.21	8.93
2	12	1.64	39	22.35	7.54
3	20	1.67	58	24.59	15.48
4	14	2.09	69	17.85	11.24
5	28	2.48	55	23.83	15.56
6	12	2.97	83	25.76	18.19
7	10	2.47	56	27.44	17.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.31	48	22.44	10.55
2	12	1.77	41	23.08	9.67
3	20	1.91	55	24.84	15.74
4	14	2.32	64	19.47	12.17
5	28	1.78	48	25.15	13.09
6	12	2.72	57	25.18	16.01
7	10	2.24	66	26.24	18.02



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.53	57	21.77	12.88
2	12	1.58	46	24.85	11.93
3	20	1.29	48	25.93	12.82
4	14	2.85	67	20.31	12.65
5	28	2.19	49	26.08	14.25
6	12	2.77	49	25.78	14.11
7	10	2.28	64	25.19	18.01

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.56	64	22.94	16.89
2	12	3.41	69	23.51	17.07
3	20	4.59	81	25.74	14.16
4	14	3.28	66	20.84	13.78
5	28	3.09	54	27.03	16.26
6	12	2.45	46	27.30	13.95
7	16	2.47	66	25.50	19.05



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.36	52	25.48	14.98
2	12	2.76	67	26.05	18.10
3	20	4.80	56	25.02	15.27
4	14	5.21	71	20.96	15.47
5	28	2.33	57	27.25	17.50
6	12	2.73	41	26.60	14.25
7	16	2.26	62	27.58	18.57



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.04	47	26.10	14.10
2	12	3.57	52	26.47	15.87
3	20	5.31	53	25.91	15.21
4	14	4.40	71	21.90	18.36
5	28	2.14	56	29.17	18.01
6	12	2.71	46	29.20	16.52
7	16	2.58	62	28.39	20.41



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.69	51	29.80	12.88
2	12	2.59	49	26.70	15.18
3	20	5.62	69	24.71	17.05
4	14	4.99	77	21.28	16.96
5	28	2.97	52	28.98	18.03
6	12	2.92	51	29.36	16.14
7	16	2.46	61	28.67	20.34



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.35	58	21.32	11.99
2	12	4.03	55	25.69	16.06
3	20	4.15	63	26.71	19.15
4	14	3.26	68	21.98	15.39
5	28	3.23	55	28.92	18.98
6	12	3.65	52	29.71	19.08
7	18	4.90	72	26.97	21.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.47	64	21.98	14.77
2	12	8.48	72	22.68	17.48
3	20	3.34	68	20.98	14.02
4	14	1.54	42	20.33	8.70
5	28	2.87	59	28.24	19.45
6	12	4.01	64	27.28	19.81
7	16	3.98	71	26.69	20.62

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.00	78	18.09	13.08
2	12	2.53	68	15.69	7.48
3	20	1.65	57	15.68	4.09
4	14	1.54	45	21.28	8.72
5	28	1.87	48	25.57	13.76
6	12	1.84	43	24.89	11.70
7	10	2.10	60	26.09	17.04

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.54	84	15.68	8.83
2	12	1.52	61	14.02	4.02
3	20	1.71	58	18.27	7.89
4	14	1.78	57	18.88	5.64
5	28	1.78	43	22.81	8.63
6	12	1.52	39	21.83	7.49
7	10	1.79	55	27.52	18.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.69	68	16.21	8.21
2	12	2.01	64	13.67	6.06
3	20	1.57	49	15.68	3.10
4	14	1.63	33	19.18	2.59
5	28	1.70	44	24.32	11.06
6	12	1.91	44	23.79	10.52
7	10	1.68	52	27.38	18.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	58	12.10	3.33
2	12	1.52	41	15.04	2.08
3	20	1.68	59	19.74	5.35
4	14	1.57	43	25.50	11.78
5	28	1.85	41	24.32	10.23
6	12	2.24	39	24.78	9.00
7	10	1.83	58	27.67	18.48

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	48	19.10	7.88
2	12	1.78	48	22.26	8.00
3	20	2.10	52	24.24	15.21
4	14	2.35	65	19.68	8.06
5	28	1.97	52	25.68	15.29
6	12	2.47	48	27.17	15.30
7	10	2.42	58	26.69	17.59



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	58	22.88	19.77
2	12	2.78	67	23.62	16.53
3	20	3.09	49	12.52	7.68
4	14	1.67	48	10.98	-0.03
5	28	2.93	78	25.03	19.68
6	12	4.48	72	23.32	17.58
7	10	2.05	57	20.48	11.30

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.88	84	22.32	15.22
2	12	4.38	78	18.65	14.62
3	20	2.38	69	9.18	5.32
4	14	1.69	90	14.24	-0.27
5	28	2.96	78	23.30	18.12
6	12	4.10	80	12.17	8.70
7	18	1.71	46	17.81	5.51



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.52	60	20.77	10.21
2	12	6.48	78	19.20	15.41
3	20	2.40	72	7.88	2.52
4	14	1.69	42	17.81	6.05
5	28	1.96	66	18.79	10.20
6	12	1.71	48	13.15	2.17
7	18	1.57	58	21.88	8.82

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.06	67	20.98	14.93
2	12	1.82	48	14.43	3.74
3	20	1.90	57	14.91	8.02
4	14	1.73	40	23.76	6.08
5	28	1.68	45	19.81	7.43
6	12	1.76	42	18.93	5.92
7	18	1.60	38	26.07	10.48

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	52	15.60	5.77
2	12	1.73	51	15.50	5.45
3	20	2.24	59	20.98	11.10
4	14	1.82	43	25.67	11.42
5	28	2.08	47	23.50	11.22
6	12	1.83	48	25.28	11.10
7	18	1.61	45	28.48	13.43



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.45	49	18.10	6.89
2	12	2.27	47	21.15	9.38
3	20	2.53	53	25.74	15.63
4	14	1.66	48	24.12	11.78
5	28	2.28	47	25.11	12.78
6	12	1.30	46	25.84	12.40
7	18	1.93	53	27.00	16.91



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.50	53	24.99	14.68
2	12	3.38	51	24.99	14.34
3	20	2.34	50	25.99	14.69
4	14	1.76	52	23.52	12.69
5	28	2.42	46	26.97	14.57
6	12	2.09	45	26.52	13.79
7	18	2.10	57	28.08	18.00

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.87	47	21.77	9.66
2	12	3.20	48	25.87	14.43
3	20	2.84	53	26.16	17.82
4	14	1.77	41	24.48	8.83
5	28	2.31	45	26.30	15.17
6	12	2.18	48	27.84	16.65
7	10	1.04	57	28.28	18.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.21	64	20.88	13.44
2	12	3.36	68	24.95	18.33
3	20	3.35	65	20.35	12.86
4	14	1.75	59	15.92	5.89
5	28	2.41	48	27.98	15.80
6	12	2.68	48	27.46	14.78
7	10	1.98	59	28.12	17.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.83	61	12.44	6.88
2	12	1.68	67	16.11	9.45
3	20	2.08	68	13.82	7.52
4	14	1.92	68	14.38	8.29
5	28	3.26	57	24.65	14.78
6	12	3.88	55	26.08	15.69
7	10	1.95	48	28.74	18.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	48	9.21	-1.93
2	12	1.45	52	13.42	3.74
3	20	3.30	66	15.27	8.80
4	14	5.66	76	13.66	7.29
5	28	4.56	67	21.58	14.48
6	12	5.18	55	26.10	16.01
7	10	2.17	69	22.28	15.92



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.45	54	13.22	3.99
2	12	2.87	68	15.79	9.99
3	20	4.77	77	16.99	12.85
4	14	1.89	69	9.88	5.01
5	23	4.15	69	22.25	15.88
6	12	3.63	75	22.21	17.40
7	10	1.75	48	22.14	9.23



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.58	69	17.55	15.55
2	12	6.02	77	17.40	13.28
3	20	2.47	66	9.49	3.35
4	14	2.38	63	9.85	2.65
5	28	6.30	78	21.84	17.63
6	12	5.13	66	16.08	9.53
7	10	1.54	58	23.28	8.05

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	13.06	60	10.88	15.52
2	12	6.26	77	15.27	11.01
3	20	2.38	85	8.80	2.46
4	14	1.94	85	0.88	-1.72
5	28	3.46	82	21.78	13.60
6	12	2.50	56	17.28	8.16
7	18	1.81	41	21.80	7.80

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	63	10.99	5.06
2	12	1.69	65	13.00	6.11
3	20	1.79	64	8.24	1.60
4	14	1.68	51	11.88	1.84
5	28	2.15	53	20.17	10.07
6	12	1.81	48	14.98	4.02
7	18	1.78	52	20.80	10.85

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	55	12.21	3.44
2	12	1.86	51	12.17	2.21
3	20	2.27	50	12.77	2.55
4	14	1.78	56	17.53	8.44
5	28	3.20	56	19.73	10.65
6	12	2.36	41	18.65	5.13
7	18	1.81	48	25.41	13.45



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.62	58	10.84	1.58
2	12	1.84	42	14.02	1.20
3	20	4.64	62	15.93	7.57
4	14	2.12	48	17.21	4.52
5	28	3.02	58	21.42	10.43
6	12	2.38	41	23.10	9.20
7	18	1.81	48	28.07	14.19



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	56	11.66	2.85
2	12	5.30	70	12.82	7.26
3	20	4.55	65	17.13	10.02
4	14	1.77	45	17.88	5.23
5	28	3.08	52	23.46	12.58
6	12	2.31	48	25.27	13.70
7	18	1.98	55	27.16	17.25



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.58	61	15.58	7.08
2	12	5.70	61	17.35	9.48
3	20	4.59	73	18.80	13.57
4	14	1.79	58	19.04	5.07
5	28	3.20	58	24.33	14.36
6	12	2.43	48	27.03	13.97
7	18	3.52	68	23.34	14.57

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.18	71	16.89	12.10
2	12	3.48	63	20.27	13.08
3	20	3.74	71	16.82	11.35
4	14	1.86	42	14.83	2.03
5	28	2.63	68	24.65	16.02
6	12	3.68	68	23.73	15.27
7	10	2.10	47	18.49	5.89



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.43	67	19.77	12.88
2	12	4.02	68	21.15	14.11
3	20	5.48	71	18.35	10.89
4	14	1.87	57	18.14	0.27
5	28	3.17	66	24.22	17.23
6	12	3.07	72	17.56	12.31
7	10	1.68	35	21.52	4.23



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.00	87	17.77	15.55
2	12	4.05	80	15.68	13.74
3	20	1.80	65	10.52	4.05
4	14	1.54	41	11.76	-1.42
5	28	1.92	63	19.08	11.66
6	12	1.87	48	18.87	4.25
7	10	1.58	28	21.41	2.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.92	52	19.21	9.55
2	12	2.03	67	8.55	2.48
3	20	1.69	55	9.24	0.58
4	14	1.62	38	14.84	-0.18
5	28	1.59	40	17.37	3.56
6	12	1.70	44	15.18	2.72
7	10	1.57	31	22.16	3.49

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.34	48	9.88	-3.10
2	12	1.56	45	12.67	0.36
3	20	1.61	47	14.24	2.08
4	14	1.58	23	12.85	-5.31
5	28	1.67	39	18.88	6.42
6	12	1.52	38	18.97	6.33
7	10	1.66	36	22.58	8.49

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	64	12.48	0.32
2	12	1.70	58	14.88	0.83
3	20	1.68	42	11.76	-1.24
4	14	1.54	29	16.22	-2.34
5	28	1.76	38	22.31	7.30
6	12	1.56	56	20.78	4.21
7	10	1.83	43	23.57	9.82

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	44	12.33	0.46
2	12	1.50	47	13.09	1.70
3	20	1.58	50	16.55	1.91
4	14	1.60	37	21.68	5.55
5	28	1.72	37	21.76	6.10
6	12	1.78	28	21.45	2.17
7	18	2.10	45	24.84	11.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.47	48	12.68	0.88
2	12	2.08	40	16.88	3.06
3	20	2.11	50	21.18	5.55
4	14	1.74	47	19.51	7.01
5	28	1.97	50	21.62	10.51
6	12	2.04	45	23.76	11.10
7	18	2.36	61	24.49	12.79



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.93	51	16.44	8.21
2	12	2.23	52	17.17	7.12
3	20	4.39	62	19.48	11.79
4	14	1.88	51	9.88	-0.27
5	28	2.86	60	22.31	13.86
6	12	2.32	62	23.19	15.50
7	18	1.89	45	29.50	10.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.01	69	14.55	8.77
2	12	3.48	70	15.78	9.08
3	20	1.72	59	8.63	-0.98
4	14	1.57	48	8.47	-4.71
5	28	2.00	56	23.54	12.31
6	12	1.48	41	15.22	1.68
7	18	1.68	29	23.07	2.35



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.92	59	13.10	3.44
2	12	1.90	52	8.02	-0.55
3	20	1.98	55	6.91	-1.55
4	14	5.07	63	5.39	-1.50
5	28	1.67	38	18.66	4.04
6	12	1.47	33	17.81	1.24
7	18	1.68	41	23.05	8.43



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.68	47	12.21	1.22
2	12	1.77	52	12.95	3.19
3	20	4.19	70	4.71	0.77
4	14	2.22	69	2.73	-4.04
5	28	1.76	47	20.96	8.92
6	12	2.38	61	15.22	7.45
7	18	1.77	49	18.85	4.88

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.12	52	19.10	2.98
2	12	1.65	47	9.16	-1.76
3	20	2.53	62	4.69	-1.95
4	14	1.08	54	6.80	-2.07
5	28	1.01	41	17.11	3.68
6	12	1.08	41	15.68	1.20
7	10	1.04	56	23.80	5.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.36	45	7.08	-9.22
2	12	1.67	43	0.02	-2.95
3	20	2.58	58	10.30	1.85
4	14	5.37	76	7.14	2.20
5	28	1.00	41	18.68	6.78
6	12	1.08	58	19.25	3.46
7	10	5.11	58	23.84	14.54



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	41	8.85	-9.10
2	12	2.26	50	11.47	-2.03
3	20	5.08	54	15.18	4.77
4	14	1.76	57	7.87	-0.67
5	28	2.40	40	19.87	8.52
6	12	2.82	61	17.82	9.06
7	10	4.20	67	11.68	9.09

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.67	53	10.44	0.83
2	12	2.30	43	13.10	1.52
3	20	8.18	84	11.77	6.91
4	14	3.30	53	10.74	1.08
5	28	3.65	64	18.53	11.05
6	12	6.00	87	16.52	13.03
7	10	1.72	94	12.06	1.49



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.38	58	12.77	4.21
2	12	3.62	56	15.87	6.75
3	23	11.25	90	12.49	10.88
4	14	4.85	71	8.25	3.17
5	28	5.21	64	19.16	11.40
6	12	6.68	88	13.60	11.08
7	10	1.68	94	15.94	9.34



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	11.31	88	12.21	10.44
2	12	6.48	82	14.99	11.89
3	20	9.35	83	9.38	6.55
4	14	2.22	68	4.12	-1.30
5	28	3.80	78	19.26	14.16
6	12	2.12	68	13.68	7.58
7	10	1.81	91	13.98	7.82

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.71	76	17.92	11.77
2	12	2.47	83	15.22	8.05
3	20	4.78	81	8.80	5.49
4	14	2.00	82	0.00	-0.56
5	28	2.00	85	10.75	10.39
6	12	3.01	79	15.79	8.28
7	10	1.70	88	13.00	1.70

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.18	88	13.77	9.55
2	12	2.13	71	9.86	4.01
3	20	2.47	81	2.19	-4.00
4	14	4.00	50	-1.50	-8.92
5	28	1.73	48	15.02	6.78
6	12	1.67	49	7.49	-2.59
7	10	1.63	44	11.48	-0.90



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	41	8.18	4.65
2	12	3.36	58	4.76	-5.13
3	20	2.88	58	0.44	-8.63
4	14	1.66	58	0.00	-8.92
5	28	1.58	38	11.82	-2.38
6	12	1.45	42	8.36	-5.73
7	10	1.62	48	13.28	0.27

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	38	8.68	-7.44
2	12	2.89	47	4.11	-6.66
3	20	2.89	55	3.30	-6.91
4	14	2.00	55	2.61	-6.39
5	28	1.66	41	10.57	-2.29
6	12	1.67	39	5.96	-8.79
7	10	2.24	91	12.84	2.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.73	48	5.99	-9.88
2	12	3.16	50	3.33	-6.47
3	20	4.14	59	2.99	-4.52
4	14	1.79	48	4.83	-5.98
5	28	1.74	37	11.06	-3.15
6	12	2.24	44	9.99	-2.95
7	10	2.50	55	13.57	3.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	46	3.99	-7.21
2	12	1.66	47	4.02	-6.33
3	20	3.53	52	6.30	-3.10
4	14	1.26	47	13.14	-0.19
5	28	2.06	38	12.51	-1.54
6	12	2.08	24	11.00	-4.30
7	10	3.67	65	13.61	8.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.06	96	8.44	-6.77
2	12	4.02	82	5.70	-1.10
3	20	2.18	55	11.89	5.02
4	14	2.89	58	10.84	1.86
5	28	2.03	32	17.19	0.10
6	12	2.45	30	15.87	-1.84
7	18	5.08	68	15.41	8.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.42	81	7.88	-1.88
2	12	2.20	50	11.06	0.87
3	20	5.62	70	12.24	8.49
4	14	4.50	68	11.82	5.95
5	28	2.08	26	18.81	3.72
6	12	2.65	55	10.58	1.88
7	18	4.98	87	10.25	11.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.02	80	7.55	0.22
2	12	2.42	57	13.17	5.06
3	20	7.58	81	11.82	8.57
4	14	1.83	47	14.20	2.79
5	28	2.01	41	23.08	8.60
6	12	2.34	49	19.34	7.51
7	18	2.05	55	21.09	10.76



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.88	85	11.68	8.33
2	12	2.12	63	14.20	7.07
3	20	1.05	62	10.68	5.48
4	14	1.60	58	7.61	-2.03
5	28	1.78	46	22.87	8.71
6	12	1.98	56	21.01	11.20
7	18	1.89	52	21.82	10.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	56	8.77	-1.44
2	12	1.68	53	5.68	-3.23
3	20	7.16	75	2.38	-1.71
4	14	1.05	61	5.75	-1.48
5	28	1.68	38	17.75	2.77
6	12	2.95	46	17.17	6.34
7	18	2.08	44	22.81	8.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	50	1.80	-11.10
2	12	4.41	56	3.20	-5.45
3	20	4.78	75	3.27	-0.80
4	14	1.77	56	7.81	0.55
5	28	1.80	43	15.47	2.61
6	12	2.06	57	12.77	5.93
7	18	1.98	51	18.20	7.67

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.05	71	-0.99	-5.77
2	12	3.70	52	-2.91	-11.61
3	20	1.63	58	-1.05	-8.85
4	14	1.69	55	4.78	-9.72
5	20	1.77	38	12.67	-1.04
6	12	2.03	46	10.41	-0.78
7	16	1.79	48	10.12	0.87

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.51	48	-2.00	-12.21
2	12	1.82	48	-1.16	-10.62
3	19	2.43	58	2.65	-4.78
4	14	2.02	60	8.26	1.62
5	20	1.96	40	10.61	-2.75
6	12	2.11	38	11.47	-2.49
7	16	2.08	50	10.92	0.05

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.68	50	1.68	-7.68
2	12	0.53	66	2.66	-3.32
3	19	5.18	78	7.77	4.14
4	14	1.80	81	8.71	-0.27
5	20	2.20	52	15.88	5.83
6	12	2.56	51	15.62	5.55
7	16	2.06	55	19.75	10.08

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.92	75	5.10	0.08
2	12	3.07	76	6.15.	2.72
3	19	2.39	62	5.78*	-1.18
4	14	1.57	42	5.79	-6.42
5	20	2.23	42	18.64	4.08
6	12	1.70	36	15.27	0.13
7	16	1.98	43	18.80	5.37

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	62	4.99	-1.77
2	12	3.02	58	4.80	-3.08
3	19	1.73	57	5.68	-3.85
4	14	1.60	48	4.80	-6.18
5	20	1.64	32	14.57	-2.20
6	12	1.52	36	12.17	-3.28
7	16	1.68	47	18.59	6.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	49	1.11	-8.44
2	12	2.93	47	1.57	-8.76
3	19	4.84	66	0.93	-4.76
4	14	1.82	57	4.58	-3.28
5	20	2.42	38	14.10	-1.38
6	12	2.47	40	12.26	-1.78
7	16	2.76	58	18.62	10.86

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	45	0.00	-10.86
2	12	2.31	60	9.14	-6.43
3	19	7.02	77	4.23	0.55
4	14	4.97	65	4.68	-1.08
5	28	3.36	58	14.24	5.53
6	12	5.75	78	12.63	8.68
7	18	2.66	47	22.04	9.97



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.32	88	1.88	-0.22
2	12	8.45	85	7.31	4.90
3	20	7.87	81	5.85	0.88
4	14	2.77	80	-0.19	-7.17
5	28	5.21	70	15.57	8.33
6	12	7.71	80	10.24	12.83
7	18	2.23	80	15.68	8.15

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	13.01	85	4.99	4.10
2	12	9.31	78	6.86	2.08
3	20	1.98	68	0.85	-4.93
4	14	1.81	57	4.98	-2.87
5	28	1.72	54	15.35	6.87
6	12	1.98	60	9.57	2.28
7	18	2.53	54	20.03	8.81

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	49	5.55	-4.21
2	12	2.03	51	5.45	-3.08
3	20	4.82	69	5.07	-0.18
4	14	2.12	55	6.26	-2.69
5	28	3.52	66	15.55	9.32
6	12	6.79	82	14.67	11.33
7	18	2.13	45	19.78	6.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.44	85	2.44	0.22
2	12	3.43	73	6.66	2.07
3	20	2.73	63	9.02	2.27
4	14	9.06	55	7.10	-2.21
5	28	1.80	58	18.88	9.30
6	12	2.02	52	15.64	5.64
7	18	1.85	38	22.58	8.89

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.39	71	7.68	2.98
2	12	1.98	56	10.92	2.49
3	20	1.80	53	6.98	-1.99
4	14	1.67	49	0.18	-8.62
5	28	2.67	54	20.45	10.45
6	12	3.98	61	16.14	10.32
7	18	1.77	46	19.75	7.92

CAPITA



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	59	0.00	-2.21
2	12	2.06	46	6.84	-4.67
3	20	3.10	53	-1.89	-10.10
4	14	1.54	41	-3.21	-19.40
5	20	3.16	64	16.62	6.60
6	12	2.08	49	10.04	-0.88
7	18	2.27	56	11.07	2.81

REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.59	48	0.00	-0.86
2	12	1.54	45	0.60	-10.13
3	20	1.92	48	-1.27	-11.55
4	14	1.79	51	-4.24	-12.12
5	20	1.71	34	11.14	-4.83
6	12	1.84	40	4.30	-8.37
7	18	4.82	72	7.40	2.22



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.74	43	-1.22	-12.10
2	12	2.84	45	0.78	-10.08
3	20	2.89	52	0.18	-8.57
4	14	7.58	81	-1.88	-4.88
5	20	2.69	45	11.88	-0.87
6	12	2.89	54	7.12	-2.17
7	18	10.40	84	10.60	7.80



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	48	-2.21	-12.21
2	12	10.95	74	-1.75	-5.87
3	20	5.63	74	1.16	-2.96
4	14	5.68	62	0.87	-2.10
5	20	5.32	77	13.17	8.90
6	12	2.11	72	12.07	7.03
7	18	2.27	64	14.64	7.28



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.36	46	-2.00	-12.21
2	12	1.92	67	-2.08	-9.63
3	20	6.79	77	0.41	-3.24
4	14	8.79	86	1.90	-0.43
5	20	2.98	60	0.55	2.85
6	12	2.35	66	11.15	4.99
7	18	9.34	69	17.59	11.21



REGION	STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.62	48	-1.56	-11.33
2	12	2.04	57	1.10	-6.47
3	20	12.00	67	2.49	0.55
4	14	3.15	72	1.30	-3.57
5	20	3.05	62	11.64	4.50
6	12	6.55	61	12.49	9.90
7	18	2.00	49	14.12	3.05

CAPITA



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.00	80	4.21	2.55
2	12	6.06	87	5.41	3.46
3	20	2.15	72	2.77	-1.88
4	14	1.73	58	5.55	-4.75
5	28	2.40	70	11.82	6.40
6	12	2.21	70	5.92	0.73
7	18	1.58	34	11.31	-4.40

REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.69	80	1.44	-0.77
2	12	2.05	66	5.36	-3.28
3	20	3.05	83	5.16	-1.44
4	14	1.73	48	8.02	-5.18
5	28	1.38	41	13.68	-0.23
6	12	2.72	55	9.82	0.27
7	18	2.09	48	19.92	1.83



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.69	68	9.99	-4.92
2	12	3.45	65	6.16	-2.31
3	20	5.30	75	5.88	1.69
4	14	3.18	61	8.14	-1.98
5	28	2.73	39	16.28	1.50
6	12	3.28	50	19.42	3.09
7	18	0.91	72	14.68	0.10



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	55	0.53	-6.77
2	12	3.97	65	3.80	-2.21
3	20	4.26	63	6.91	5.19
4	14	6.75	72	4.83	0.67
5	28	3.32	50	16.02	5.43
6	12	4.77	63	14.53	8.92
7	18	2.29	55	18.83	10.03



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.09	72	0.44	-3.89
2	12	8.15	82	5.92	3.00
3	20	4.51	78	9.16	5.07
4	14	5.37	69	2.53	-3.59
5	28	3.58	58	18.16	8.42
6	12	3.24	67	17.77	11.20
7	18	3.54	51	14.30	3.64



REGION	= STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.84	66	4.10	2.10
2	12	3.24	69	9.02	3.32
3	20	4.60	60	5.10	1.90
4	14	5.83	73	3.93	-2.65
5	28	2.61	60	10.54	10.37
6	12	6.21	76	15.22	10.64
7	18	3.54	65	16.87	9.40

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.00	70	3.10	-2.10
2	12	3.31	64	5.78	-0.73
3	20	6.43	65	9.57	0.88
4	14	7.89	63	0.55	-1.94
5	28	4.47	70	16.07	11.24
6	12	3.56	81	16.38	13.09
7	18	4.92	73	13.22	8.22



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.45	94	-2.00	-10.10
2	12	1.93	58	1.66	-6.73
3	20	9.72	80	9.80	2.27
4	14	8.00	91	0.23	-2.69
5	23	6.47	83	15.35	12.31
6	12	8.13	91	15.04	14.30
7	18	2.37	70	7.18	1.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.22	77	-0.66	-6.33
2	12	7.06	87	3.19	1.20
3	20	12.50	92	5.32	4.10
4	14	6.92	78	1.66	-2.17
5	28	6.80	96	14.81	12.47
6	12	2.85	79	15.04	11.24
7	18	1.95	59	10.30	0.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.68	90	4.99	3.49
2	12	9.78	87	7.54	5.59
3	20	3.51	81	4.43	1.46
4	14	2.73	68	0.01	-6.74
5	28	1.72	59	18.16	8.01
6	12	1.79	82	11.20	4.06
7	18	1.70	48	16.00	9.95

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.22	58	9.55	1.21
2	12	2.07	60	10.31	2.66
3	20	2.40	65	4.27	-1.77
4	14	1.08	61	-3.72	-10.23
5	28	2.37	54	18.66	9.08
6	12	2.78	68	16.38	9.90
7	18	2.04	68	12.84	6.56



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	42	4.77	-7.21
2	12	1.91	64	5.87	-3.00
3	20	2.21	60	0.00	-7.05
4	14	1.67	58	-6.48	-13.40
5	28	2.64	58	19.14	10.27
6	12	8.07	82	13.05	9.93
7	18	8.82	65	5.80	3.54

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	45	-1.10	-11.88
2	12	0.16	59	0.88	-7.02
3	20	1.84	61	-2.65	-9.21
4	14	1.60	53	-5.80	-12.26
5	20	2.06	58	14.71	6.48
6	12	2.99	78	9.28	6.07
7	18	6.54	88	8.45	1.37



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	42	-2.11	-13.48
2	12	2.76	56	0.66	-6.76
3	20	2.13	53	1.30	-7.52
4	14	3.07	68	-0.43	-7.67
5	20	1.96	47	12.01	0.02
6	12	2.16	53	8.58	-2.40
7	18	8.02	88	4.08	2.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	38	2.11	-10.86
2	12	1.97	54	4.61	-8.76
3	20	4.62	72	3.10	-1.87
4	14	3.00	76	2.77	-0.76
5	20	2.61	62	16.31	6.80
6	12	4.51	88	13.42	7.03
7	18	8.71	78	11.00	7.42



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.83	56	2.94	-4.68
2	12	3.33	72	7.63	2.72
3	20	7.26	78	8.93	7.49
4	14	1.54	58	0.33	-7.13
5	20	4.90	72	18.86	13.72
6	12	2.38	83	18.74	16.15
7	18	2.02	93	13.64	9.54



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.83	60	8.44	1.88
2	12	1.35	55	10.31	1.61
3	20	3.03	70	5.18	0.16
4	14	2.58	67	0.47	-3.88
5	20	2.40	67	21.22	14.50
6	12	5.16	78	18.74	14.57
7	18	2.48	94	18.80	9.73



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.54	42	7.69	-4.21
2	12	2.29	50	8.65	-1.24
3	20	4.16	64	9.91	2.79
4	14	3.22	70	5.80	1.45
5	20	5.02	68	18.50	12.31
6	12	5.15	83	18.74	15.02
7	18	3.06	98	19.97	15.16

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.77	42	6.66	-5.49
2	12	2.08	56	10.00	1.30
3	20	6.76	86	12.74	10.52
4	14	9.04	68	-0.01	-15.47
5	28	4.74	71	18.06	12.81
6	12	2.60	79	21.10	18.01
7	16	1.76	63	12.38	5.34



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	8.21	82	11.10	7.98
2	12	6.14	76	7.17	3.06
3	20	3.92	88	-5.80	-11.13
4	14	1.87	95	-8.57	-15.13
5	28	3.43	74	17.05	12.13
6	12	0.47	78	5.47	-0.09
7	16	1.58	68	4.66	-7.15



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	7.74	66	-1.66	-7.66
2	12	2.53	58	-1.06	-8.46
3	20	5.54	69	-6.30	-12.15
4	14	1.85	88	-1.90	-8.66
5	28	1.60	46	3.92	-7.38
6	12	1.58	48	-0.76	-10.50
7	16	1.62	37	6.81	-5.15



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.01	50	-4.94	-13.77
2	12	8.54	80	-2.03	-8.70
3	20	2.66	67	-3.33	-6.74
4	14	2.91	72	1.70	-8.17
5	28	1.59	46	6.96	-4.72
6	12	1.68	48	5.83	-7.17
7	16	1.55	39	11.24	-2.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.30	61	-1.00	-8.44
2	12	2.56	67	2.49	-3.00
3	20	6.67	77	-0.02	-3.58
4	14	1.60	58	-8.96	-11.10
5	23	1.56	48	11.46	0.63
6	12	1.57	44	10.13	-1.71
7	18	1.73	49	11.28	0.85



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.91	46	-0.22	-8.60
2	12	1.78	56	-1.43	-9.21
3	20	3.50	69	-6.95	-14.41
4	14	2.41	81	-7.24	-12.55
5	28	1.65	48	10.43	-0.19
6	12	1.53	52	2.30	-8.00
7	16	1.55	48	5.70	-5.24

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.34	98	-5.33	-10.28
2	12	2.67	88	-3.23	-10.32
3	20	4.13	87	-7.49	-12.83
4	14	3.85	87	-8.59	-11.31
5	28	2.76	94	0.71	0.66
6	12	2.68	99	2.96	-4.67
7	18	4.65	75	5.55	1.32



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.78	78	-2.77	-8.10
2	12	9.60	88	-0.04	-2.63
3	20	4.88	75	-4.55	-8.84
4	14	4.05	70	-7.80	-9.56
5	28	7.38	86	0.38	7.08
6	12	4.87	84	1.11	-1.29
7	18	1.46	83	4.84	-1.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.80	75	-1.85	-5.44
2	12	2.68	66	-1.43	-7.21
3	20	4.88	67	-4.32	-9.52
4	14	5.12	77	-4.18	-7.88
5	28	2.66	60	7.45	0.11
6	12	5.35	72	-0.13	-4.76
7	18	9.01	69	4.89	-0.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.60	55	-4.33	-12.66
2	12	3.65	82	-3.56	-8.94
3	20	4.51	88	-2.10	-7.21
4	14	6.07	72	-6.41	-7.83
5	28	3.85	58	7.55	-0.09
6	12	7.58	70	2.31	-2.72
7	18	7.08	81	7.04	3.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.44	65	-5.44	-11.10
2	12	7.29	72	-2.17	-6.70
3	20	7.87	65	-7.94	-8.51
4	14	3.08	54	-14.88	-17.21
5	27	8.31	70	0.31	6.45
6	12	14.03	93	-4.59	3.47
7	18	5.62	83	5.57	0.83

CAPITA


REGION 1, QTR 1 1967
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 1, QTR 2 1967
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 1, QTR 3 1967
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 1, QTR 4 1967
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 2, QTR 1 1967
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 2, QTR 2 1967
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 2, QTR 3 1967
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 2, QTR 4 1967
100 15
30
RH
BEXT
TEMP
0 0
OCT
NOV
DEC

COPITA


REGION 3, QTR 1 1967
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 3, QTR 2 1967
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 3, QTR 3 1967
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 3, QTR 4 1967
100 15
30
RH
BEXT
TEMP
0 0
OCT
NOV
DEC

C02170


REGION 4, QTR 1 1967
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 4, QTR 2 1967
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 4, QTR 3 1967
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 4, QTR 4 1967
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

COPITA


REGION 5, QTR 1 1967
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 5, QTR 2 1967
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 5, QTR 3 1967
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 5, QTR 4 1967
100 15
30
RH
BEXT
TEMP
0 0
OCT
NOV
DEC

COPITO


REGION 6, QTR 1 1967
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 6, QTR 2 1967
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 6, QTR 3 1967
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 6, QTR 4 1967
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 7, QTR 1 1967
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 7, QTR 2 1967
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 7, QTR 3 1967
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 7, QTR 4 1967
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


EUS MEAN, QTR 1 1967
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


EUS MEAN, QTR 2 1967
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


EUS MEAN, QTR 3 1967
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


EUS MEAN, QTR 4 1967
100 15
30
RH
BEXT
TEMP
0 0
OCT
NOV
DEC

CAPITA